


"✓" Stocked Item  
 "✱" Pre-order Only Item  
 (30-40 working days delivery)



# Round Tubes




Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm <sup>2</sup> )
RTD8T1.2	✱	8.0	1.2	0.073	50.00	46.00
RTD8T1.5	✱	8.0	1.5	0.087	54.00	59.04
RTD8.9T1.8	✱	8.9	1.8	0.114	27.95	79.14
RTD8.9T1.55	✱	8.9	1.55	0.102	27.95	110.10
RTD9T1.4	✱	9.0	1.4	0.095	28.27	57.87
RTD9T2	✓	9.0	2.0	0.125	28.26	66.24
RTD9.53T1.42	✱	9.5	0.9	0.069	29.85	24.32
RTD9.53T1.42	✓	9.53	1.42	0.103	29.92	71.00
RTD10T1	✱	10.0	1.0	0.081	31.40	124.00
RTD10T1.2	✓	10.0	1.2	0.095	31.40	63.00
RTD10T1.5	✱	10.0	1.5	0.114	31.42	112.00
RTD10T2	✱	10.0	2.0	0.143	31.42	61.56
RTD10.6T1.6	✱	10.6	1.6	0.129	33.28	45.21
RTD11T0.7	✱	11.0	0.7	0.065	34.60	22.65
RTD11T2	✱	11.0	2.0	0.161	34.56	56.55
RTD11T3	✱	11.0	3.0	0.215	34.56	75.40
RTD11.5T0.8	✱	11.5	0.8	0.077	36.11	26.88
RTD11.8T0.55	✱	11.8	0.55	0.080	37.05	19.43
RTD11.8T0.95	✱	11.8	0.95	0.089	37.07	32.38
RTD12T0.8	✱	12.0	0.8	0.080	37.68	28.13
RTD12T0.9	✱	12.0	0.9	0.089	37.68	31.37
RTD12T1	✱	12.0	1.0	0.098	37.68	34.54
RTD12T1.2	✱	12.0	1.2	0.116	37.68	40.69
RTD12T2	✱	12.0	2.0	0.179	37.70	62.83
RTD12T2.6	✱	12.0	2.6	0.219	37.70	76.78
RTD12T2.6	✱	12.0	2.6	0.219	37.70	76.78
RTD12T3.9	✱	12.0	3.9	0.283	37.70	99.24
RTD12.4T0.8	✱	12.4	0.8	0.083	38.84	29.14
RTD12.5T2	✱	12.5	2.0	0.188	39.27	65.97
RTD12.7T1.4	✓	12.7	1.4	0.142	39.88	49.68
RTD13T1	✱	13.0	1.0	0.107	40.80	37.70
RTD13T1.1	✱	13.0	1.1	0.117	90.00	86.00
RTD13T1.2	✱	13.0	1.2	0.349	89.50	102.20
RTD13T1.4	✱	13.0	1.4	0.453	85.70	158.90
RTD13T2	✱	13.0	2.0	0.500	86.60	175.40
RTD13T4.7	✱	13.0	4.7	0.262	95.50	92.00
RTD13.7T2	✱	13.7	2.0	0.209	43.02	73.48
RTD13.8T0.5	✱	13.8	0.5	0.060	43.35	20.89
RTD14T0.65	✱	14.0	0.65	0.078	43.96	27.25
RTD14T0.7	✱	14.0	0.7	0.083	43.96	29.23

"✓" Stocked Item  
 "✱" Pre-order Only Item  
 (30-40 working days delivery)



# Round Tubes




Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm <sup>2</sup> )
RTD14T0.8	✱	14.0	0.8	0.095	43.96	33.16
RTD14T0.9	✱	14.0	0.9	0.106	43.96	37.02
RTD14T1.2	✱	14.0	1.2	0.137	43.96	48.23
RTD14T1.5	✱	14.0	1.5	0.168	43.96	58.88
RTD14T2	✱	14.0	2.0	0.215	44.00	75.40
RTD14T3.6	✱	14.0	3.6	0.335	44.00	117.62
RTD14.5T3.85	✱	14.5	3.85	0.367	45.55	128.81
RTD14.8T1.2	✱	14.8	1.2	0.146	46.50	51.27
RTD15T0.5	✱	15.0	0.5	0.065	47.12	22.78
RTD15T0.65	✱	15.0	0.65	0.083	47.10	29.29
RTD15T0.8	✱	15.0	0.8	0.102	47.10	35.67
RTD15T1	✱	15.0	1.0	0.125	47.12	43.98
RTD15T1.1	✱	15.0	1.1	0.137	47.13	48.04
RTD15T1.2	✱	15.0	1.2	0.148	47.10	52.00
RTD15T2	✱	15.0	2.0	0.233	47.13	81.68
RTD15T1.41	✓	15.0	1.41	0.170	47.10	59.79
RTD15T4.1	✱	15.0	4.1	0.400	47.13	140.40
RTD16T0.6	✱	16.0	0.6	0.083	50.24	29.01
RTD16T0.7	✱	16.0	0.7	0.096	50.27	33.65
RTD16T0.8	✱	16.0	0.8	0.109	50.24	38.18
RTD16T1	✱	16.0	1.0	0.134	50.24	47.10
RTD16T1.1	✱	16.0	1.1	0.147	50.24	51.47
RTD16T1.2	✱	16.0	1.2	0.159	50.24	55.77
RTD16T1.3	✓	16.0	1.3	0.171	50.24	60.00
RTD16T2	✱	16.0	2.0	0.251	50.27	88.00
RTD16T3	✱	16.0	3.0	0.349	50.27	122.52
RTD16T4	✱	16.0	4.0	0.430	50.27	150.80
RTD16T4.6	✱	16.0	4.6	0.470	50.27	164.75
RTD16.5T1.2	✱	16.5	1.2	0.164	51.81	57.65
RTD17T1	✱	17.0	1.0	0.143	53.41	50.27
RTD17T2	✱	17.0	2.0	0.269	53.41	94.25
RTD17T3	✱	17.0	3.0	0.376	53.41	132.00
RTD17T4	✱	17.0	4.0	0.466	53.41	163.36
RTD17T5.1	✱	17.0	5.1	0.543	53.41	190.66
RTD17T5.6	✱	17.0	5.6	0.572	53.41	200.56
RTD17T5.9	✱	17.0	5.9	0.586	53.38	205.64
RTD17.5T2	✱	17.5	2.0	0.277	54.95	27.25
RTD18T1	✱	18.0	1.0	0.152	56.55	29.23
RTD18T1.2	✱	18.0	1.2	0.180	56.52	33.16
RTD18T1.5	✱	18.0	1.5	0.221	56.52	37.02

"✓" Stocked Item  
 "✱" Pre-order Only Item  
 (30-40 working days delivery)



# Round Tubes




Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm <sup>2</sup> )
RTD18T2	✱	18.0	2.0	0.287	56.55	100.53
RTD18T3	✱	18.0	3.0	0.403	56.55	141.37
RTD18T4	✱	18.0	4.0	0.502	56.55	176.00
RTD18T5.6	✱	18.0	5.6	0.622	56.55	218.15
RTD18T6.1	✱	18.0	6.1	0.650	56.55	228.05
RTD18.5T6.65	✱	18.5	6.7	0.701	58.12	245.90
RTD18.6T0.8	✱	18.6	0.8	0.128	58.43	44.80
RTD19T0.6	✱	19.0	0.6	0.099	59.69	34.68
RTD19T0.7	✱	19.0	0.7	0.115	59.66	40.22
RTD19T0.8	✱	19.0	0.8	0.130	59.70	45.74
RTD19T0.9	✱	19.0	0.9	0.146	59.66	51.15
RTD19T1	✱	19.0	1.0	0.161	59.66	56.52
RTD19T1.1	✱	19.0	1.1	0.176	59.66	61.83
RTD19T1.2	✓	19.0	1.2	0.191	59.66	67.07
RTD19T1.4	✓	19.0	1.4	0.221	59.66	77.37
RTD19T1.5	✱	19.0	1.5	0.235	59.66	82.43
RTD19T1.6	✓	19.0	1.6	0.249	59.66	87.42
RTD19T1.85	✱	19.0	1.85	0.284	59.66	99.62
RTD19T2	✓	19.0	2.0	0.304	59.66	106.76
RTD19T3	✱	19.0	3.0	0.430	59.69	150.80
RTD19T4	✱	19.0	4.0	0.537	60.00	188.50
RTD19T6.1	✱	19.0	6.1	0.705	59.70	247.21
RTD19T6.6	✱	19.0	6.6	0.733	59.70	257.11
RTD19.2T1.5	✱	19.2	1.5	0.238	60.29	83.37
RTD19.3T1.4	✱	19.3	1.4	0.224	60.60	78.69
RTD20T0.7	✱	20.0	0.7	0.121	62.80	42.42
RTD20T1	✱	20.0	1.0	0.170	62.80	59.66
RTD20T1.2	✓	20.0	1.2	0.202	62.80	70.84
RTD20T1.3	✱	20.0	1.3	0.143	62.80	76.33
RTD20T1.5	✱	20.0	1.5	0.269	62.80	87.14
RTD20T2	✱	20.0	2.0	0.376	62.83	113.10
RTD20T3	✱	20.0	3.0	0.466	62.83	160.22
RTD20T4	✱	20.0	4.0	0.543	62.83	201.10
RTD20T6.6	✱	20.0	6.6	0.572	62.83	277.84
RTD20T6.85	✱	20.0	6.85	0.586	62.80	282.84
RTD20T7.1	✱	20.0	7.1	0.277	62.83	287.74
RTD20.2T5.8	✱	20.2	5.8	0.152	63.43	262.25
RTD20.5T1	✱	20.5	1.0	0.180	64.40	61.26
RTD20.5T2	✱	20.5	2.0	0.331	64.40	116.24
RTD21T0.8	✱	21.0	0.8	0.145	65.94	50.74

"✓" Stocked Item  
 "✱" Pre-order Only Item  
 (30-40 working days delivery)



# Round Tubes




Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm <sup>2</sup> )
RTD21T1	✱	21.0	1.0	0.179	66.00	62.83
RTD21T2	✱	21.0	2.0	0.340	66.00	119.40
RTD21T2.3	✱	21.0	2.3	0.385	65.94	135.05
RTD21T2.5	✱	21.0	2.5	0.414	65.97	145.30
RTD21T3	✱	21.0	3.0	0.484	66.00	169.65
RTD21T4	✱	21.0	4.0	0.609	66.00	213.63
RTD21T5	✱	21.0	5.0	0.716	66.00	251.33
RTD21T7.1	✱	21.0	7.1	0.884	65.97	310.00
RTD21T7.6	✱	21.0	7.6	0.912	66.00	319.94
RTD21.5T2	✱	21.5	2.0	0.349	67.54	122.52
RTD21.6T0.8	✱	21.6	0.8	0.149	67.86	52.34
RTD21.7T0.65	✱	21.7	0.65	0.123	68.17	43.00
RTD21.9T3	✱	21.9	3.0	0.507	68.77	178.04
RTD21.8T0.8	✱	21.8	0.8	0.150	68.45	52.75
RTD22T0.7	✱	22.0	0.7	0.133	69.08	46.82
RTD22T0.8	✱	22.0	0.8	0.152	69.12	53.30
RTD22T0.9	✱	22.0	0.9	0.170	69.08	59.63
RTD22T1	✓	22.0	1.0	0.188	69.12	65.94
RTD22T1.1	✱	22.0	1.1	0.206	69.08	72.23
RTD22T1.2	✱	22.0	1.2	0.223	69.08	78.37
RTD22T1.4	✱	22.0	1.4	0.258	69.08	90.56
RTD22T1.8	✱	22.0	1.8	0.325	69.08	114.17
RTD22T2	✱	22.0	2.0	0.358	69.08	125.60
RTD22T2.15	✱	22.0	2.15	0.382	69.08	134.01
RTD22T2.6	✱	22.0	2.6	0.451	69.08	158.38
RTD22T3	✱	22.0	3.0	0.510	69.11	179.10
RTD22T4	✱	22.0	4.0	0.645	69.11	226.20
RTD22T5	✱	22.0	5.0	0.761	69.11	267.00
RTD22T8.1	✱	22.0	8.1	1.008	69.11	353.71
RTD22.2T1.1	✱	22.2	1.1	0.208	69.71	72.88
RTD22.5T1	✱	22.5	1.0	0.192	70.70	67.54
RTD21.5T0.55	✱	21.5	0.55	0.109	71.00	38.10
RTD22.8T1.3	✱	22.8	1.3	0.250	71.59	87.76
RTD23T1	✱	23.0	1.0	0.197	72.26	69.11
RTD23T2	✱	23.0	2.0	0.376	72.26	132.00
RTD23T3	✱	23.0	3.0	0.537	72.26	188.50
RTD23T4	✱	23.0	4.0	0.680	72.26	238.76
RTD23T5	✱	23.0	5.0	0.806	72.26	282.74
RTD23T8.6	✱	23.0	8.6	1.109	72.26	389.06
RTD23.9T1	✱	23.0	1.0	0.205	75.05	71.91

"✓" Stocked Item  
 "\*" Pre-order Only Item  
 (30-40 working days delivery)



# Round Tubes




Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm <sup>2</sup> )
RTD24T1	*	24.0	1.0	0.206	75.40	72.26
RTD24T2	*	24.0	2.0	0.394	75.40	138.23
RTD24T2.5	*	24.0	2.5	0.481	75.40	168.86
RTD24T3	*	24.0	3.0	0.564	75.40	197.92
RTD24T4	*	24.0	4.0	0.716	75.40	251.33
RTD24T5	*	24.0	5.0	0.851	75.40	298.45
RTD24T6	*	24.0	6.0	0.967	75.40	339.30
RTD24T7	*	24.0	7.0	1.065	75.40	373.85
RTD24T9.1	*	24.0	9.1	1.214	75.40	426.00
RTD24.1T0.8	*	24.1	0.8	0.167	75.67	58.53
RTD24.5T2	*	24.5	2.0	0.403	76.97	141.37
RTD24.8T1.7	*	24.8	1.7	0.352	77.90	123.40
RTD24.8T1.9	*	24.8	1.9	0.389	77.87	136.62
RTD24.8T1.1	*	24.8	1.1	0.234	78.19	82.21
RTD24.9T1.2	*	24.9	1.2	0.255	78.19	89.30
RTD25T0.7	*	25.0	0.7	0.152	78.54	53.44
RTD25T0.8	*	25.0	0.8	0.173	78.50	60.79
RTD25T0.9	*	25.0	0.9	0.194	78.50	68.11
RTD25T1	*	25.0	1.0	0.215	78.50	75.36
RTD25T1.1	*	25.0	1.1	0.235	78.50	82.55
RTD25T1.2	*	25.0	1.2	0.256	78.50	89.68
RTD25T1.4	*	25.0	1.4	0.296	78.50	103.75
RTD25T1.5	*	25.0	1.5	0.315	78.50	110.69
RTD25T1.8	*	25.0	1.8	0.374	78.50	131.13
RTD25T1.9	✓	25.0	1.9	0.393	78.50	137.82
RTD25T2	*	25.0	2.0	0.412	78.54	144.51
RTD25T2.5	*	25.0	2.5	0.503	78.50	176.63
RTD25T3	✓	25.0	3.0	0.591	78.50	207.24
RTD25T4	*	25.0	4.0	0.752	78.54	263.90
RTD25T5	*	25.0	5.0	0.895	78.50	314.00
RTD25T5.5	*	25.0	5.5	0.960	78.54	336.94
RTD25T6	*	25.0	6.0	1.020	78.50	357.96
RTD25T7.3	*	25.0	7.3	1.156	78.50	405.72
RTD25T8.25	*	25.0	8.25	1.237	78.50	433.91
RTD25T9.1	*	25.0	9.1	1.295	78.50	454.33
RTD25T9.6	*	25.0	9.6	1.324	78.50	464.45
RTD25.4T1	*	25.4	1.0	0.218	79.76	76.62
RTD25.4T1.2	✓	25.4	1.2	0.260	79.76	91.19
RTD25.4T2.8	*	25.4	2.8	0.566	79.76	198.70
RTD25.5T1	*	25.5	1.0	0.219	80.11	77.00

"✓" Stocked Item  
 "✱" Pre-order Only Item  
 (30-40 working days delivery)



# Round Tubes




Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm <sup>2</sup> )
RTD25.5T2	✱	25.5	2.0	0.421	80.11	147.66
RTD25.6T1.4	✱	25.6	1.4	0.303	80.38	106.38
RTD25.9T1.3	✱	25.9	1.3	0.286	81.33	100.42
RTD26T1	✱	26.0	1.0	0.224	81.68	78.54
RTD26T2	✱	26.0	2.0	0.430	81.68	150.80
RTD26T3	✱	26.0	3.0	0.617	81.68	216.66
RTD26T4	✱	26.0	4.0	0.788	81.68	276.46
RTD26T5	✱	26.0	5.0	0.940	81.68	329.87
RTD26T7	✱	26.0	7.0	1.191	81.68	417.83
RTD26T8.7	✱	26.0	8.7	1.347	81.64	472.60
RTD26T10.1	✱	26.0	10.1	1.438	81.68	504.51
RTD26.2T1.7	✱	26.2	1.7	0.373	82.27	130.78
RTD26.3T2	✱	26.3	2.0	0.435	82.58	152.60
RTD27T0.7	✱	27.0	0.7	0.165	84.82	57.84
RTD27T1	✱	27.0	1.0	0.233	84.82	81.68
RTD27T1.2	✱	27.0	1.2	0.277	84.78	97.21
RTD27T2	✱	27.0	2.0	0.448	84.82	157.10
RTD27T2.2	✱	27.0	2.2	0.489	84.78	171.41
RTD27T3	✱	27.0	3.0	0.645	84.82	226.20
RTD27T4	✱	27.0	4.0	0.823	84.78	288.88
RTD27T5	✱	27.0	5.0	0.985	84.82	345.58
RTD27T10.6	✱	27.0	10.6	1.556	84.80	546.14
RTD27.2T4.5	✱	27.2	4.5	0.914	85.41	320.75
RTD27.5T1	✱	27.5	1.0	0.237	86.40	83.25
RTD27.5T2	✱	27.5	2.0	0.457	86.40	160.22
RTD27.6T1.3	✱	27.6	1.3	0.306	86.70	107.41
RTD27.8T1	✱	27.8	1.0	0.240	87.30	84.20
RTD27.9T0.55	✱	27.9	0.55	0.135	87.61	47.23
RTD28T0.8	✱	28.0	0.8	0.195	87.92	68.33
RTD28T1	✱	28.0	1.0	0.242	87.92	84.78
RTD28T1.1	✱	28.0	1.1	0.265	87.92	92.91
RTD28T1.5	✱	28.0	1.5	0.356	87.92	124.82
RTD28T1.8	✱	28.0	1.8	0.422	87.92	148.08
RTD28T2	✱	28.0	2.0	0.466	88.00	163.36
RTD28T2.2	✱	28.0	2.2	0.508	88.00	178.32
RTD28T3	✱	28.0	3.0	0.672	88.00	235.62
RTD28T3.2	✱	28.0	3.2	0.710	87.92	249.19
RTD28T4	✓	28.0	4.0	0.859	87.92	301.44
RTD28T5	✱	28.0	5.0	1.030	88.00	361.28
RTD28T6.9	✱	28.0	6.0	1.304	88.00	457.39

"✓" Stocked Item  
 "✱" Pre-order Only Item  
 (30-40 working days delivery)



# Round Tubes




Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm <sup>2</sup> )
RTD28T11.1	✱	28.0	11.1	1.680	88.00	589.33
RTD28.3T1	✱	28.3	1.0	0.244	88.86	85.72
RTD28.5T2.2	✱	28.5	2.2	0.518	89.49	181.68
RTD28.6T0.8	✱	28.6	0.8	0.199	89.80	69.90
RTD28.7T2.5	✓	28.7	2.5	0.586	90.12	205.67
RTD29T0.75	✱	29.0	0.75	0.190	91.11	66.56
RTD29T1.1	✱	29.0	1.1	0.275	91.06	96.37
RTD29T2	✱	29.0	2.0	0.484	91.11	169.65
RTD29T3	✱	29.0	3.0	0.699	91.11	245.10
RTD29T4	✱	29.0	4.0	0.895	91.11	314.20
RTD29T5	✱	29.0	5.0	1.074	91.11	377.00
RTD29T11.6	✱	29.0	11.6	1.807	91.11	634.10
RTD29.4T1.7	✱	29.4	1.7	0.421	92.32	147.86
RTD29.8T1.9	✱	29.8	1.9	0.474	93.57	166.45
RTD30T1	✱	30.0	1.0	0.260	94.20	91.06
RTD30T1.25	✱	30.0	1.25	0.322	94.25	112.90
RTD30T1.5	✓	30.0	1.5	0.383	94.20	134.34
RTD30T2	✱	30.0	2.0	0.501	94.25	175.93
RTD30T3	✱	30.0	3.0	0.725	94.20	254.34
RTD30T4	✱	30.0	4.0	0.931	94.25	326.73
RTD30T5	✱	30.0	5.0	1.119	94.25	392.70
RTD30T12.1	✱	30.0	12.1	1.939	94.25	680.44
RTD30.5T2.5	✱	30.5	2.5	0.627	95.82	219.91
RTD31T2	✱	31.0	2.0	0.519	97.40	182.21
RTD31T3	✱	31.0	3.0	0.752	97.40	263.90
RTD31T3.25	✱	31.0	3.25	0.807	97.34	283.19
RTD31T4	✱	31.0	4.0	0.967	97.40	339.29
RTD31T5	✱	31.0	5.0	1.164	97.40	408.40
RTD31T12.6	✱	31.0	12.6	2.076	97.40	728.35
RTD31.5T2	✱	31.5	2.0	0.528	98.91	185.26
RTD31.5T3	✱	31.5	3.0	0.765	98.91	268.47
RTD31.6T1.8	✱	31.6	1.8	0.480	99.22	168.43
RTD31.8T1.1	✱	31.8	1.1	0.302	99.85	106.038
RTD31.8T2.9	✱	31.8	2.9	0.750	99.85	263.16
RTD31.8T3.15	✱	31.8	3.15	0.808	99.85	283.38
RTD32T0.8	✱	32.0	0.8	0.223	100.48	78.37
RTD32T1.2	✱	32.0	1.2	0.331	100.48	116.05
RTD32T1.4	✱	32.0	1.4	0.383	100.48	134.52
RTD32T1.5	✱	32.0	1.5	0.409	100.48	143.66
RTD32T1.6	✱	32.0	1.6	0.435	100.48	152.73

"✓" Stocked Item  
 "✱" Pre-order Only Item  
 (30-40 working days delivery)



# Round Tubes




Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm <sup>2</sup> )
RTD32T2	✱	32.0	2.0	0.537	100.48	188.40
RTD32T2.5	✱	32.0	2.5	0.660	100.48	231.58
RTD32T3	✓	32.0	3.0	0.779	100.48	273.18
RTD32T3.2	✱	32.0	3.2	0.825	100.48	289.38
RTD32T4	✱	32.0	4.0	1.003	100.53	351.86
RTD32T5	✱	32.0	5.0	1.208	100.48	423.90
RTD32T7	✱	32.0	7.0	1.566	100.48	549.50
RTD32T8	✱	32.0	8.0	1.719	100.53	603.19
RTD32T13.1	✱	32.0	13.1	2.217	100.31	777.83
RTD32.6T1.2	✱	32.6	1.2	0.337	102.36	118.32
RTD33T2	✱	33.0	2.0	0.555	103.67	194.78
RTD33T3	✱	33.0	3.0	0.806	103.67	282.74
RTD33T4	✱	33.0	4.0	1.039	103.67	364.42
RTD33T5	✱	33.0	5.0	1.253	103.67	439.80
RTD33T13.6	✱	33.0	13.6	2.362	103.67	828.88
RTD33.8T4.8	✓	33.8	4.8	1.246	106.13	437.09
RTD34T1	✱	34.0	1.0	0.295	106.76	103.62
RTD34T1.8	✱	34.0	1.8	0.519	106.76	181.99
RTD34T2	✱	34.0	2.0	0.573	106.76	200.96
RTD34T2.5	✱	34.0	2.5	0.731	106.80	256.48
RTD34T3	✱	34.0	3.0	0.832	106.76	292.02
RTD34T4	✱	34.0	4.0	1.074	106.76	376.80
RTD34T5	✓	34.0	5.0	1.298	106.81	455.53
RTD35T0.55	✱	35.0	0.55	0.170	109.96	59.53
RTD35T0.6	✱	35.0	0.6	0.185	109.90	64.81
RTD35T0.75	✱	35.0	0.75	0.230	109.90	80.66
RTD35T1.1	✱	35.0	1.1	0.334	109.90	117.09
RTD35T1.5	✱	35.0	1.5	0.450	109.90	157.79
RTD35T1.8	✱	35.0	1.8	0.535	109.90	187.65
RTD35T2	✱	35.0	2.0	0.591	109.90	207.24
RTD35T4	✱	35.0	4.0	1.110	110.00	389.56
RTD35T5	✱	35.0	5.0	1.343	110.00	471.24
RTD35T6.5	✱	35.0	6.5	1.658	109.90	581.67
RTD35T12.3	✱	35.0	12.3	2.499	109.90	876.72
RTD35.2T0.8	✱	35.2	0.8	0.246	110.53	86.41
RTD35.4T1.4	✱	35.4	1.4	0.426	111.16	149.46
RTD35.5T0.8	✱	35.5	0.8	0.248	111.47	87.17
RTD35.5T0.9	✱	35.5	0.9	0.279	111.47	97.78
RTD35.5T1.2	✱	35.5	1.2	0.368	111.47	129.24
RTD35.8T2	✱	35.8	2.0	0.605	112.41	212.26



"✓" Stocked Item  
 "✱" Pre-order Only Item  
 (30-40 working days delivery)



# Round Tubes




Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm <sup>2</sup> )
RTD36T0.8	✱	36.0	0.8	0.252	113.04	88.42
RTD36T1.2	✱	36.0	1.2	0.374	113.04	131.13
RTD36T1.25	✱	36.0	1.25	0.389	113.10	136.46
RTD36T2	✱	36.0	2.0	0.609	113.10	213.63
RTD36T4	✱	36.0	4.0	1.146	113.10	402.12
RTD36T5	✱	36.0	5.0	1.388	113.10	487.00
RTD36.5T8.75	✱	36.5	8.75	2.174	114.67	762.82
RTD36.7T1.1	✱	36.7	1.1	0.350	115.24	122.96
RTD37T13.4	✱	37.0	13.4	2.830	116.18	992.99
RTD37T5	✱	37.0	5.0	1.433	116.24	502.66
RTD38T1	✱	38.0	1.0	0.331	119.32	116.18
RTD38T1.1	✱	38.0	1.1	0.363	119.32	127.45
RTD38T1.4	✓	38.0	1.4	0.459	119.32	160.89
RTD38T1.8	✱	38.0	1.8	0.583	119.32	204.60
RTD38T2.5	✱	38.0	2.5	0.794	119.32	278.68
RTD38T2.9	✱	38.0	2.9	0.911	119.32	319.62
RTD38T3	✓	38.0	3.0	0.940	119.32	329.70
RTD38T3.5	✱	38.0	3.5	1.081	119.32	379.16
RTD38T8	✱	38.0	8.0	2.149	119.32	753.98
RTD38.1T3	✱	38.1	3.0	0.942	119.63	330.64
RTD38.4T1.1	✱	38.4	1.1	0.367	120.58	128.83
RTD39T1.05	✱	39.0	1.05	0.357	122.46	125.12
RTD39T4	✱	39.0	4.0	1.253	122.46	439.60
RTD39.12T1.36	✱	39.12	1.36	0.460	122.90	161.50
RTD40T0.9	✱	40.0	0.9	0.320	125.66	110.55
RTD40T1.05	✱	40.0	1.05	0.366	125.60	128.42
RTD40T1.25	✱	40.0	1.25	0.434	125.70	152.17
RTD40T1.5	✱	40.0	1.5	0.517	125.60	181.34
RTD40T2	✱	40.0	2.0	0.680	125.66	238.76
RTD40T3	✱	40.0	3.0	0.994	125.66	348.72
RTD40T4	✓	40.0	4.0	1.289	125.60	452.16
RTD40T5	✱	40.0	5.0	1.566	127.17	549.50
RTD40.5T0.8	✱	40.5	0.8	0.284	127.80	99.73
RTD40.7T0.75	✱	40.7	0.75	0.268	127.80	94.08
RTD41T0.8	✱	41.0	0.8	0.288	128.74	100.98
RTD41T0.9	✱	41.0	0.9	0.323	128.74	113.32
RTD41T1.2	✱	41.0	1.2	0.427	128.74	149.97
RTD41T1.5	✱	41.0	1.5	0.530	128.74	186.14
RTD41T4	✱	41.0	4.0	1.325	128.74	465.00
RTD41T5	✱	41.0	5.0	1.611	128.74	565.20

"✓" Stocked Item  
 "✱" Pre-order Only Item  
 (30-40 working days delivery)



# Round Tubes




Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm <sup>2</sup> )
RTD41.8T0.8	✱	41.8	0.8	0.294	131.25	102.99
RTD41.8T2.8	✱	41.8	2.8	0.977	131.25	342.89
RTD42T1.1	✱	42.0	1.1	0.403	131.88	141.27
RTD42T1.2	✱	42.0	1.2	0.438	131.88	153.73
RTD42T1.4	✱	42.0	1.4	0.509	131.88	178.48
RTD42T9	✱	42.0	9.0	2.658	131.88	932.58
RTD43T1.5	✱	43.0	1.5	0.557	135.02	195.47
RTD43T2	✱	43.0	2.0	0.734	135.02	257.48
RTD43T2.5	✱	43.0	2.5	0.906	135.02	317.93
RTD43T3	✱	43.0	3.0	1.074	135.02	376.80
RTD43.3T2.8	✱	43.3	2.8	1.015	135.96	356.08
RTD43.5T0.6	✱	43.5	0.6	0.230	136.66	80.86
RTD44T1.25	✱	44.0	1.25	0.478	138.20	167.88
RTD44T3.2	✱	44.0	3.2	1.168	138.16	409.96
RTD45T1	✱	45.0	1.0	0.394	141.30	138.16
RTD45T1.15	✱	45.0	1.15	0.451	141.30	158.34
RTD45T1.35	✱	45.0	1.35	0.527	141.30	185.03
RTD45T1.6	✱	45.0	1.6	0.621	141.30	218.04
RTD45T3	✓	45.0	3.0	1.128	141.30	395.64
RTD47T5	✱	47.0	5.0	1.879	147.58	659.40
RTD48T1.25	✱	48.0	1.25	0.523	150.80	183.59
RTD48T1.5	✓	48.0	1.5	0.624	150.72	219.02
RTD48.4T2.6	✓	48.4	2.6	1.066	151.98	373.91
RTD49.5T0.8	✱	49.5	0.8	0.349	155.43	122.33
RTD49.5T1.4	✱	49.5	1.4	0.603	155.43	211.45
RTD49.5T1.5	✱	49.5	1.5	0.644	155.43	226.08
RTD49.7T3	✓	49.7	3.0	1.254	156.06	439.91
RTD49.8T1.9	✓	49.8	1.9	0.814	156.37	285.77
RTD50T1	✱	50.0	1.0	0.439	157.00	153.86
RTD50T1.2	✱	50.0	1.2	0.524	157.00	183.88
RTD50T1.4	✱	50.0	1.4	0.609	157.00	213.65
RTD50T1.5	✱	50.0	1.5	0.651	157.00	228.44
RTD50T2.5	✱	50.0	2.5	1.063	157.00	372.88
RTD50T2.7	✱	50.0	2.7	1.143	157.00	401.01
RTD50T2.8	✱	50.0	2.8	1.183	157.00	414.98
RTD50T3	✓	50.0	3.0	1.262	157.00	442.74
RTD50T3.5	✱	50.0	3.5	1.456	157.00	551.04
RTD50T3.8	✱	50.0	3.8	1.571	157.00	551.26
RTD50T4	✓	50.0	4.0	1.647	157.00	577.76
RTD50T5	✱	50.0	5.0	2.014	157.00	706.50

"✓" Stocked Item  
 "\*" Pre-order Only Item  
 (30-40 working days delivery)



# Round Tubes




Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm <sup>2</sup> )
RTD50T5.5	*	50.0	5.5	2.190	157.00	768.52
RTD50T9.7	*	50.0	9.7	3.498	157.00	1227.46
RTD50.8T3.0	*	50.8	3.0	1.284	159.59	450.50
RTD51.5T2.5	*	51.5	2.5	1.097	161.79	384.85
RTD52T1.25	*	52.0	1.25	0.568	163.40	199.29
RTD53.8T0.6	*	53.8	0.6	0.286	169.00	100.28
RTD54T0.7	*	54.0	0.7	0.334	169.56	117.15
RTD54.5T3.2	*	54.5	3.2	1.469	171.13	515.46
RTD56T1.25	*	56.0	1.25	0.613	175.90	215.00
RTD56T15.5	*	56.0	15.5	5.621	175.93	1972.14
RTD57T4	✓	57.0	4.0	1.897	178.98	665.68
RTD57.5T3	*	57.5	3.0	1.464	180.64	513.65
RTD59.7T3	*	59.7	3.0	1.522	187.46	534.11
RTD60T1.25	*	60.0	1.25	0.658	188.50	230.71
RTD60T1.5	*	60.0	1.5	0.785	188.40	275.54
RTD60T5	*	60.0	5.0	2.461	188.40	863.50
RTD60T9	*	60.0	9.0	4.110	188.50	1442.00
RTD60.9T8	*	60.9	8.0	3.789	190.32	1329.52
RTD63T1.5	*	63.0	1.5	0.826	197.82	289.67
RTD63T6.5	*	63.0	6.5	3.288	197.92	1153.75
RTD63.5T3	*	63.5	3.0	1.625	199.49	570.20
RTD64T0.8	*	64.0	0.8	0.452	200.96	158.76
RTD64T1.25	*	64.0	1.25	0.702	201.10	246.42
RTD67.4T0.7	*	67.4	0.7	0.418	211.74	146.68
RTD68T1.25	*	68.0	1.25	0.747	213.60	262.13
RTD70T2	*	70.0	2.0	1.217	219.80	427.04
RTD70T4	*	70.0	4.0	2.363	219.80	828.96
RTD72T0.8	*	72.0	0.8	0.510	226.08	178.85
RTD72T1.25	*	72.0	1.25	0.792	226.20	277.83
RTD75T1.8	*	75.0	1.8	1.180	235.60	413.90
RTD75T3	✓	75.0	3.0	1.933	235.50	678.24
RTD76T0.61	*	76.0	0.61	0.412	238.76	144.48
RTD76T0.72	*	76.0	0.72	0.485	238.76	170.28
RTD76T0.77	*	76.0	0.77	0.519	238.76	181.98
RTD76T0.8	*	76.0	0.8	0.538	238.64	188.90
RTD76T0.9	*	76.0	0.9	0.605	238.64	212.23
RTD76T1	*	76.0	1.0	0.671	238.64	235.50
RTD76T1.2	*	76.0	1.2	0.803	238.64	281.85
RTD76T1.4	*	76.0	1.4	0.935	238.64	327.94
RTD76T1.5	*	76.0	1.5	1.000	238.64	350.90

"✓" Stocked Item  
 "✱" Pre-order Only Item  
 (30-40 working days delivery)



# Round Tubes




Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm <sup>2</sup> )
RTD76T4	✓	76.0	4.0	2.577	238.64	904.32
RTD76T5	✱	76.0	5.0	3.179	238.64	1115.27
RTD76.2T1.3	✱	76.2	1.3	0.872	239.40	305.90
RTD80T10	✱	80.0	10.0	6.267	251.33	2199.11
RTD80T12.5	✱	80.0	12.5	7.555	251.33	2650.72
RTD80T15	✱	80.0	15.0	8.730	251.33	3063.05
RTD80T22.5	✱	80.0	22.5	11.584	251.33	4064.44
RTD80.4T1.3	✱	80.4	1.3	0.921	252.60	323.05
RTD80.6T0.8	✱	80.6	0.8	0.572	253.21	200.56
RTD84.8T1.3	✱	84.8	1.3	0.972	266.40	341.02
RTD85T12.5	✱	85.0	12.5	8.114	267.04	2847.07
RTD85T15	✱	85.0	15.0	9.401	267.04	3298.67
RTD85T17.5	✱	85.0	17.5	10.576	267.04	3711.01
RTD85T25	✱	85.0	25.0	13.430	267.04	4712.39
RTD88.9T5.3	✱	88.9	5.3	3.967	279.46	1391.98
RTD89T4	✓	89.0	4.0	3.043	279.46	1067.60
RTD89T5	✱	89.0	5.0	3.760	279.46	1319.47
RTD89.6T1.5	✱	89.6	1.5	1.183	281.50	415.16
RTD90T2	✱	90.0	2.0	1.575	282.60	552.64
RTD90T15	✱	90.0	15.0	10.073	282.74	3534.29
RTD90T17.5	✱	90.0	17.5	11.360	282.74	3985.90
RTD90T20	✱	90.0	20.0	12.535	282.74	4398.23
RTD90T27.5	✱	90.0	27.5	15.389	282.74	5399.61
RTD94T1.5	✱	94.0	1.5	1.242	295.31	435.90
RTD95T0.8	✱	95.0	0.8	0.674	298.30	236.63
RTD95T17.5	✱	95.0	17.5	12.143	298.45	4260.47
RTD95T20	✱	95.0	20.0	13.430	298.45	4712.39
RTD95T22.5	✱	95.0	22.5	14.605	298.45	5124.72
RTD95T30	✱	95.0	30.0	17.459	298.45	6126.11
RTD97T1	✱	97.0	1.0	0.860	304.74	301.59
RTD97T1.1	✱	97.0	1.1	0.944	304.58	331.24
RTD100T4	✓	100.0	4.0	3.436	314.00	1205.76
RTD100T5	✱	100.0	5.0	4.251	314.00	1491.50
RTD100T10	✱	100.0	10.0	8.058	314.16	2827.43
RTD100T20	✱	100.0	20.0	14.326	314.16	5026.55
RTD100T22.5	✱	100.0	22.5	15.613	314.16	5478.15
RTD100T25	✱	100.0	25.0	16.788	314.16	5890.49
RTD100T32.5	✱	100.0	32.5	19.642	314.16	6891.87
RTD102T0.9	✱	102.0	0.9	0.814	320.28	285.71
RTD102T1	✱	102.0	1.0	0.904	320.28	317.14

"✓" Stocked Item  
 "\*" Pre-order Only Item  
 (30-40 working days delivery)



# Round Tubes




Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm <sup>2</sup> )
RTD102T2	*	102.0	2.0	1.790	320.28	628.00
RTD102T3	*	102.0	3.0	2.659	320.28	933.05
RTD108T5	*	108.0	5.0	4.609	339.12	1617.10
RTD110T10	*	110.0	10.0	8.954	345.57	3141.59
RTD110T15	*	110.0	15.0	12.759	345.58	4476.77
RTD110T25	*	110.0	25.0	19.026	345.58	6675.88
RTD110T27.5	*	110.0	27.5	20.313	345.58	7127.49
RTD110T30	*	110.0	30.0	21.488	345.58	7539.82
RTD110T37.5	*	110.0	37.5	24.342	345.58	8541.24
RTD114.3T2.8	*	114.3	2.8	2.789	359.10	978.76
RTD115.8T1.9	*	115.8	1.9	1.938	363.80	679.87
RTD117.9T1.2	*	117.9	1.2	1.254	370.40	439.95
RTD120T2.5	*	120.0	2.5	2.629	376.80	922.38
RTD120T4	✓	120.0	4.0	4.152	376.80	1456.96
RTD120T10	*	120.0	10.0	9.849	376.80	3455.75
RTD120T15	*	120.0	15.0	14.102	377.00	4948.00
RTD120T20	*	120.0	20.0	17.907	377.00	6283.19
RTD120T30	*	120.0	30.0	24.175	377.00	8482.30
RTD120T32.5	*	120.0	32.5	25.462	377.00	8933.90
RTD120T35	*	120.0	35.0	26.637	377.00	9346.23
RTD120T42.5	*	120.0	42.5	29.491	377.00	10347.62
RTD127T2	✓	127.0	2.0	2.237	398.78	785.00
RTD130T10	*	130.0	10.0	10.744	408.41	3769.91
RTD130T15	*	130.0	15.0	15.445	408.41	5419.25
RTD130T20	*	130.0	20.0	19.698	408.41	6911.50
RTD130T25	*	130.0	25.0	23.503	408.41	8246.68
RTD130T35	*	130.0	35.0	29.771	408.41	10445.80
RTD130T37.5	*	130.0	37.5	31.058	408.41	10897.40
RTD130T40	*	130.0	40.0	32.233	408.41	11309.73
RTD130T47.5	*	130.0	47.5	35.087	408.41	12311.12
RTD133T5	✓	133.0	5.0	5.727	417.62	2009.60
RTD134T1.4	*	134.0	1.4	1.661	420.76	582.91
RTD134T2.4	*	134.0	2.4	2.826	420.76	991.74
RTD140T15	*	140.0	15.0	16.788	439.82	5890.49
RTD140T20	*	140.0	20.0	21.488	439.82	7539.82
RTD140T25	*	140.0	25.0	25.741	439.82	9032.10
RTD140T30	*	140.0	30.0	29.547	439.82	10367.26
RTD140T40	*	140.0	40.0	35.814	439.82	12566.37
RTD140T42.5	*	140.0	42.5	37.101	439.82	13017.97
RTD140T45	*	140.0	45.0	38.276	439.82	13430.31

"✓" Stocked Item  
 "✱" Pre-order Only Item  
 (30-40 working days delivery)



# Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm <sup>2</sup> )
RTD140T52.5	✱	140.0	52.5	41.130	439.82	14431.69
RTD141T45	✱	141.0	2.0	2.489	443.00	873.36
RTD150T2	✱	150.0	2.0	2.649	471.24	929.44
RTD150T5	✓	150.0	5.0	6.488	471.24	2276.50
RTD150T10	✱	150.0	10.0	12.535	471.24	4398.23
RTD150T15	✱	150.0	15.0	18.131	471.24	6361.73
RTD150T20	✱	150.0	20.0	23.279	471.24	8168.14
RTD150T25	✱	150.0	25.0	27.980	471.24	9817.48
RTD150T30	✱	150.0	30.0	32.233	471.24	11309.73
RTD150T40	✱	150.0	40.0	39.396	471.24	13823.01
RTD159T6	✓	159.0	6.0	8.215	499.26	2882.52
RTD160T10	✱	160.0	10.0	13.430	502.65	4712.39
RTD160T15	✱	160.0	15.0	19.474	502.65	6832.96
RTD160T20	✱	160.0	20.0	25.070	502.65	8796.46
RTD160T25	✱	160.0	25.0	30.218	502.65	10602.88
RTD160T30	✱	160.0	30.0	34.919	502.65	12252.21
RTD160T35	✱	160.0	35.0	39.172	502.65	13744.47
RTD160T45	✱	160.0	45.0	46.335	502.65	16257.74
RTD162.5T38.5	✱	162.5	38.5	42.744	510.51	14997.96
RTD170T10	✱	170.0	10.0	14.326	534.07	5026.55
RTD170T15	✱	170.0	15.0	20.817	534.07	7304.20
RTD170T20	✱	170.0	20.0	26.861	534.07	9424.78
RTD170T25	✱	170.0	25.0	32.457	534.07	11388.27
RTD170T30	✱	170.0	30.0	37.605	534.07	13194.69
RTD170T35	✱	170.0	35.0	42.305	534.07	14844.03
RTD170T40	✱	170.0	40.0	46.558	534.07	16336.28
RTD170T50	✱	170.0	50.0	53.721	534.07	18849.56
RTD170.4T1.7	✱	170.4	1.7	2.568	535.33	900.98
RTD180T10	✱	180.0	10.0	15.221	565.49	5340.71
RTD180T12.5	✱	180.0	12.5	18.746	565.49	6577.71
RTD180T20	✱	180.0	20.0	28.651	565.49	10053.10
RTD180T25	✱	180.0	25.0	34.695	565.49	12173.67
RTD180T30	✱	180.0	30.0	40.291	565.49	14137.17
RTD180T35	✱	180.0	35.0	45.439	565.49	15943.58
RTD180T40	✱	180.0	40.0	50.140	565.49	17592.92
RTD180T45	✱	180.0	45.0	54.393	565.49	19085.18
RTD180T55	✱	180.0	55.0	61.556	565.49	21598.45
RTD182T15	✱	182.0	15.0	22.429	571.77	7869.69
RTD185T12.5	✱	185.0	12.5	19.306	581.20	6774.06
RTD185T15	✱	185.0	15.0	22.832	581.20	8011.06

