SD ALUMINIUM

Aluminium
Standard Extrusion

Largest Local Stock
Geometric Shape Extrusions

Apr 2025 Edition

www.sdalu.co.nz

About Us ...

SD Aluminium Ltd is a 100% New Zealand owned company. Founded in Albany, Auckland, with over 20 years' experiences in manufacturing and trading, SD Aluminium manufactures, produces and distributes premium aluminium extrusions, aluminium doors as well as customized aluminium extrusions, finishes, and fabrication coatings.

Their highly-skilled team has worked on a range of projects in many different industries, covering everything from aluminium extrusions for windows, doors, gates and fences, through to greenhouses, glass support, scaffolding and industrial assembly lines.

With their sophisticated production equipment, strong technical forces, advanced production management system and commitment to perfect customer service, you can trust them to deliver the highest quality solutions at competitive prices.

Business Advantage

01

Locally Based

SD Aluminium LTD is based right here in Auckland, New Zealand. They know the local market inside out and are only a phone call away.

02

Specialist design support

SD Aluminium's team of highly experienced engineers can assist with every stage of your project, from design and prototyping, through to production and installation.

03

Extensive Inventory

SD Aluminium provide a wide range of aluminium products, resulting in a large inventory with hundreds of different kinds suited for projects in the construction, marine and transport industries and more.

04

Fast Delivery

With our own delivery team, we can quick respond for your order request. From choosing and packaging you just need to call us and we will deliver your shipment as soon as possible.

Aluminium

Geometric Shape Profiles

ALUMINIUM

Square Hollows	*1 - 4*
Rectangular Hollows	*5 - 11*
Round Tubes	*12 - 31*
Scaffolding Round Tubes	*31*
Equal Angles	*32 - 33*
Unequal Angles	*34 - 36*
U Channels	*37 - 40*
Flat Bars	*41 - 45*
Tee Bars	*46*
Zed Sections	*47*
Solid Rods	*47 - 49*
Square Bars	*50*
Powder Coated Profiles	*51 - 53*
Sheets, Plates & Panels	*54 - 56*

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Square Hollow



Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
SHA10T1	⁎	10.0	1.0		0.103	40.00	36.00
SHA12T1	✓	12.0	1.0		0.125	48.00	44.00
SHA15T1	⁎	15.0	1.0		0.160	60.00	56.00
SHRA15T1R1.5	⁎	15.0	1.0	1.5	0.150	55.83	52.49
SHA15T1.2	⁎	15.0	1.2		0.189	60.00	66.24
SHA15T1.5	✓	15.0	1.5		0.231	60.00	81.14
SHA16T1.3	✓	16.0	1.3		0.218	64.00	76.44
SHRA16T1.8R2.8	⁎	16.0	1.8	2.8	0.314	58.85	110.00
SHA18T1.2	⁎	18.0	1.2		0.230	72.00	80.64
SHA18T2.2	✓	18.0	2.2		0.396	72.00	139.00
GM-NEWZ-196	⁎	18.0	3.15	3.0	0.534	66.85	187.40
SHRA18.7T1.3R6	⁎	18.7	1.3	6.0	0.224	64.50	78.54
SHRA18.8T1.35R6	⁎	18.8	1.35	6.0	0.233	64.90	81.89
SHA19T0.8	⁎	19.0	0.8		0.166	76.00	58.40
SHA19T1	⁎	19.0	1.0		0.205	76.00	72.00
SHA19T1.2	✓	19.0	1.2		0.244	76.00	85.44
SHRA19T1.2R2	✓	19.0	1.2	2.0	0.235	72.57	82.56
SHA19T1.6	✓	19.0	1.6		0.317	75.14	113.36
SHRA19T1.6R2	✓	19.0	1.6	2.0	0.317	72.60	108.14
SHRA19T2R2	✓	19.0	2.0	2.0	0.378	72.60	132.64
SHA20T0.55	⁎	20.0	0.55		0.122	80.00	42.79
SHA20T0.7	⁎	20.0	0.7		0.154	80.00	54.00
SHA20T1.2	✓	20.0	1.2		0.257	80.00	90.24
SHA20T1.5	⁎	20.0	1.5		0.316	80.00	111.00
SHRA20T1.6R2	⁎	20.0	1.6	2.0	0.326	76.57	114.46
SHRA20T1.8R2	⁎	20.0	1.8	2.0	0.364	76.57	127.70
SHRA20T1.9R1	⁎	20.0	1.9	1.0	0.390	78.28	136.80
SHA20T2	✓	20.0	2.0		0.410	80.00	144.00
SHA20T3	✓	20.0	3.0		0.581	79.49	204.00
SHRA21T1.8R2.8	⁎	21.0	1.8	2.8	0.418	79.30	146.52
SHA22T0.75	⁎	22.0	0.75		0.182	87.00	63.75
SHRA22T1.1	⁎	22.0	1.1		0.262	87.50	91.96
SHRA23T2R2.5	⁎	23.0	2.0	2.5	0.464	87.70	162.71
SHRA23.8T10.9R1	⁎	23.8	10.9	1.0	0.186	6.54	65.40
SHA24.8T1.5	⁎	24.8	1.5		0.398	98.69	139.80
SHA24.8T1.8	⁎	24.8	1.8		0.472	98.68	165.60
SHA25T0.6	⁎	25.0	0.6		0.167	99.49	58.56
SHA25T0.8	⁎	25.0	0.8		0.207	99.49	72.67
SHA25T1	⁎	25.0	1.0		0.274	99.50	96.00
SHA25T1.2	✓	25.0	1.2		0.326	100.00	114.24

"✓" Stocked Item
" ⁎ " Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Square Hollow



Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
SHRA25T1.2R2	✓	25.0	1.2	2.0	0.317	96.57	111.36
SHA25T1.5	✓	25.0	1.5		0.402	100.00	141.00
SHRA25T1.5R2	✓	25.0	1.5	2.0	0.393	96.60	137.80
SHRA25T1.8R2	⁎	25.0	1.8	2.0	0.463	95.80	162.30
SHA25T2	✓	25.0	2.0		0.524	100.00	184.00
SHRA25T2R2	⁎	25.0	2.0	2.0	0.510	95.76	179.00
SHRA25T2R3	✓	25.0	2.0	3.0	0.505	94.85	177.13
SHRA25T2.5R2	⁎	25.0	2.5	2.0	0.626	95.76	219.60
SHRA25T3R3	✓	25.0	3.0	3.0	0.731	94.85	256.35
SHA25T3	✓	25.0	3.0		0.752	100.00	264.00
SHA25.4T0.9	⁎	25.4	0.9		0.251	101.10	88.20
SHA28T2	⁎	28.0	2.0		0.593	111.50	207.92
SHRA28.5T1.8R2.5	⁎	28.5	1.8	2.5	0.533	109.70	187.10
SHA29.5T0.65	⁎	29.5	0.65		0.214	118.00	75.00
SHA29.5T1.75	⁎	29.5	1.75		0.554	119.14	194.25
SHA30T0.8	⁎	30.0	0.8		0.299	120.00	104.76
SHRA30T1.2R3	⁎	30.0	1.2	3.0	0.380	114.80	133.30
SHRA30T1.5R1.5	✓	30.0	1.5	1.5	0.482	117.42	169.14
SHA30T1.9	⁎	30.0	1.9		0.609	119.50	213.56
SHRA30T2R2	⁎	30.0	2.0	2.0	0.629	116.57	220.64
SHRA30T2R3	✓	30.0	2.0	3.0	0.619	114.85	217.13
SHA30T3	✓	30.0	3.0		0.923	119.50	324.00
SHA31.8T0.9	⁎	31.8	0.9		0.317	126.50	111.10
SHRA32T1.2R3	✓	32.0	1.2	3.0	0.407	122.85	142.90
SHRA32T2.3R3.5	⁎	32.0	2.3	3.5	0.759	121.99	266.16
SHA32T3	✓	32.0	3.0		0.992	128.00	348.00
SHRA32.1T1.45R3	⁎	32.1	1.45	3.0	0.491	123.34	172.23
SHRA32.1T1.8R3	⁎	32.1	1.8	3.0	0.616	125.82	216.31
SHRA32.2T0.8	⁎	32.2	0.8		0.286	128.30	100.48
SHRA33T3R5	⁎	33.0	3.0	5.0	0.975	123.42	341.97
SHRA34T1.6R3	✓	34.0	1.6	3.0	0.574	130.85	201.32
SHA35T1	⁎	35.0	1.0		0.388	140.00	136.00
SHRA35T1.37R1.5	⁎	35.0	1.37	1.5	0.520	137.43	182.38
SHRA35T1.6R1.5	⁎	35.0	1.6	1.5	0.605	137.40	212.30
SHA35T1.75	⁎	35.0	1.75		0.663	139.14	232.75
SHRA35T2R2	⁎	35.0	2.0	2.0	0.743	136.57	260.64
SHA35T2	⁎	35.0	2.0		0.752	140.00	264.00
SHA35T3	⁎	35.0	3.0		1.094	140.00	384.00
SHRA36T1.5R1	⁎	36.0	1.5	1.0	0.588	142.30	206.40
SHA38T0.6	⁎	38.0	0.6		0.256	152.00	89.80

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Square Hollow



Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
SHA38T1	⁎	38.0	1.0		0.422	151.50	148.00
SHA38T0.9	⁎	38.0	0.9		0.382	151.90	133.92
SHA38T1.3	⁎	38.0	1.3		0.544	151.50	190.84
SHA39T0.8	⁎	39.0	0.8		0.348	156.00	122.24
SHA39.5T0.8	⁎	39.5	0.8		0.353	157.50	123.90
SHA40T0.8	⁎	40.0	0.8		0.358	160.00	125.44
SHA40T1.2	⁎	40.0	1.2		0.531	160.00	186.24
SHA40T1.5	⁎	40.0	1.5		0.658	160.00	230.92
GM-PF-23	⁎	40.0	2.0	3.5	0.842	154.00	295.40
SHA40T2	✓	40.0	2.0		0.866	160.00	304.00
SHRA40T2R3	✓	40.0	2.0	3.0	0.847	154.85	297.13
SHRA40T2.5R3.5	⁎	40.0	2.5	3.5	1.041	154.00	365.30
SHA40T3	✓	40.0	3.0		1.265	160.00	444.00
SHRA40T3R3	✓	40.0	3.0	3.0	1.243	154.85	436.27
SHA40T4	✓	40.0	4.0		1.642	160.00	576.00
SHA44.5T0.9	⁎	44.5	0.9		0.447	117.30	156.78
SHA45T0.6	⁎	45.0	0.6		0.304	180.00	106.56
SHA45T0.8	⁎	45.0	0.8		0.378	179.49	132.67
SHRA45T1.6R2	⁎	45.0	1.6	2.0	0.783	176.60	274.60
SHRA45T2R3.5	⁎	45.0	2.0	3.5	0.960	174.00	335.42
SHA50T0.8	⁎	50.0	0.8		0.449	199.50	157.44
SHA50T1.0	⁎	50.0	1.0		0.559	199.50	196.00
SHA50T1.2	✓	50.0	1.2		0.667	199.50	234.20
SHA50T1.4	⁎	50.0	1.4		0.776	200.00	272.16
SHA50T2.0	✓	50.0	2.0		1.094	200.00	384.00
SHRA50T2.0R3	✓	50.0	2.0	3.0	1.075	194.85	377.13
SHA50T2.5	⁎	50.0	2.5		1.356	200.00	475.86
SHA50T3	✓	50.0	3.0		1.607	200.00	564.00
SHRA50T3R3	✓	50.0	3.0	3.0	1.585	194.85	556.28
SHA50T3.5	✓	50.0	3.5		1.855	200.00	650.86
SHA50T4	✓	50.0	4.0		2.098	200.00	736.00
SHA50T5	✓	50.0	5.0		2.565	200.00	900.00
SHA58T5	⁎	58.0	5.0		3.021	232.00	1060.00
SHA60T1.5	⁎	60.0	1.5		1.000	239.50	351.00
SHA60T2	⁎	60.0	2.0		1.322	240.00	464.00
SHRA60T2R3.5	⁎	60.0	2.0	3.5	1.298	221.43	455.42
SHA60T2.5	✓	60.0	2.5		1.639	240.00	575.00
SHRA60T2.5R3.5	⁎	60.0	2.5	3.5	1.611	234.00	565.34
SHRA60T2.7R3.5	⁎	60.0	2.7	3.5	1.735	234.00	608.90
SHA60T5	⁎	60.0	5.0		3.135	240.00	1100.00

"✓" *Stocked Item*
" ⁎ " *Pre-order Only Item*
(30-40 working days delivery)

Square Hollow



Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
SHA60T6	⁎	60.0	6.0		3.694	240.00	1296.00
SHRA65T2.5R3	✓	65.0	2.5	3.0	1.760	254.85	617.49
SHRA70T4	⁎	70.0	4.0		3.010	280.00	1056.00
SHA75T1.6	✓	75.0	1.6		1.339	299.20	469.80
SHA75T3.0	✓	75.0	3.0		2.462	299.50	864.00
SHRA75T3R3	✓	75.0	3.0	3.0	2.440	294.85	856.27
SHA75T4	✓	75.0	4.0		3.238	299.50	1136.00
SHA80T1.5	⁎	80.0	1.5		1.342	320.00	471.00
SHA80T1.8	✓	80.0	1.8		1.605	320.00	563.04
SHRA80T2.5R3.5	⁎	80.0	2.5	3.5	2.181	314.00	765.34
SHA80T4	⁎	80.0	4.0		3.466	320.00	1216.00
SHRA80T5R10	⁎	80.0	5.0	10.0	4.092	302.80	1435.62
SHRA90T1.6R8	⁎	90.0	1.6	8.0	1.556	346.27	545.98
SHA90T1.8	⁎	90.0	1.8		1.810	360.00	635.10
SHA90T1.9	⁎	90.0	1.9		1.908	360.00	669.59
SHA90T3	✓	90.0	3.0		2.975	359.14	1043.86
SHA90T6	✓	90.0	6.0		5.746	360.00	2016.00
SHA100T1	⁎	100.0	1.0		1.129	400.00	396.00
SHA100T1.3	⁎	100.0	1.3		1.463	400.00	513.27
SHA100T2	⁎	100.0	2.0		2.234	400.00	784.00
SHRA100T3R3	✓	100.0	3.0	3.0	3.296	394.85	1156.50
SHA100T3	✓	100.0	3.0		3.317	400.00	1164.00
SHA100T4	✓	100.0	4.0		4.378	400.00	1536.00
SHA100T5	✓	100.0	5.0		5.415	400.00	1900.00
SHA120T3R1	✓	120.0	3.0	1	4.000	478.30	1403.40
SHA150T3	✓	150.0	3.0		5.027	600.00	1764.00
SHA150T10	✓	150.0	10.0		15.960	600.00	5600.00
SHA200T10	✓	200.0	10.0		21.660	800.00	7600.00

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Rectangular Hollow



Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	R (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RHA15B10T1	⁎	15.0	10.0	1.0		0.131	50.00	46.00
RHA15B12T1.2	⁎	15.0	12.0	1.2		0.168	54.00	59.04
RHRA17.8B13.8T1.4R2	⁎	17.8	13.8	1.4	2.0	0.226	59.80	79.14
RHRA18B14T2R1.5	⁎	18.0	14.0	2.0	1.5	0.314	61.43	110.10
RHA18.1B7.2T1.5	⁎	18.1	7.2	1.5		0.191	50.09	66.90
RHRA18.5B13T1R1.3	⁎	18.5	13.0	1.0	1.3	0.165	60.86	57.87
RHA20B10T1.2	✓	20.0	10.0	1.2		0.189	59.50	66.24
RHA20B12T1.2	✓	20.0	12.0	1.2		0.202	64.00	71.00
RHRA20B14T1R1	⁎	20.0	14.0	1.0	1.0	0.180	66.28	63.22
RHRA20B15T1.4R1	⁎	20.0	15.0	1.4	1.0	0.255	69.50	89.38
RHA20B15T2	✓	20.0	15.0	2.0		0.353	70.00	124.00
RHA21B12.5T1	⁎	21.0	12.5	1.0		0.180	66.50	63.00
RHA22B10T2	⁎	22.0	10.0	2.0		0.319	64.00	112.00
RHA22B18T0.66	⁎	22.0	18.0	0.66		0.145	79.14	50.88
RHRA22.3B18.3T0.8R1	⁎	22.3	18.3	0.8	1.0	0.175	80.68	61.56
RHRA23B17T1.2R3	⁎	23.0	17.0	1.2	3.0	0.243	74.90	85.30
RHA23.8B10.9T1	⁎	23.8	10.9	1.0		0.186	68.54	65.4
RHA24B8T2	⁎	24.0	8.0	2.0		0.319	64.00	112.00
RHRA25B9T1.2R2	⁎	25.0	9.0	1.2	2.0	0.208	64.60	73.00
RHA25B15T0.45	⁎	25.0	15.0	0.45		0.100	79.70	35.20
RHA25B15T1	⁎	25.0	15.0	1.0		0.217	79.50	76.00
RHRA25B15T2.5R2	⁎	25.0	15.0	2.5	2.0	0.496	76.60	174.20
RHA25B20T1	⁎	25.0	20.0	1.0		0.245	89.50	86.00
RHA25.1B10.1T0.8	⁎	25.1	10.1	0.8		0.153	70.00	53.76
RHA25.4B12.7T0.9	⁎	25.4	12.7	0.9		0.186	75.69	65.34
RHA26.1B16.5T0.52	⁎	26.1	16.5	0.52		0.123	85.20	43.22
RHA28B15T1	⁎	28.0	15.0	1.0		0.234	85.50	82.00
RHRA28B18T0.7R4	⁎	28.0	18.0	0.7	4.0	0.165	85.10	58.05
RHA29.2B10T0.65	⁎	29.2	10.0	0.65		0.171	77.59	59.84
RHRA29.9B19.9T1R1.5	⁎	29.9	19.9	1.0	1.5	0.267	98.86	93.70
RHRA30B10T1.5R1.5	⁎	30.0	10.0	1.5	1.5	0.311	77.40	109.20
RHA30B10T2	✓	30.0	10.0	2.0		0.405	79.00	142.00
RHA30B15T1	⁎	30.0	15.0	1.0		0.245	90.00	86.00
RHA30B15T1.2	⁎	30.0	15.0	1.2		0.291	89.50	102.20
RHRA30B15T2R2.5	⁎	30.0	15.0	2.0	2.5	0.453	85.70	158.90
RHRA30B15T2.2R2	⁎	30.0	15.0	2.2	2.0	0.500	86.60	175.40
RHA30B18T1	⁎	30.0	18.0	1.0		0.262	95.50	92.00
RHRA30B18T1.5R2	⁎	30.0	18.0	1.5	2.0	0.375	92.56	131.58
RHA30B20T0.8	✓	30.0	20.0	0.8		0.221	100.00	77.50
RHRA30B20T1R1.5	⁎	30.0	20.0	1.0	1.5	0.269	97.40	94.30

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Rectangular Hollow



Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	R (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RHA30B20T1.2	⁎	30.0	20.0	1.2		0.325	99.50	114.20
RHRA30B20T1.5R1.5	⁎	30.0	20.0	1.5	1.5	0.397	97.42	139.14
RHRA30B20T1.6R1.5	⁎	30.0	20.0	1.6	1.5	0.422	97.40	147.90
RHA30B20T1.8	✓	30.0	20.0	1.8		0.476	100.00	167.00
RHA30.1B15.1T1.3	⁎	30.1	15.1	1.3		0.316	90.40	110.76
RHRA32B16T1.5R2.2	⁎	32.0	16.0	1.5	2.2	0.385	92.22	135.00
RHRA32B27T1.8R1	⁎	32.0	27.0	1.8	1.0	0.566	116.28	198.66
RHRA34.5B12T1.2R1	⁎	34.5	12.0	1.2	1.0	0.300	91.50	105.20
RHRA34.8B24.8T0.65R2	⁎	34.8	24.8	0.65	2.0	0.211	116.00	73.92
RHA35B20T0.4	⁎	35.0	20.0	0.4		0.123	109.49	43.28
RHA35B20T0.5	⁎	35.0	20.0	0.5		0.154	109.50	54.00
RHRA35B25T1.5R3	⁎	35.0	25.0	1.5	3.0	0.471	114.85	165.20
RHRA35B26.5T3.5R1.5	⁎	35.0	26.5	3.5	1.5	1.082	120.42	379.57
RHA36B23T0.5	⁎	36.0	23.0	0.5		0.165	117.50	58.00
RHA37.2B24.2T1.1	⁎	37.2	24.2	1.1		0.371	122.30	130.24
RHRA38B7T1.2R1	⁎	38.0	7.0	1.2	1.0	0.289	88.30	101.50
RHA38B13T2.5	⁎	38.0	13.0	2.5		0.654	102.50	229.64
RHA38B25T0.5	⁎	38.0	25.0	0.5		0.177	125.50	62.00
RHA38B25T0.6	⁎	38.0	25.0	0.6		0.211	126.00	74.16
RHA38B25T0.9	⁎	38.0	25.0	0.9		0.314	125.50	110.20
RHA38B25T1	⁎	38.0	25.0	1.0		0.348	126.00	122.00
RHA38B25T1.2	⁎	38.0	25.0	1.2		0.415	126.00	145.44
RHRA38B25T1.5R3	✓	38.0	25.0	1.5	3.0	0.496	120.85	174.21
RHA38B25T2	✓	38.0	25.0	2.0		0.672	125.14	235.86
RHRA38B25T2.5R3	✓	38.0	25.0	2.5	3.0	0.805	120.85	282.49
RHA38B25T3	⁎	38.0	25.0	3.0		0.975	126.00	342.00
RHA38B25.4T0.9	⁎	38.0	25.4	0.9		0.317	126.50	111.10
RHA40B20T0.75	⁎	40.0	20.0	0.75		0.250	120.00	87.75
RHA40B20T0.9	⁎	40.0	20.0	0.9		0.298	119.49	104.68
RHA40B20T1	⁎	40.0	20.0	1.0		0.329	119.49	115.41
RHA40B20T1.2	✓	40.0	20.0	1.2		0.394	119.50	138.20
RHRA40B20T1.6R2	✓	40.0	20.0	1.6	2.0	0.509	116.60	178.54
RHRA40B20T2R2	⁎	40.0	20.0	2.0	2.0	0.629	116.57	220.64
RHA40B20T2.5	⁎	40.0	20.0	2.5		0.784	120.00	275.00
RHA40B20T3	✓	40.0	20.0	3.0		0.923	120.00	324.00
RHA40B25T2	✓	40.0	25.0	2.0		0.695	130.00	244.00
RHRA40B25T2.5R3	⁎	40.0	25.0	2.5	3.0	0.834	124.85	292.49
RHA40B30T0.7	⁎	40.0	30.0	0.7		0.274	139.49	96.04
RHA40B30T2	⁎	40.0	30.0	2.0		0.750	138.28	263.22
RHA40.6B23.6T0.8	⁎	40.6	23.6	0.8		0.286	128.40	100.20

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

Rectangular Hollow



Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	R (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RHA42.4B35T2	⁎	42.4	35.0	2.0		0.832	154.00	292.00
RHA45B20T1.5	⁎	45.0	20.0	1.5		0.530	129.66	186.00
RHA45B25T0.6	⁎	45.0	25.0	0.6		0.235	140.00	82.56
RHRA45B35T1R2	⁎	45.0	35.0	1.0	2.0	0.437	156.57	153.43
RHA45B40T3	⁎	45.0	40.0	3.0		1.351	170.00	474.00
RHRA50B20T0.8R3	⁎	50.0	20.0	0.8	3.0	0.305	135.00	107.00
RHA50B25T0.6	⁎	50.0	25.0	0.6		0.252	149.50	88.56
RHA50B25T0.8	⁎	50.0	25.0	0.8		0.314	149.49	110.17
RHA50B25T1.2	✓	50.0	25.0	1.2		0.496	150.00	174.20
RHA50B25T1.6	✓	50.0	25.0	1.6		0.654	149.00	229.60
RHA50B25T2.5	⁎	50.0	25.0	2.5		0.998	150.00	350.00
RHA50B25T3	✓	50.0	25.0	3.0		1.180	150.00	414.00
RHRA50B25T3R3	✓	50.0	25.0	3.0	3.0	1.158	144.85	406.27
RHA50B30T1.2	⁎	50.0	30.0	1.2		0.531	160.00	186.20
RHA50B30T1.5	⁎	50.0	30.0	1.5		0.658	160.00	231.00
RHA50B30T2	✓	50.0	30.0	2.0		0.866	160.00	304.00
RHA50B34T1.5	⁎	50.0	34.0	1.5		0.693	168.00	243.00
RHRA50B34T2R3.5	⁎	50.0	34.0	2.0	3.5	0.887	162.00	311.40
RHA50B35T3	⁎	50.0	35.0	3.0		1.351	170.00	474.00
RHA50B38.5T2	⁎	50.0	38.5	2.0		0.963	176.14	338.00
RHA50B40T2	✓	50.0	40.0	2.0		0.980	180.00	344.00
RHRA50B40T2R3	✓	50.0	40.0	2.0	3.0	0.961	174.85	337.13
RHRA50B40T3R5	⁎	50.0	40.0	3.0	5.0	1.385	171.42	485.97
RHA50.2B25.4T0.9	⁎	50.2	25.4	0.9		0.378	150.70	132.80
RHA50.8B38.1T0.9	⁎	50.8	38.1	0.9		0.447	177.30	156.80
RHRA51B39T1.8R1.5	⁎	51.0	39.0	1.8	1.5	0.881	177.43	309.11
RHA53B30T1	⁎	53.0	30.0	1.0		0.462	165.49	162.00
RHA54.7B11T0.7	⁎	54.7	11.0	0.7		0.257	131.40	90.00
RHA55B9T1.3	⁎	55.0	9.0	1.3		0.455	127.50	159.56
RHA55B15T0.7	⁎	55.0	15.0	0.7		0.324	139.49	113.72
RHA55B22T0.7	✓	55.0	22.0	0.7		0.302	153.49	105.84
RHA55B30T1	⁎	55.0	30.0	1.0		0.473	170.00	166.00
RHA55B40T3	⁎	55.0	40.0	4.0	3.0	1.522	190.00	534.00
RHRA55B40T4R2	⁎	55.0	40.0	4.0	2.0	1.984	186.70	696.00
RHRA55.5B11.2T0.8R1.5	⁎	55.5	11.2	0.8	1.5	0.297	130.82	104.16
RHA59B18T1.5	⁎	59.0	18.0	1.5		0.633	154.00	222.00
RHA60B20T1.2	⁎	60.0	20.0	1.2		0.531	159.50	186.20
RHRA60B25T1.3R3	⁎	60.0	25.0	1.3	3.0	0.596	164.85	209.00
RHRA60B25T1.5R3	⁎	60.0	25.0	1.5	3.0	0.701	164.90	246.00
RHRA60B25T1.5R5.5	⁎	60.0	25.0	1.5	5.5	0.672	160.56	235.91

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Rectangular Hollow



Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	R (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RHRA60B26T2R5	⁎	60.0	26.0	2.0	5.0	0.896	163.42	314.27
RHA60B40T2	✓	60.0	40.0	2.0		1.094	200.00	384.00
RHRA60B40T2R3	✓	60.0	40.0	2.0	3.0	1.075	195.0	377.13
RHA60B40T2.5	⁎	60.0	40.0	2.5		1.354	199.50	475.00
RHA60B40T3	✓	60.0	40.0	3.0		1.607	199.20	563.90
RHRA60B40T3R6	⁎	60.0	40.0	3.0	6.0	1.600	196.57	561.42
RHA60B40T3.8	⁎	60.0	40.0	3.8		2.001	200.00	702.24
RHA60B40T4	✓	60.0	40.0	4.0		2.098	200.00	736.00
RHRA60B40T5R2	⁎	60.0	40.0	5.0	2.0	2.555	196.57	896.57
RHRA62.8B17.6T0.8R4	⁎	62.8	17.6	0.8	4.0	0.345	153.93	121.14
RHA64B25T0.9	⁎	64.0	25.0	0.9		0.447	178.00	156.96
RHRA65B16T1.2R2	✓	65.0	16.0	1.2	2.0	0.568	161.50	199.30
RHA65B16T1.2	⁎	65.0	16.0	1.2		0.529	158.57	185.76
RHA65B50T3	✓	65.0	50.0	3.0		1.864	229.14	653.86
RHA69.9B19.9T0.9	⁎	69.9	19.9	0.9		0.451	179.00	158.31
RHA70B20T1	⁎	70.0	20.0	1.0		0.500	179.49	175.41
RHRA70B25T4R2	⁎	70.0	25.0	4.0	2.0	1.984	190.00	696.00
RHRA70B25.5T0.9R3.5	⁎	70.0	25.5	0.9	3.5	0.447	184.99	156.83
RHA70B30.2T1	⁎	70.0	30.2	1.0		0.450	199.89	157.76
RHA70B40T3	✓	70.0	40.0	3.0		1.778	219.14	623.86
RHA71.6B21.3T1	⁎	71.6	21.3	1.0		0.518	185.29	181.80
RHRA74B25T1.8R3	⁎	74.0	25.0	1.8	3.0	1.052	192.85	369.11
RHA75B25T2.2	✓	75.0	25.0	2.2		1.199	199.20	420.70
RHA75B40T2	✓	75.0	40.0	2.0		1.265	230.00	444.00
RHA75B40T6	✓	75.0	40.0	6.0		3.523	229.57	1236.00
RHA75B45T0.8	⁎	75.0	45.0	0.8		0.507	239.50	177.80
RHA75B45T3	✓	75.0	45.0	3.0		1.949	239.14	683.86
RHA75B50T3	✓	75.0	50.0	3.0		2.035	249.50	714.00
RHA76B25T1.2	⁎	76.0	25.0	1.2		0.674	201.50	236.60
RHA76B25T1.5	⁎	76.0	25.0	1.5		0.838	201.50	294.00
RHA76B44T0.7	⁎	76.0	44.0	0.7		0.473	240.00	166.00
RHA76B44T1	⁎	76.0	44.0	1.0		0.673	240.00	236.00
RHA76B44T1.2	⁎	76.0	44.0	1.2		0.804	240.00	282.20
RHA76B44T1.4	⁎	76.0	44.0	1.4		0.935	240.00	328.00
RHA76B44T1.5	⁎	76.0	44.0	1.5		1.000	240.00	351.00
RHA76B44T2.0	✓	76.0	44.0	2.0		1.322	240.00	464.00
RHA76B25.4T0.9	✓	76.0	25.4	0.9		0.512	202.70	179.60
RHA76B44.5T0.9	⁎	76.0	44.5	0.9		0.610	240.80	214.00
RHRA77B32T2.7R3	✓	77.0	32.0	2.7	3.0	1.573	212.85	551.80
RHRA78.6B35.4T2R3	⁎	78.6	35.4	2.0	3.0	1.234	222.85	433.13

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Rectangular Hollow



Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	R (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RHRA79.5B19.9T0.85	⁎	79.5	19.9	0.85		0.473	198.00	166.10
RHRA80B16T1.1R2	⁎	80.0	16.0	1.1	2.0	0.580	188.57	203.62
RHA80B20T0.7	✓	80.0	20.0	0.7		0.449	199.50	157.50
RHA80B25T1	⁎	80.0	25.0	1.0		0.587	209.50	206.00
RHA80B40T0.9	⁎	80.0	40.0	0.9		0.573	240.00	201.11
RHA80B40T1.5	⁎	80.0	40.0	1.5		1.000	240.00	350.90
RHA80B40T1.8	✓	80.0	40.0	1.8		1.194	240.00	419.00
RHRA80B40T2R3	✓	80.0	40.0	2.0	3.0	1.303	243.85	457.13
RHRA80B40T3.5R3	⁎	80.0	40.0	3.5	3.0	2.254	234.80	791.00
RHA80B40T4	⁎	80.0	40.0	4.0		2.554	234.80	896.00
RHA80B50T3	✓	80.0	50.0	3.0		2.120	260.00	744.00
RHRA80B50T3R3	✓	80.0	50.0	3.0	3.0	2.098	254.85	736.28
RHA80B60T6	⁎	80.0	60.0	6.0		4.378	280.00	1536.00
RHA90B25T0.8	⁎	90.0	25.0	0.8		0.517	229.50	181.40
RHA90B25T4	⁎	90.0	25.0	4.0		2.440	229.50	856.00
RHA90B50T2	✓	90.0	50.0	2.0		1.550	279.14	543.86
RHA90B50T6	✓	90.0	50.0	6.0		4.378	280.00	1536.00
RHA90B60T3	⁎	90.0	60.0	3.0		2.384	300.00	836.50
RHRA90B60T5R5	⁎	90.0	60.0	5.0	5.0	4.051	300.00	1421.46
RHA100B15T1.2	⁎	100.0	15.0	1.2		0.770	229.50	270.20
RHA100B15T1.3	⁎	100.0	15.0	1.3		0.833	230.00	292.24
RHRA100B18T2.3R2	⁎	100.0	18.0	2.3	2.0	1.388	236.00	486.91
RHA100B19.7T1.4	✓	100.0	19.7	1.4		0.933	238.50	372.20
RHSA100B19.7T1.4	⁎	100.0	19.7	1.4		0.949	238.50	333.10
RHA100B20T0.8	⁎	100.0	20.0	0.8		0.540	240.00	189.44
RHA100B20T1.2	⁎	100.0	20.0	1.2		0.804	239.49	282.24
RHA100B25T1.5	⁎	100.0	25.0	1.5		1.043	250.00	366.00
RHA100B25T2.5	✓	100.0	25.0	2.5		1.710	249.20	600.00
RHA100B30T1.5	⁎	100.0	30.0	1.5		1.086	260.00	381.00
RHA100B40T2	✓	100.0	40.0	2.0		1.550	280.00	544.00
RHA100B44T1.4	✓	100.0	44.0	1.4		1.127	288.00	395.40
RHA100B44T2	⁎	100.0	44.0	2.0		1.596	288.00	560.10
RHA100B44T3	⁎	100.0	44.0	3.0		2.360	288.00	828.00
RHA100B45T0.8	⁎	100.0	45.0	0.8		0.613	289.49	215.17
RHA100B45T3	⁎	100.0	45.0	3.0		2.377	290.00	834.00
RHA100B45T4	⁎	100.0	45.0	4.0		3.124	290.00	1096.00
RHA100B50T1.5	⁎	100.0	50.0	1.5		1.257	300.00	441.00
RHA100B50T2.5	⁎	100.0	50.0	2.5		2.066	300.00	725.00
RHA100B50T3	✓	100.0	50.0	3.0		2.462	300.00	864.00
RHRA100B50T3R3	✓	100.0	50.0	3.0	3.0	2.440	294.85	856.28

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Rectangular Hollow



Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	R (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RHRA100B50T4R12	⁎	100.0	50.0	4.0	12.0	3.042	279.40	1067.33
RHA100B50T6	✓	100.0	50.0	6.0		4.719	299.20	1655.90
RHRA100B55T2.5R1.5	⁎	100.0	55.0	2.5	1.5	2.135	307.00	749.00
RHA100B60T2	⁎	100.0	60.0	2.0		1.778	320.00	624.00
RHRA100B60T5R1	⁎	100.0	60.0	5.0	1.0	4.273	318.28	1499.22
RHA100B80T1.8	⁎	100.0	80.0	1.8		1.810	360.00	635.00
RHA100B80T2	✓	100.0	80.0	2.0		2.006	360.00	704.00
RHRA101.6B25.4T0.9	⁎	101.6	25.4	0.9		0.642	253.50	225.40
RHA101.6B44.5T1	⁎	101.6	44.5	1.0		0.659	291.60	231.12
RHA101.6B50.8T3.2	⁎	101.6	50.8	3.2		2.663	304.80	934.40
RHRA102B75T2.5R7.5	⁎	102.0	75.0	2.5	7.5	2.375	341.12	833.18
RHA120B25T4	✓	120.0	25.0	4.0		3.124	290.00	1096.00
RHA120B30T3	⁎	120.0	30.0	3.0		2.462	300.00	864.00
RHA120B60T2	⁎	120.0	60.0	2.0		2.006	360.00	704.00
RHA120B60T2.9	✓	120.0	60.0	2.9		2.880	360.00	1010.40
RHA120B60T5	✓	120.0	60.0	5.0		4.845	360.00	1700.00
RHA120B60T6	✓	120.0	60.0	6.0		5.746	360.00	2016.00
RHRA120B66T3.9R2	⁎	120.0	66.0	3.9	2.0	3.962	369.00	1390.00
RHA120B80T6	⁎	120.0	80.0	6.0		6.430	400.00	2256.0
RHA125B30T2.5	✓	125.0	30.0	2.5		2.138	310.00	750.00
RHA125B40T3	✓	125.0	40.0	3.0		2.719	329.20	954.00
RHA125B50T3	✓	125.0	50.0	3.0		2.890	349.14	1013.86
RHA128B58T8	⁎	128.0	58.0	8.0		9.276	372.00	3254.90
GM-0467	⁎	130.0	76.0	8.0		8.649	405.13	3034.77
RHA140B45T3	⁎	140.0	45.0	3.0		3.041	364.85	1067.13
RHA150B30T2.5	✓	150.0	30.0	2.5		2.494	360.00	875.00
RHA150B50T2.5	⁎	150.0	50.0	2.5		2.779	400.00	975.00
RHA150B50T3	✓	150.0	50.0	3.0		3.317	400.00	1164.00
RHA150B76T2.5	⁎	150.0	76.0	2.5		3.149	452.00	1105.00
RHA150B100T2.5	✓	150.0	100.0	2.5		3.445	500.00	1208.92
RHRA154.9B79.7T6R14.6	⁎	154.9	79.7	6.0	14.6	7.358	444.24	2581.72
RHA160B60T4	✓	160.0	60.0	4.0		4.834	440.00	1696.00
RHA160B60T5	⁎	160.0	60.0	5.0		5.985	440.00	2100.00
RHRA160B148.5T6R10	⁎	160.0	148.5	6.0	10.0	9.935	599.83	3485.90
RHRA160B150T6R10	⁎	160.0	150.0	6.0	10.0	9.986	602.83	3503.90
RHRA169B86.2T6R15.1	⁎	169.0	86.2	6.0	15.1	8.026	484.57	2816.07
RHA171B93T10	⁎	171.0	93.0	10.0		13.959	527.14	4897.79
RHA173B73T5	⁎	173.0	73.0	5.0		6.726	492.00	2360.00
RHRA174B86.6T7.5R5	⁎	174.0	86.6	7.5	5.0	10.450	512.62	3666.69
RHA180B80T3	✓	180.0	80.0	3.0		4.344	520.00	1524.10

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

Rectangular Hollow



Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	R (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RHA200B30T2.8	⁎	200.0	30.0	2.8		3.519	460.00	1234.75
RHA200B50T3	✓	200.0	50.0	3.0		4.172	500.00	1464.00
RHA200B60T2	⁎	200.0	60.0	2.0		2.918	520.00	1024.00
RHA200B75T3	✓	200.0	75.0	3.0		4.600	549.50	1614.00
RHA200B100T3	✓	200.0	100.0	3.0		5.027	600.00	1764.00
RHA200B100T8	⁎	200.0	100.0	8.0		12.950	600.00	4544.00
RHRA232B74T10R4	⁎	232.0	74.0	10.0	4.0	16.393	611.14	5751.79
RHA245B220T4	⁎	245.0	220.0	4.0		23.325	904.25	8184.32
RHA250B50T3	✓	250.0	50.0	3.0		5.027	600.00	1764.00
RHA300B50T3	⁎	300.0	50.0	3.0		6.047	699.00	2121.87
RHA317B220T16	⁎	317.0	220.0	16.0		46.117	1074.00	16181.46

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD8T1.2	⁎	8.0	1.2	0.073	25.13	25.65
RTD8T1.5	⁎	8.0	1.5	0.087	25.13	30.63
RTD8.9T1.8	⁎	8.9	1.8	0.114	27.95	40.15
RTD8.9T1.55	⁎	8.9	1.55	0.102	27.95	35.79
RTD9T1.4	⁎	9.0	1.4	0.095	28.27	33.43
RTD9T2	✓	9.0	2.0	0.125	28.26	43.98
RTD9.53T1.42	⁎	9.5	0.9	0.069	29.85	24.32
RTD9.53T1.42	✓	9.53	1.42	0.103	29.92	36.18
RTD10T1	⁎	10.0	1.0	0.081	31.40	28.27
RTD10T1.2	✓	10.0	1.2	0.095	31.40	33.18
RTD10T1.5	⁎	10.0	1.5	0.114	31.42	40.01
RTD10T2	⁎	10.0	2.0	0.143	31.42	50.27
RTD10.6T1.6	⁎	10.6	1.6	0.129	33.28	45.21
RTD11T0.7	⁎	11.0	0.7	0.065	34.60	22.65
RTD11T2	⁎	11.0	2.0	0.161	34.56	56.55
RTD11T3	⁎	11.0	3.0	0.215	34.56	75.40
RTD11.5T0.8	⁎	11.5	0.8	0.077	36.11	26.88
RTD11.8T0.95	⁎	11.8	0.95	0.092	37.07	32.38
RTD12T0.8	⁎	12.0	0.8	0.080	37.68	28.13
RTD12T0.9	⁎	12.0	0.9	0.089	37.68	31.37
RTD12T1	⁎	12.0	1.0	0.098	37.68	34.56
RTD12T1.2	⁎	12.0	1.2	0.116	37.68	40.69
RTD12T2	⁎	12.0	2.0	0.179	37.70	62.83
RTD12T2.6	⁎	12.0	2.6	0.219	37.70	76.78
RTD12T3.9	⁎	12.0	3.9	0.283	37.70	99.24
RTD12.4T0.8	⁎	12.4	0.8	0.083	38.96	29.15
RTD12.5T2	⁎	12.5	2.0	0.188	39.27	65.97
RTD12.7T1.4	✓	12.7	1.4	0.142	39.88	49.68
RTD12.7T3.57	⁎	12.7	3.57	0.292	27.20	102.46
RTD13T1	⁎	13.0	1.0	0.107	40.84	37.70
RTD13T1.1	⁎	13.0	1.1	0.117	40.84	41.12
RTD13T1.2	⁎	13.0	1.2	0.127	40.84	44.49
RTD13T1.4	⁎	13.0	1.4	0.145	40.84	51.02
RTD13T2	⁎	13.0	2.0	0.197	40.84	69.12
RTD13T4.7	⁎	13.0	4.7	0.349	40.84	112.55
RTD13.7T2	⁎	13.7	2.0	0.210	43.02	73.48
RTD13.8T0.5	⁎	13.8	0.5	0.060	43.35	20.89
RTD14T0.65	⁎	14.0	0.65	0.078	43.96	27.25
RTD14T0.7	⁎	14.0	0.7	0.083	43.96	29.23
RTD14T0.8	⁎	14.0	0.8	0.095	43.96	33.16

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD14T0.9	⁎	14.0	0.9	0.106	43.96	37.02
RTD14T1.2	⁎	14.0	1.2	0.138	43.96	48.26
RTD14T1.5	⁎	14.0	1.5	0.168	43.96	58.88
RTD14T2	✓	14.0	2.0	0.215	44.00	75.40
RTD14T3.6	⁎	14.0	3.6	0.335	44.00	117.62
RTD14.5T3.85	⁎	14.5	3.85	0.367	45.55	128.81
RTD14.8T1.2	⁎	14.8	1.2	0.146	46.50	51.27
RTD15T0.5	⁎	15.0	0.5	0.065	47.12	22.78
RTD15T0.65	⁎	15.0	0.65	0.084	47.13	29.30
RTD15T0.8	⁎	15.0	0.8	0.102	47.10	35.67
RTD15T1	⁎	15.0	1.0	0.125	47.12	43.98
RTD15T1.1	⁎	15.0	1.1	0.137	47.13	48.04
RTD15T1.2	⁎	15.0	1.2	0.148	47.10	52.00
RTD15T2	⁎	15.0	2.0	0.233	47.13	81.68
RTD15T1.41	✓	15.0	1.41	0.170	47.10	59.79
RTD15T4.1	⁎	15.0	4.1	0.400	47.13	140.40
RTD16T0.6	⁎	16.0	0.6	0.083	50.24	29.01
RTD16T0.7	⁎	16.0	0.7	0.096	50.27	33.65
RTD16T0.8	⁎	16.0	0.8	0.109	50.24	38.18
RTD16T1	⁎	16.0	1.0	0.134	50.24	47.10
RTD16T1.1	⁎	16.0	1.1	0.147	50.24	51.47
RTD16T1.2	⁎	16.0	1.2	0.159	50.24	55.77
RTD16T1.3	✓	16.0	1.3	0.171	50.24	60.00
RTD16T2	⁎	16.0	2.0	0.251	50.27	88.00
RTD16T3	⁎	16.0	3.0	0.349	50.27	122.52
RTD16T4	⁎	16.0	4.0	0.430	50.27	150.80
RTD16T4.6	⁎	16.0	4.6	0.470	50.27	164.75
RTD16.5T1.2	⁎	16.5	1.2	0.164	51.81	57.65
RTD17T0.7	⁎	17.0	0.7	0.102	53.41	35.79
RTD17T1	⁎	17.0	1.0	0.143	53.41	50.27
RTD17T2	⁎	17.0	2.0	0.269	53.41	94.25
RTD17T3	✓	17.0	3.0	0.376	53.41	132.00
RTD17T4	⁎	17.0	4.0	0.466	53.41	163.36
RTD17T5.1	⁎	17.0	5.1	0.543	53.41	190.66
RTD17T5.6	⁎	17.0	5.6	0.572	53.41	200.56
RTD17T5.9	⁎	17.0	5.9	0.586	53.41	205.74
RTD17.5T2	⁎	17.5	2.0	0.277	54.99	97.39
RTD18T1	⁎	18.0	1.0	0.152	56.55	53.41
RTD18T1.2	⁎	18.0	1.2	0.180	56.52	63.34
RTD18T1.5	⁎	18.0	1.5	0.221	56.52	77.75

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD18T2	⁎	18.0	2.0	0.287	56.55	100.53
RTD18T2.5	⁎	18.0	2.5	0.347	56.55	121.74
RTD18T3	✓	18.0	3.0	0.403	56.55	141.37
RTD18T4	⁎	18.0	4.0	0.502	56.55	176.00
RTD18T5.6	⁎	18.0	5.6	0.622	56.55	218.15
RTD18T6.1	⁎	18.0	6.1	0.650	56.55	228.05
RTD18.5T6.65	⁎	18.5	6.7	0.706	58.12	247.57
RTD18.6T0.8	⁎	18.6	0.8	0.128	58.43	44.80
RTD19T0.6	⁎	19.0	0.6	0.099	59.69	34.68
RTD19T0.7	⁎	19.0	0.7	0.115	59.66	40.22
RTD19T0.8	⁎	19.0	0.8	0.130	59.70	45.74
RTD19T0.9	⁎	19.0	0.9	0.146	59.66	51.15
RTD19T1	⁎	19.0	1.0	0.161	59.66	56.52
RTD19T1.1	⁎	19.0	1.1	0.176	59.66	61.83
RTD19T1.2	✓	19.0	1.2	0.191	59.66	67.07
RTD19T1.4	✓	19.0	1.4	0.221	59.66	77.37
RTD19T1.5	⁎	19.0	1.5	0.235	59.66	82.43
RTD19T1.6	✓	19.0	1.6	0.249	59.66	87.42
RTD19T1.85	⁎	19.0	1.85	0.284	59.66	99.62
RTD19T2	✓	19.0	2.0	0.304	59.66	106.76
RTD19T3	✓	19.0	3.0	0.430	59.69	150.80
RTD19T4	⁎	19.0	4.0	0.537	60.00	188.50
RTD19T6.1	⁎	19.0	6.1	0.705	59.70	247.21
RTD19T6.6	⁎	19.0	6.6	0.733	59.70	257.11
RTD19.2T1.5	⁎	19.2	1.5	0.238	60.29	83.37
RTD19.3T1.4	⁎	19.3	1.4	0.224	60.60	78.69
RTD20T0.7	⁎	20.0	0.7	0.121	62.80	42.42
RTD20T1	⁎	20.0	1.0	0.170	62.80	59.66
RTD20T1.2	✓	20.0	1.2	0.202	62.80	70.84
RTD20T1.3	⁎	20.0	1.3	0.218	62.80	76.37
RTD20T1.5	⁎	20.0	1.5	0.248	62.80	87.18
RTD20T2	⁎	20.0	2.0	0.322	62.83	113.10
RTD20T3	✓	20.0	3.0	0.457	62.83	160.22
RTD20T4	⁎	20.0	4.0	0.573	62.83	201.06
RTD20T6.6	⁎	20.0	6.6	0.792	62.83	277.84
RTD20T6.85	⁎	20.0	6.85	0.807	62.80	282.99
RTD20T7.1	⁎	20.0	7.1	0.820	62.83	287.74
RTD20.2T5.8	⁎	20.2	5.8	0.748	63.43	262.39
RTD20.5T1	⁎	20.5	1.0	0.175	64.40	61.26
RTD20.5T2	⁎	20.5	2.0	0.331	64.40	116.24

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD21T0.8	⁎	21.0	0.8	0.145	65.94	50.74
RTD21T1	⁎	21.0	1.0	0.179	66.00	62.83
RTD21T2	⁎	21.0	2.0	0.340	66.00	119.40
RTD21T2.3	⁎	21.0	2.3	0.385	65.94	135.05
RTD21T2.5	⁎	21.0	2.5	0.414	65.97	145.30
RTD21T3	⁎	21.0	3.0	0.484	66.00	169.65
RTD21T4	✓	21.0	4.0	0.609	66.00	213.63
RTD21T5	⁎	21.0	5.0	0.716	66.00	251.33
RTD21T7.1	⁎	21.0	7.1	0.884	65.97	310.00
RTD21T7.6	⁎	21.0	7.6	0.912	66.00	319.94
RTD21.5T2	⁎	21.5	2.0	0.349	67.54	122.52
RTD21.6T0.8	⁎	21.6	0.8	0.149	67.86	52.34
RTD21.7T0.65	⁎	21.7	0.65	0.123	68.17	43.00
RTD21.9T3	⁎	21.9	3.0	0.507	68.77	178.04
RTD21.8T0.8	⁎	21.8	0.8	0.150	68.45	52.75
RTD21.8T1	⁎	21.8	1.0	0.186	68.45	65.34
RTD22T0.7	⁎	22.0	0.7	0.133	69.08	46.82
RTD22T0.8	⁎	22.0	0.8	0.152	69.12	53.30
RTD22T0.9	⁎	22.0	0.9	0.170	69.08	59.63
RTD22T1	✓	22.0	1.0	0.188	69.12	65.94
RTD22T1.1	⁎	22.0	1.1	0.206	69.08	72.23
RTD22T1.2	⁎	22.0	1.2	0.223	69.08	78.37
RTD22T1.4	⁎	22.0	1.4	0.258	69.08	90.56
RTD22T1.8	⁎	22.0	1.8	0.325	69.08	114.17
RTD22T2	⁎	22.0	2.0	0.358	69.08	125.60
RTD22T2.15	⁎	22.0	2.15	0.382	69.08	134.01
RTD22T2.6	⁎	22.0	2.6	0.451	69.08	158.38
RTD22T3	✓	22.0	3.0	0.510	69.11	179.10
RTD22T4	⁎	22.0	4.0	0.645	69.11	226.20
RTD22T5	⁎	22.0	5.0	0.761	69.11	267.00
RTD22T5.9	⁎	22.0	5.9	0.850	69.11	298.42
RTD22T6.9	⁎	22.0	6.9	0.933	69.11	327.32
RTD22T8.1	⁎	22.0	8.1	1.008	69.11	353.71
RTD22.2T1.1	⁎	22.2	1.1	0.208	69.71	72.88
RTD22.5T1	⁎	22.5	1.0	0.192	70.70	67.54
RTD22.6T0.55	⁎	22.6	0.55	0.109	71.00	38.10
RTD22.8T1.3	⁎	22.8	1.3	0.250	71.59	87.76
RTD23T1	⁎	23.0	1.0	0.197	72.26	69.11
RTD23T2	⁎	23.0	2.0	0.376	72.26	132.00
RTD23T3	✓	23.0	3.0	0.537	72.26	188.50

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD23T4	⁎	23.0	4.0	0.680	72.26	238.76
RTD23T5	⁎	23.0	5.0	0.806	72.26	282.74
RTD23T8.6	⁎	23.0	8.6	1.109	72.26	389.06
RTD23.5T2	⁎	23.5	2.0	0.385	73.83	135.09
RTD23.6T1.15	⁎	23.6	1.15	0.206	75.40	81.11
RTD23.9T1	⁎	23.9	1.0	0.205	75.05	71.91
RTD24T1	⁎	24.0	1.0	0.206	75.40	72.26
RTD24T1.5	⁎	24.0	1.5	0.302	75.40	106.03
RTD24T2	✓	24.0	2.0	0.394	75.40	138.23
RTD24T2.5	⁎	24.0	2.5	0.481	75.40	168.86
RTD24T3	⁎	24.0	3.0	0.564	75.40	197.92
RTD24T4	⁎	24.0	4.0	0.716	75.40	251.33
RTD24T5	⁎	24.0	5.0	0.851	75.40	298.45
RTD24T6	⁎	24.0	6.0	0.967	75.40	339.30
RTD24T7	⁎	24.0	7.0	1.065	75.40	373.85
RTD24T8.55	⁎	24.0	8.55	1.183	75.40	415.00
RTD24T9.1	⁎	24.0	9.1	1.214	75.40	426.00
RTD24.5T1.25	⁎	24.5	1.25	0.260	77.00	91.30
RTD24.5T2	⁎	24.5	2.0	0.403	76.97	141.37
RTD24.8T1.7	⁎	24.8	1.7	0.352	77.90	123.40
RTD24.8T1.9	⁎	24.8	1.9	0.389	77.87	136.62
RTD24.8T1.1	⁎	24.8	1.1	0.234	78.19	82.21
RTD24.9T1.2	⁎	24.9	1.2	0.255	78.19	89.30
RTD25T0.7	⁎	25.0	0.7	0.152	78.54	53.44
RTD25T0.8	⁎	25.0	0.8	0.173	78.50	60.79
RTD25T0.9	⁎	25.0	0.9	0.194	78.50	68.11
RTD25T1	⁎	25.0	1.0	0.215	78.50	75.36
RTD25T1.1	⁎	25.0	1.1	0.235	78.50	82.55
RTD25T1.2	⁎	25.0	1.2	0.256	78.50	89.68
RTD25T1.4	⁎	25.0	1.4	0.296	78.50	103.75
RTD25T1.5	⁎	25.0	1.5	0.315	78.50	110.69
RTD25T1.8	⁎	25.0	1.8	0.374	78.50	131.13
RTD25T1.9	✓	25.0	1.9	0.393	78.50	137.82
RTD25T2	⁎	25.0	2.0	0.412	78.54	144.51
RTD25T2.5	⁎	25.0	2.5	0.503	78.50	176.63
RTD25T3	✓	25.0	3.0	0.591	78.50	207.24
RTD25T4	⁎	25.0	4.0	0.752	78.54	263.90
RTD25T5	⁎	25.0	5.0	0.895	78.50	314.00
RTD25T5.5	⁎	25.0	5.5	0.960	78.54	336.94
RTD25T6	⁎	25.0	6.0	1.020	78.50	357.96

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD25T7.3	⁎	25.0	7.3	1.156	78.50	405.72
RTD25T8.25	⁎	25.0	8.25	1.237	78.50	433.91
RTD25T9.1	⁎	25.0	9.1	1.295	78.50	454.33
RTD25T9.6	⁎	25.0	9.6	1.324	78.50	464.45
RTD25.4T1	⁎	25.4	1.0	0.218	79.76	76.62
RTD25.4T1.2	✓	25.4	1.2	0.260	79.76	91.19
RTD25.4T2.8	⁎	25.4	2.8	0.566	79.76	198.70
RTD25.5T1	⁎	25.5	1.0	0.219	80.11	77.00
RTD25.5T1.2	⁎	25.5	1.2	0.261	80.11	91.61
RTD25.5T2	⁎	25.5	2.0	0.421	80.11	147.66
RTD25.6T1.4	⁎	25.6	1.4	0.303	80.38	106.38
RTD25.9T1.2	⁎	25.9	1.2	0.265	81.33	93.12
RTD25.9T1.3	⁎	25.9	1.3	0.286	81.33	100.42
RTD26T1	⁎	26.0	1.0	0.224	81.68	78.54
RTD26T2	⁎	26.0	2.0	0.430	81.68	150.80
RTD26T2.5	⁎	26.0	2.5	0.526	81.68	184.57
RTD26T3	✓	26.0	3.0	0.617	81.68	216.66
RTD26T4	⁎	26.0	4.0	0.788	81.68	276.46
RTD26T5	⁎	26.0	5.0	0.940	81.68	329.87
RTD26T7	⁎	26.0	7.0	1.191	81.68	417.83
RTD26T8	⁎	26.0	8.0	1.289	81.68	452.39
RTD26T8.7	⁎	26.0	8.7	1.347	81.68	472.60
RTD26T10.1	⁎	26.0	10.1	1.438	81.68	504.51
RTD26.2T1.7	⁎	26.2	1.7	0.373	82.27	130.78
RTD26.3T2	⁎	26.3	2.0	0.435	82.58	152.60
RTD26.5T2	⁎	26.5	2.0	0.439	83.25	153.94
RTD27T0.7	⁎	27.0	0.7	0.165	84.82	57.84
RTD27T1	⁎	27.0	1.0	0.233	84.82	81.68
RTD27T1.2	⁎	27.0	1.2	0.277	84.78	97.21
RTD27T2	⁎	27.0	2.0	0.448	84.82	157.10
RTD27T2.2	⁎	27.0	2.2	0.489	84.78	171.41
RTD27T3	✓	27.0	3.0	0.645	84.82	226.20
RTD27T4	⁎	27.0	4.0	0.823	84.78	288.88
RTD27T5	⁎	27.0	5.0	0.985	84.82	345.58
RTD27T10.6	⁎	27.0	10.6	1.556	84.80	546.14
RTD27.2T4.5	⁎	27.2	4.5	0.914	85.41	320.75
RTD27.5T1	⁎	27.5	1.0	0.237	86.40	83.25
RTD27.5T1.1	⁎	27.5	1.1	0.260	86.40	91.23
RTD27.5T2	⁎	27.5	2.0	0.457	86.40	160.22
RTD27.6T1.3	⁎	27.6	1.3	0.306	86.70	107.41

"✓" *Stocked Item*
"⁎" *Pre-order Only Item*
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD27.8T1	⁎	27.8	1.0	0.240	87.30	84.20
RTD27.9T0.55	⁎	27.9	0.55	0.135	87.61	47.23
RTD28T0.8	⁎	28.0	0.8	0.195	87.92	68.33
RTD28T1	⁎	28.0	1.0	0.242	87.92	84.78
RTD28T1.1	⁎	28.0	1.1	0.265	87.92	92.91
RTD28T1.5	⁎	28.0	1.5	0.356	87.92	124.82
RTD28T1.8	⁎	28.0	1.8	0.422	87.92	148.08
RTD28T2	⁎	28.0	2.0	0.466	88.00	163.36
RTD28T2.2	⁎	28.0	2.2	0.508	88.00	178.32
RTD28T3	⁎	28.0	3.0	0.672	88.00	235.62
RTD28T3.2	⁎	28.0	3.2	0.710	87.92	249.19
RTD28T4	✓	28.0	4.0	0.859	87.92	301.44
RTD28T5	⁎	28.0	5.0	1.030	88.00	361.28
RTD28T6.5	⁎	28.0	6.5	1.190	87.96	439.04
RTD28T6.9	⁎	28.0	6.9	1.304	88.00	457.39
RTD28T11.1	⁎	28.0	11.1	1.680	88.00	589.33
RTD28.3T1	⁎	28.3	1.0	0.244	88.86	85.72
RTD28.5T2.2	⁎	28.5	2.2	0.518	89.49	181.68
RTD28.6T0.8	⁎	28.6	0.8	0.199	89.80	69.90
RTD28.7T2.5	✓	28.7	2.5	0.586	90.12	205.67
RTD29T0.75	⁎	29.0	0.75	0.190	91.11	66.56
RTD29T1.1	⁎	29.0	1.1	0.275	91.06	96.37
RTD29T2	⁎	29.0	2.0	0.484	91.11	169.65
RTD29T3	⁎	29.0	3.0	0.699	91.11	245.10
RTD29T4	⁎	29.0	4.0	0.895	91.11	314.20
RTD29T5	⁎	29.0	5.0	1.074	91.11	377.00
RTD29T5.75	⁎	29.0	5.75	1.197	91.11	419.99
RTD29T11.6	⁎	29.0	11.6	1.807	91.11	634.10
RTD29.8T1.9	⁎	29.8	1.9	0.474	93.57	166.45
RTD29.9T1.2	⁎	29.9	1.2	0.308	93.93	108.20
RTD30T1	⁎	30.0	1.0	0.260	94.20	91.06
RTD30T1.1	⁎	30.0	1.1	0.285	94.20	99.87
RTD30T1.25	⁎	30.0	1.25	0.322	94.25	112.90
RTD30T1.5	✓	30.0	1.5	0.383	94.20	134.34
RTD30T2	⁎	30.0	2.0	0.501	94.25	175.93
RTD30T2.5	⁎	30.0	2.5	0.616	94.25	215.98
RTD30T3	✓	30.0	3.0	0.725	94.20	254.34
RTD30T4	⁎	30.0	4.0	0.931	94.25	326.73
RTD30T5	⁎	30.0	5.0	1.119	94.25	392.70
RTD30T12.1	⁎	30.0	12.1	1.939	94.25	680.44

"✓" Stocked Item
" ⁎ " Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD30.5T2.5	⁎	30.5	2.5	0.627	95.82	219.91
RTD31T2	⁎	31.0	2.0	0.519	97.40	182.21
RTD31T3	⁎	31.0	3.0	0.752	97.40	263.90
RTD31T3.25	⁎	31.0	3.25	0.807	97.34	283.19
RTD31T4	⁎	31.0	4.0	0.967	97.40	339.29
RTD31T5	✓	31.0	5.0	1.164	97.40	408.40
RTD31T12.6	⁎	31.0	12.6	2.076	97.40	728.35
RTD31.5T2	⁎	31.5	2.0	0.528	98.91	185.26
RTD31.5T3	⁎	31.5	3.0	0.765	98.91	268.47
RTD31.6T1.8	⁎	31.6	1.8	0.480	99.22	168.43
RTD31.7T2	⁎	31.7	2.0	0.532	99.60	186.61
RTD31.8T3.15	⁎	31.8	3.15	0.808	99.85	283.52
RTD32T0.8	⁎	32.0	0.8	0.223	100.48	78.37
RTD32T1	⁎	32.0	1.0	0.278	100.53	97.39
RTD32T1.2	⁎	32.0	1.2	0.331	100.48	116.05
RTD32T1.4	⁎	32.0	1.4	0.383	100.48	134.52
RTD32T1.5	⁎	32.0	1.5	0.409	100.48	143.66
RTD32T1.6	✓	32.0	1.6	0.435	100.48	152.73
RTD32T2	⁎	32.0	2.0	0.537	100.48	188.40
RTD32T2.5	⁎	32.0	2.5	0.660	100.48	231.58
RTD32T3	✓	32.0	3.0	0.779	100.48	273.18
RTD32T3.2	⁎	32.0	3.2	0.825	100.48	289.38
RTD32T4	⁎	32.0	4.0	1.003	100.53	351.86
RTD32T5	⁎	32.0	5.0	1.208	100.48	423.90
RTD32T7	⁎	32.0	7.0	1.566	100.48	549.50
RTD32T8	⁎	32.0	8.0	1.719	100.53	603.19
RTD32T13.1	⁎	32.0	13.1	2.217	100.53	777.83
RTD32.6T1.2	⁎	32.6	1.2	0.337	102.36	118.32
RTD33T2	⁎	33.0	2.0	0.555	103.67	194.78
RTD33T3	⁎	33.0	3.0	0.806	103.67	282.74
RTD33T4	⁎	33.0	4.0	1.039	103.67	364.42
RTD33T5	⁎	33.0	5.0	1.253	103.67	439.80
RTD33T13.6	⁎	33.0	13.6	2.362	103.67	828.88
RTD34T1	⁎	34.0	1.0	0.295	106.76	103.62
RTD34T1.2	⁎	34.0	1.2	0.352	106.76	123.65
RTD34T1.8	⁎	34.0	1.8	0.519	106.76	181.99
RTD34T2	⁎	34.0	2.0	0.573	106.76	200.96
RTD34T2.5	⁎	34.0	2.5	0.705	106.80	247.40
RTD34T3	⁎	34.0	3.0	0.832	106.76	292.02
RTD34T4	⁎	34.0	4.0	1.074	106.76	376.80

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD34T5	✓	34.0	5.0	1.298	106.81	455.53
RTD34.6T1.35	⁎	34.6	1.35	0.402	108.70	141.02
RTD35T0.55	⁎	35.0	0.55	0.170	109.96	59.53
RTD35T0.75	⁎	35.0	0.75	0.230	109.90	80.66
RTD35T1.1	⁎	35.0	1.1	0.334	109.90	117.09
RTD35T1.5	⁎	35.0	1.5	0.450	109.90	157.79
RTD35T1.8	⁎	35.0	1.8	0.535	109.90	187.65
RTD35T2	⁎	35.0	2.0	0.591	109.90	207.24
RTD35T4	⁎	35.0	4.0	1.110	110.00	389.56
RTD35T5	⁎	35.0	5.0	1.343	110.00	471.24
RTD35T6.5	⁎	35.0	6.5	1.658	109.90	581.67
RTD35T12.3	⁎	35.0	12.3	2.499	109.90	876.72
RTD35.2T0.8	⁎	35.2	0.8	0.246	110.53	86.41
RTD35.4T1.4	⁎	35.4	1.4	0.426	111.16	149.46
RTD35.5T0.8	⁎	35.5	0.8	0.248	111.53	87.17
RTD35.5T0.9	⁎	35.5	0.9	0.279	111.53	97.78
RTD35.5T1.2	⁎	35.5	1.2	0.368	111.53	129.24
RTD35.5T3.75	⁎	35.5	3.75	1.066	111.53	374.05
RTD35.8T2	⁎	35.8	2.0	0.605	112.41	212.26
RTD36T0.8	⁎	36.0	0.8	0.252	113.04	88.42
RTD36T1.2	⁎	36.0	1.2	0.374	113.04	131.13
RTD36T1.25	⁎	36.0	1.25	0.389	113.10	136.46
RTD36T2	✓	36.0	2.0	0.609	113.10	213.63
RTD36T4	⁎	36.0	4.0	1.146	113.10	402.12
RTD36T5	⁎	36.0	5.0	1.388	113.10	487.00
RTD36.5T8.75	⁎	36.5	8.75	2.174	114.67	762.82
RTD36.7T1.1	⁎	36.7	1.1	0.350	115.24	122.96
RTD37T2	⁎	37.0	2.0	0.627	116.24	219.91
RTD37T13.4	⁎	37.0	13.4	2.830	116.18	992.99
RTD37T5	⁎	37.0	5.0	1.433	116.24	502.66
RTD38T1	⁎	38.0	1.0	0.331	119.32	116.18
RTD38T1.1	⁎	38.0	1.1	0.363	119.32	127.45
RTD38T1.4	✓	38.0	1.4	0.459	119.32	160.89
RTD38T1.8	⁎	38.0	1.8	0.583	119.32	204.60
RTD38T2.5	⁎	38.0	2.5	0.794	119.32	278.68
RTD38T2.9	⁎	38.0	2.9	0.911	119.32	319.62
RTD38T3	✓	38.0	3.0	0.940	119.32	329.70
RTD38T3.5	⁎	38.0	3.5	1.081	119.32	379.16
RTD38T4	⁎	38.0	4.0	1.218	119.32	427.26
RTD38T5	⁎	38.0	5.0	1.477	119.32	518.36

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD38T8	⁎	38.0	8.0	2.149	119.32	753.98
RTD38.1T3	⁎	38.1	3.0	0.942	119.63	330.64
RTD38.4T1.1	⁎	38.4	1.1	0.367	120.58	128.83
RTD39T1.05	⁎	39.0	1.05	0.357	122.46	125.12
RTD39T4	⁎	39.0	4.0	1.253	122.46	439.60
RTD39.12T1.36	⁎	39.12	1.36	0.460	122.90	161.50
RTD40T0.9	⁎	40.0	0.9	0.315	125.66	110.55
RTD40T1.05	⁎	40.0	1.05	0.366	125.60	128.42
RTD40T1.25	⁎	40.0	1.25	0.434	125.70	152.17
RTD40T1.5	⁎	40.0	1.5	0.517	125.60	181.34
RTD40T2	⁎	40.0	2.0	0.680	125.66	238.76
RTD40T3	⁎	40.0	3.0	0.994	125.66	348.72
RTD40T4	✓	40.0	4.0	1.289	125.66	452.16
RTD40T5	⁎	40.0	5.0	1.567	125.66	549.78
RTD40.5T0.8	⁎	40.5	0.8	0.284	127.80	99.73
RTD40.7T0.75	⁎	40.7	0.75	0.268	127.80	94.08
RTD41T0.8	⁎	41.0	0.8	0.288	128.74	100.98
RTD41T0.9	⁎	41.0	0.9	0.323	128.74	113.32
RTD41T1.2	⁎	41.0	1.2	0.427	128.74	149.97
RTD41T1.5	⁎	41.0	1.5	0.530	128.74	186.14
RTD41T4	⁎	41.0	4.0	1.325	128.74	465.00
RTD41T5	⁎	41.0	5.0	1.611	128.74	565.20
RTD41.8T0.8	⁎	41.8	0.8	0.294	131.25	102.99
RTD41.8T2.8	⁎	41.8	2.8	0.977	131.25	342.89
RTD42T1.1	⁎	42.0	1.1	0.403	131.88	141.27
RTD42T1.2	⁎	42.0	1.2	0.438	131.88	153.73
RTD42T1.4	⁎	42.0	1.4	0.509	131.88	178.48
RTD42T9	⁎	42.0	9.0	2.658	131.88	932.58
RTD43T1.5	⁎	43.0	1.5	0.557	135.02	195.47
RTD43T2	⁎	43.0	2.0	0.734	135.02	257.48
RTD43T2.5	⁎	43.0	2.5	0.906	135.02	317.93
RTD43T3	⁎	43.0	3.0	1.074	135.02	376.80
RTD43.3T2.8	⁎	43.3	2.8	1.015	135.96	356.08
RTD43.5T0.6	⁎	43.5	0.6	0.230	136.66	80.86
RTD44T1.25	⁎	44.0	1.25	0.478	138.20	167.88
RTD44T3.2	⁎	44.0	3.2	1.168	138.16	409.96
RTD44.5T10.35	⁎	44.5	10.35	3.165	139.80	1110.40
RTD45T1	⁎	45.0	1.0	0.394	141.30	138.16
RTD45T1.15	⁎	45.0	1.15	0.451	141.30	158.34
RTD45T1.35	⁎	45.0	1.35	0.527	141.30	185.03

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD45T1.6	⁎	45.0	1.6	0.621	141.30	218.04
RTD45T3	✓	45.0	3.0	1.128	141.30	395.64
RTD47T5	⁎	47.0	5.0	1.879	147.58	659.40
RTD48T1.25	⁎	48.0	1.25	0.523	150.80	183.59
RTD48T1.5	✓	48.0	1.5	0.624	150.72	219.02
★ RTD48.26T3.68	✓	48.26	3.68	1.469	151.61	515.39
★ RTD48.4T2.6	✓	48.4	2.6	1.066	152.05	374.10
★ RTD48.4T4.47	✓	48.4	4.47	1.758	152.05	616.91
RTD49.5T0.8	⁎	49.5	0.8	0.349	155.43	122.33
RTD49.5T1.4	⁎	49.5	1.4	0.603	155.43	211.45
RTD49.5T1.5	⁎	49.5	1.5	0.644	155.43	226.08
RTD49.7T3	⁎	49.7	3.0	1.254	156.06	439.91
RTD49.8T1.9	✓	49.8	1.9	0.814	156.37	285.77
RTD50T1	⁎	50.0	1.0	0.439	157.00	153.86
RTD50T1.2	⁎	50.0	1.2	0.524	157.00	183.88
RTD50T1.4	⁎	50.0	1.4	0.609	157.00	213.65
RTD50T1.5	⁎	50.0	1.5	0.651	157.00	228.44
★ RTD50T2	✓	50.0	2.0	1.063	157.00	372.88
RTD50T2.5	⁎	50.0	2.5	1.063	157.00	372.88
RTD50T2.7	⁎	50.0	2.7	1.143	157.00	401.01
RTD50T2.8	⁎	50.0	2.8	1.183	157.00	414.98
★ RTD50T3	✓	50.0	3.0	1.262	157.00	442.74
RTD50T3.5	⁎	50.0	3.5	1.456	157.00	511.29
RTD50T3.8	⁎	50.0	3.8	1.571	157.00	551.26
RTD50T4	✓	50.0	4.0	1.647	157.00	577.76
RTD50T5	✓	50.0	5.0	2.014	157.00	706.50
RTD50T5.5	⁎	50.0	5.5	2.190	157.00	768.52
RTD50T8	⁎	50.0	8.0	3.008	157.00	1055.58
RTD50T9.7	⁎	50.0	9.7	3.498	157.00	1227.46
RTD50.8T3.0	⁎	50.8	3.0	1.284	159.59	450.50
RTD51.5T2.5	⁎	51.5	2.5	1.097	161.79	384.85
RTD51.5T12.2	⁎	51.5	12.2	4.293	161.79	1506.30
RTD52T1.25	⁎	52.0	1.25	0.568	163.40	199.29
RTD53.8T0.6	⁎	53.8	0.6	0.286	169.00	100.28
RTD54T0.7	⁎	54.0	0.7	0.334	169.56	117.15
RTD54.5T3.2	⁎	54.5	3.2	1.469	171.13	515.46
RTD56T1.25	⁎	56.0	1.25	0.613	175.90	215.00
RTD56T15.5	⁎	56.0	15.5	5.621	175.93	1972.14
RTD56.5T3	⁎	56.5	3.0	1.437	177.50	1972.14
RTD57T4	✓	57.0	4.0	1.897	178.98	665.68

★ *Marked items are available in **6061-T6** grade aluminium,*
*Ideal for **Scarffolding Applications** due to the High Strength and Corrosion Resistance.*

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD59.7T3	⁎	59.7	3.0	1.522	187.46	534.11
RTD60T1.25	⁎	60.0	1.25	0.658	188.50	230.71
RTD60T1.5	⁎	60.0	1.5	0.785	188.40	275.54
RTD60T5	✓	60.0	5.0	2.461	188.40	863.50
RTD60T6	⁎	60.0	6.0	2.901	188.50	1017.88
RTD60T7	⁎	60.0	7.0	3.322	188.50	1165.53
RTD60T9	⁎	60.0	9.0	4.110	188.50	1442.00
RTD60T10	⁎	60.0	10.0	4.477	188.50	1570.80
RTD60T15	⁎	60.0	15.0	6.044	188.50	2120.58
RTD60.9T8	⁎	60.9	8.0	3.789	190.32	1329.52
RTD63T1.5	⁎	63.0	1.5	0.826	197.82	289.67
RTD63T1.8	⁎	63.0	1.5	0.986	197.82	346.10
RTD63T6.5	✓	63.0	6.5	3.288	197.92	1153.75
RTD63.5T3	⁎	63.5	3.0	1.625	199.49	570.20
RTD64T0.8	⁎	64.0	0.8	0.452	200.96	158.76
RTD64T1.25	⁎	64.0	1.25	0.702	201.10	246.42
RTD65T8	⁎	65.0	8.0	4.083	204.20	1432.57
RTD66T13	⁎	66.0	13.0	6.169	207.35	2164.56
RTD67.4T0.7	⁎	67.4	0.7	0.418	211.74	146.68
RTD68T1.25	⁎	68.0	1.25	0.747	213.60	262.13
RTD70T2	⁎	70.0	2.0	1.217	219.80	427.04
RTD70T4	✓	70.0	4.0	2.363	219.80	828.96
RTD70T8	⁎	70.0	8.0	4.441	219.80	1558.23
RTD70T10	⁎	70.0	10.0	5.372	219.80	1884.96
RTD70T15	⁎	70.0	15.0	7.387	219.80	2591.81
RTD70T17.5	⁎	70.0	17.5	8.226	219.80	2886.34
RTD70T20	⁎	70.0	20.0	8.954	219.80	3141.59
RTD70T25	⁎	70.0	25.0	10.073	219.80	3534.29
RTD72T0.8	⁎	72.0	0.8	0.510	226.08	178.85
RTD72T1.25	⁎	72.0	1.25	0.792	226.20	277.83
RTD75T1.8	✓	75.0	1.8	1.180	235.60	413.90
RTD75T3	✓	75.0	3.0	1.933	235.50	678.24
RTD76T0.61	⁎	76.0	0.61	0.412	238.76	144.48
RTD76T0.72	⁎	76.0	0.72	0.485	238.76	170.28
RTD76T0.77	⁎	76.0	0.77	0.519	238.76	181.98
RTD76T0.8	⁎	76.0	0.8	0.538	238.64	188.90
RTD76T0.9	⁎	76.0	0.9	0.605	238.64	212.23
RTD76T1	⁎	76.0	1.0	0.671	238.64	235.50
RTD76T1.2	⁎	76.0	1.2	0.803	238.64	281.85
RTD76T1.4	⁎	76.0	1.4	0.935	238.64	327.94

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD76T1.5	⁎	76.0	1.5	1.000	238.64	350.90
RTD76T4	✓	76.0	4.0	2.577	238.64	904.32
RTD76T5	⁎	76.0	5.0	3.179	238.64	1115.27
RTD76T8.5	⁎	76.0	8.5	5.137	238.76	1802.49
RTD76.2T1.3	⁎	76.2	1.3	0.872	239.40	305.90
RTD80T5	⁎	80.0	5.0	3.358	251.33	1178.10
RTD80T10	✓	80.0	10.0	6.267	251.33	2199.11
RTD80T10.25	⁎	80.0	10.25	6.401	251.33	2246.04
RTD80T12.5	⁎	80.0	12.5	7.555	251.33	2650.72
RTD80T15	⁎	80.0	15.0	8.730	251.33	3063.05
RTD80T20	⁎	80.0	20.0	10.744	251.33	3769.91
RTD80T22.5	⁎	80.0	22.5	11.584	251.33	4064.44
RTD80T25	⁎	80.0	25.0	12.311	251.33	4319.69
RTD80T30	⁎	80.0	30.0	13.430	251.33	4712.39
RTD80.4T1.3	⁎	80.4	1.3	0.921	252.60	323.05
RTD80.6T0.8	⁎	80.6	0.8	0.572	253.21	200.56
RTD84.8T1.3	⁎	84.8	1.3	0.972	266.40	341.02
RTD85T7.5	⁎	85.0	7.5	5.204	267.04	1826.05
RTD85T10	⁎	85.0	10.0	6.715	267.04	2356.19
RTD85T12.5	⁎	85.0	12.5	8.114	267.04	2847.07
RTD85T12.75	⁎	85.0	12.75	8.248	267.04	2894.00
RTD85T15	⁎	85.0	15.0	9.401	267.04	3298.67
RTD85T17.5	⁎	85.0	17.5	10.576	267.04	3711.01
RTD85T22.5	⁎	85.0	22.5	12.591	267.04	4417.87
RTD85T25	⁎	85.0	25.0	13.430	267.04	4712.39
RTD85T27.5	⁎	85.0	27.5	14.158	267.04	4967.64
RTD85T32.5	⁎	85.0	32.5	15.277	267.04	5360.34
RTD88.9T5.3	⁎	88.9	5.3	3.967	279.46	1391.98
RTD89T4	✓	89.0	4.0	3.043	279.46	1067.60
RTD89T5	⁎	89.0	5.0	3.760	279.46	1319.47
RTD89.6T1.5	⁎	89.6	1.5	1.183	281.50	415.16
RTD90T2	⁎	90.0	2.0	1.575	282.60	552.64
RTD90T10	⁎	90.0	10.0	7.163	282.74	2513.17
RTD90T12.5	⁎	90.0	12.5	8.674	282.74	3043.42
RTD90T15	⁎	90.0	15.0	10.073	282.74	3534.29
RTD90T15.25	⁎	90.0	15.25	10.206	282.74	3581.22
RTD90T17.5	⁎	90.0	17.5	11.360	282.74	3985.90
RTD90T20	⁎	90.0	20.0	12.535	282.74	4398.23
RTD90T25	⁎	90.0	25.0	14.550	282.74	5105.09
RTD90T27.5	⁎	90.0	27.5	15.389	282.74	5399.61

"✓" *Stocked Item*
"⁎" *Pre-order Only Item*
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD90T30	⁎	90.0	30.0	16.116	282.74	5654.87
RTD90T35	⁎	90.0	35.0	17.236	282.74	6047.57
RTD91T8.5	⁎	90.0	8.5	6.279	282.74	2203.04
RTD94T1.5	⁎	94.0	1.5	1.242	295.31	435.90
RTD95T0.8	⁎	95.0	0.8	0.674	298.30	236.63
RTD95T5.5	⁎	95.0	5.5	4.407	298.30	1546.50
RTD95T8.5	⁎	95.0	8.5	6.583	298.30	2309.86
RTD95T10	⁎	95.0	10.0	7.611	298.45	2670.35
RTD95T12.5	⁎	95.0	12.5	9.233	298.45	3239.77
RTD95T15	⁎	95.0	15.0	10.744	298.45	3769.91
RTD95T17.5	⁎	95.0	17.5	12.143	298.45	4260.47
RTD95T17.75	⁎	95.0	17.75	12.277	298.45	4307.71
RTD95T20	⁎	95.0	20.0	13.430	298.45	4712.39
RTD95T22.5	⁎	95.0	22.5	14.605	298.45	5124.72
RTD95T27.5	⁎	95.0	27.5	16.620	298.45	5831.58
RTD95T30	⁎	95.0	30.0	17.459	298.45	6126.11
RTD95T32.5	⁎	95.0	32.5	18.187	298.45	6381.36
RTD95T37.5	⁎	95.0	37.5	19.306	298.45	6774.06
RTD96T8	⁎	96.0	8.0	6.303	301.59	2211.68
RTD97T1	⁎	97.0	1.0	0.860	304.74	301.59
RTD97T1.1	⁎	97.0	1.1	0.944	304.58	331.24
RTD100T4	✓	100.0	4.0	3.436	314.16	1205.76
RTD100T5	⁎	100.0	5.0	4.251	314.16	1491.50
RTD100T8	⁎	100.0	8.0	6.590	314.16	2312.21
RTD100T10	✓	100.0	10.0	8.058	314.16	2827.43
RTD100T11	⁎	100.0	11.0	8.766	314.16	3075.62
RTD100T12.5	⁎	100.0	12.5	9.793	314.16	3436.12
RTD100T15	⁎	100.0	15.0	11.416	314.16	4005.53
RTD100T17.5	⁎	100.0	17.5	12.927	314.16	4535.67
RTD100T20	⁎	100.0	20.0	14.326	314.16	5026.55
RTD100T20.25	⁎	100.0	20.25	14.459	314.16	5073.48
RTD100T22.5	⁎	100.0	22.5	15.613	314.16	5478.15
RTD100T25	⁎	100.0	25.0	16.788	314.16	5890.49
RTD100T30	⁎	100.0	30.0	18.802	314.16	6597.35
RTD100T32.5	⁎	100.0	32.5	19.642	314.16	6891.87
RTD100T35	⁎	100.0	35.0	20.369	314.16	7147.12
RTD100T40	⁎	100.0	40.0	21.488	314.16	7539.82
RTD101T8	⁎	101.0	8.0	6.661	317.30	2337.35
RTD102T0.9	⁎	102.0	0.9	0.814	320.28	285.71
RTD102T1	⁎	102.0	1.0	0.904	320.28	317.30

"✓" *Stocked Item*
"⁎" *Pre-order Only Item*
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD102T2	⁎	102.0	2.0	1.791	320.28	628.30
RTD102T3	⁎	102.0	3.0	2.659	320.28	933.05
RTD105T7.5	⁎	105.0	7.5	6.547	329.87	2297.29
RTD105T10.5	⁎	105.0	10.5	8.884	329.87	3117.25
RTD105T12.5	⁎	105.0	12.5	10.353	329.87	3632.47
RTD105T13.5	⁎	105.0	13.5	11.060	329.87	3880.65
RTD105T15	⁎	105.0	15.0	12.087	329.87	4241.15
RTD105T17.5	⁎	105.0	17.5	13.710	329.87	4810.56
RTD105T20	⁎	105.0	20.0	15.221	329.87	5340.71
RTD105T22.5	⁎	105.0	22.5	16.620	329.87	5831.58
RTD105T22.75	⁎	105.0	22.75	16.754	329.87	5878.51
RTD105T25	⁎	105.0	25.0	17.907	329.87	5878.51
RTD105T27.5	⁎	105.0	27.5	19.082	329.87	6695.52
RTD105T32.5	⁎	105.0	32.5	21.097	329.87	7402.38
RTD105T35	⁎	105.0	35.0	21.936	329.87	7696.90
RTD105T37.5	⁎	105.0	37.5	22.664	329.87	7952.16
RTD105T42.5	⁎	105.0	42.5	23.783	329.87	8344.86
RTD108T5	⁎	108.0	5.0	4.609	339.12	1617.10
RTD110T8	⁎	110.0	8.0	7.306	345.58	2563.54
RTD110T10	✓	110.0	10.0	8.954	345.58	3141.59
RTD110T13	⁎	110.0	13.0	11.290	345.58	3961.55
RTD110T15	⁎	110.0	15.0	12.759	345.58	4476.77
RTD110T16	⁎	110.0	16.0	13.466	345.58	4724.96
RTD110T17.5	⁎	110.0	17.5	14.494	345.58	5085.45
RTD110T20	⁎	110.0	20.0	16.116	345.58	5654.87
RTD110T22.5	⁎	110.0	22.5	17.627	345.58	6185.01
RTD110T25	⁎	110.0	25.0	19.026	345.58	6675.88
RTD110T25.25	⁎	110.0	25.25	19.160	345.58	6722.81
RTD110T27.5	⁎	110.0	27.5	20.313	345.58	7127.49
RTD110T30	⁎	110.0	30.0	21.488	345.58	7539.82
RTD110T37.5	⁎	110.0	37.5	24.342	345.58	8541.24
RTD110T40	⁎	110.0	40.0	25.070	345.58	8796.46
RTD110T45	⁎	110.0	45.0	26.189	345.58	9189.16
RTD112T6	⁎	112.0	6.0	5.694	351.86	1998.05
RTD114.3T2.8	⁎	114.3	2.8	2.795	359.10	980.81
RTD115.8T1.9	⁎	115.8	1.9	1.938	363.80	679.87
RTD116T8	⁎	116.0	8.0	7.736	364.43	2714.34
RTD117.9T1.2	⁎	117.9	1.2	1.254	370.40	439.95
RTD120T2.5	⁎	120.0	2.5	2.629	376.80	922.38
RTD120T4	✓	120.0	4.0	4.152	376.80	1456.96

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD120T5	⁎	120.0	5.0	5.148	376.80	1806.42
RTD120T10	✓	120.0	10.0	9.849	376.80	3455.75
RTD120T15	⁎	120.0	15.0	14.102	377.00	4948.00
RTD120T18	⁎	120.0	18.0	16.439	377.00	5767.96
RTD120T20	⁎	120.0	20.0	17.907	377.00	6283.19
RTD120T21	⁎	120.0	21.0	18.614	377.00	6531.37
RTD120T22.5	⁎	120.0	22.5	19.642	377.00	6891.87
RTD120T25	⁎	120.0	25.0	21.265	377.00	7461.28
RTD120T27.5	⁎	120.0	27.5	22.776	377.00	7991.43
RTD120T30	⁎	120.0	30.0	24.175	377.00	8482.30
RTD120T30.25	⁎	120.0	30.25	24.308	377.00	8529.23
RTD120T32.5	⁎	120.0	32.5	25.462	377.00	8933.90
RTD120T35	⁎	120.0	35.0	26.637	377.00	9346.23
RTD120T40	⁎	120.0	40.0	28.651	377.00	10053.10
RTD120T42.5	⁎	120.0	42.5	29.491	377.00	10347.62
RTD120T45	⁎	120.0	45.0	30.218	377.00	10602.88
RTD120T50	⁎	120.0	50.0	31.337	377.00	10995.57
RTD121T8	⁎	121.0	8.0	8.094	380.13	2840.00
RTD125T12.5	⁎	125.0	12.5	12.591	392.70	4417.86
RTD125T17.5	⁎	125.0	17.5	16.844	392.70	5910.12
RTD125T20.5	⁎	125.0	20.5	19.181	392.70	6730.07
RTD125T22.5	⁎	125.0	22.5	20.649	392.70	7245.30
RTD125T23.5	⁎	125.0	23.5	21.356	392.70	7493.48
RTD125T25	⁎	125.0	25.0	22.384	392.70	7853.98
RTD125T27.5	⁎	125.0	27.5	24.007	392.70	8423.40
RTD125T30	⁎	125.0	30.0	25.518	392.70	8953.54
RTD125T32.5	⁎	125.0	32.5	26.917	392.70	9444.41
RTD125T32.75	⁎	125.0	32.75	27.050	392.70	9491.34
RTD125T35	⁎	125.0	35.0	28.204	392.70	9896.02
RTD125T37.5	⁎	125.0	37.5	29.379	392.70	10308.35
RTD125T42.5	⁎	125.0	42.5	31.393	392.70	11015.21
RTD125T45	⁎	125.0	45.0	32.233	392.70	11309.73
RTD125T47.5	⁎	125.0	47.5	32.960	392.70	11564.99
RTD125T52.5	⁎	125.0	52.5	34.079	392.70	11957.69
RTD127T2	✓	127.0	2.0	2.237	398.98	785.00
RTD127T8.5	⁎	127.0	8.5	9.018	398.98	3164.37
RTD127T13.5	⁎	127.0	13.5	13.719	398.98	4813.71
RTD127T18.5	⁎	127.0	18.5	17.972	398.98	6305.96
RTD127T21.5	⁎	127.0	21.5	20.309	398.98	7125.92
RTD127T23.5	⁎	127.0	23.5	21.777	398.98	7641.14

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD127T24.5	⁎	127.0	24.5	22.485	398.98	7889.33
RTD127T26	⁎	127.0	26.0	23.512	398.98	8249.82
RTD127T28.5	⁎	127.0	28.5	25.135	398.98	8819.24
RTD127T31	⁎	127.0	31.0	26.646	398.98	9349.38
RTD127T33.5	⁎	127.0	33.5	28.045	398.98	9840.25
RTD127T33.75	⁎	127.0	33.75	28.178	398.98	9887.18
RTD127T36	⁎	127.0	36.0	29.332	398.98	10291.56
RTD127T38.5	⁎	127.0	38.5	30.507	398.98	10704.19
RTD127T43.5	⁎	127.0	43.5	32.521	398.98	11411.05
RTD127T46	⁎	127.0	46.0	33.361	398.98	11705.57
RTD127T48.5	⁎	127.0	48.5	34.088	398.98	11960.83
RTD127T53.5	⁎	127.0	53.5	35.208	398.98	12353.53
RTD130T8	⁎	130.0	8.0	8.739	408.41	3066.19
RTD130T10	✓	130.0	10.0	10.744	408.41	3769.91
RTD130T15	⁎	130.0	15.0	15.445	408.41	5419.25
RTD130T20	⁎	130.0	20.0	19.698	408.41	6911.50
RTD130T23	⁎	130.0	23.0	22.035	408.41	7731.46
RTD130T25	⁎	130.0	25.0	23.503	408.41	8246.68
RTD130T26	⁎	130.0	26.0	24.210	408.41	8494.87
RTD130T27.5	⁎	130.0	27.5	25.238	408.41	8855.36
RTD130T30	⁎	130.0	30.0	26.861	408.41	9424.78
RTD130T32.5	⁎	130.0	32.5	28.372	408.41	9954.92
RTD130T35	⁎	130.0	35.0	29.771	408.41	10445.80
RTD130T35.25	⁎	130.0	35.25	29.904	408.41	10492.72
RTD130T37.5	⁎	130.0	37.5	31.058	408.41	10897.40
RTD130T40	⁎	130.0	40.0	32.233	408.41	11309.73
RTD130T45	⁎	130.0	45.0	34.247	408.41	12016.59
RTD130T47.5	⁎	130.0	47.5	35.087	408.41	12311.12
RTD130T50	⁎	130.0	50.0	35.814	408.41	12566.37
RTD130T55	⁎	130.0	55.0	36.933	408.41	12959.07
RTD133T2.3	⁎	133.0	2.3	2.692	417.62	944.39
RTD133T4	⁎	133.0	4.0	4.620	417.62	1621.06
RTD133T5	✓	133.0	5.0	5.727	417.62	2009.60
RTD134T1.4	⁎	134.0	1.4	1.661	420.76	582.91
RTD134T2.4	⁎	134.0	2.4	2.826	420.76	991.74
RTD140T10	⁎	140.0	10.0	11.640	439.82	4084.07
RTD140T13	⁎	140.0	13.0	14.782	439.82	5186.77
RTD140T15	⁎	140.0	15.0	16.788	439.82	5890.49
RTD140T20	⁎	140.0	20.0	21.488	439.82	7539.82
RTD140T25	⁎	140.0	25.0	25.741	439.82	9032.10

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD140T28	⁎	140.0	28.0	28.078	439.82	9852.04
RTD140T30	⁎	140.0	30.0	29.547	439.82	10367.26
RTD140T31	⁎	140.0	31.0	30.254	439.82	10615.44
RTD140T32.5	⁎	140.0	32.5	31.281	439.82	10975.94
RTD140T35	⁎	140.0	35.0	32.904	439.82	11545.35
RTD140T37.5	⁎	140.0	37.5	34.415	439.82	12075.50
RTD140T40	⁎	140.0	40.0	35.814	439.82	12566.37
RTD140T40.25	⁎	140.0	40.25	35.948	439.82	12613.30
RTD140T42.5	⁎	140.0	42.5	37.101	439.82	13017.97
RTD140T45	⁎	140.0	45.0	38.276	439.82	13430.31
RTD140T50	⁎	140.0	50.0	40.291	439.82	14137.17
RTD140T52.5	⁎	140.0	52.5	41.130	439.82	14431.69
RTD140T55	⁎	140.0	55.0	41.858	439.82	14686.95
RTD140T60	⁎	140.0	60.0	42.977	439.82	15079.65
RTD141T45	⁎	141.0	2.0	2.489	443.00	873.36
RTD150T2	✓	150.0	2.0	2.649	471.24	929.44
RTD150T5	✓	150.0	5.0	6.488	471.24	2276.50
RTD150T10	✓	150.0	10.0	12.535	471.24	4398.23
RTD150T15	⁎	150.0	15.0	18.131	471.24	6361.73
RTD150T20	⁎	150.0	20.0	23.279	471.24	8168.14
RTD150T25	⁎	150.0	25.0	27.980	471.24	9817.48
RTD150T30	⁎	150.0	30.0	32.233	471.24	11309.73
RTD150T40	⁎	150.0	40.0	39.396	471.24	13823.01
RTD159T6	✓	159.0	6.0	8.215	499.26	2882.52
RTD160T10	✓	160.0	10.0	13.430	502.65	4712.39
RTD160T15	⁎	160.0	15.0	19.474	502.65	6832.96
RTD160T20	⁎	160.0	20.0	25.070	502.65	8796.46
RTD160T25	⁎	160.0	25.0	30.218	502.65	10602.88
RTD160T30	⁎	160.0	30.0	34.919	502.65	12252.21
RTD160T35	⁎	160.0	35.0	39.172	502.65	13744.47
RTD160T45	⁎	160.0	45.0	46.335	502.65	16257.74
RTD162.5T38.5	⁎	162.5	38.5	42.744	510.51	14997.96
RTD170T10	⁎	170.0	10.0	14.326	534.07	5026.55
RTD170T15	⁎	170.0	15.0	20.817	534.07	7304.20
RTD170T20	⁎	170.0	20.0	26.861	534.07	9424.78
RTD170T25	⁎	170.0	25.0	32.457	534.07	11388.27
RTD170T30	⁎	170.0	30.0	37.605	534.07	13194.69
RTD170T35	⁎	170.0	35.0	42.305	534.07	14844.03
RTD170T40	⁎	170.0	40.0	46.558	534.07	16336.28
RTD170T50	⁎	170.0	50.0	53.721	534.07	18849.56

"✓" Stocked Item
" ⁎ " Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD170.4T1.7	⁎	170.4	1.7	2.568	535.33	900.98
RTD180T10	✓	180.0	10.0	15.221	565.49	5340.71
RTD180T12.5	⁎	180.0	12.5	18.746	565.49	6577.71
RTD180T15	⁎	180.0	15.0	22.160	565.49	7775.44
RTD180T20	⁎	180.0	20.0	28.651	565.49	10053.10
RTD180T25	⁎	180.0	25.0	34.695	565.49	12173.67
RTD180T30	⁎	180.0	30.0	40.291	565.49	14137.17
RTD180T35	⁎	180.0	35.0	45.439	565.49	15943.58
RTD180T40	⁎	180.0	40.0	50.140	565.49	17592.92
RTD180T45	⁎	180.0	45.0	54.393	565.49	19085.18
RTD180T55	⁎	180.0	55.0	61.556	565.49	21598.45
RTD182T15	⁎	182.0	15.0	22.429	571.77	7869.69
RTD185T7.5	⁎	185.0	7.5	11.919	581.20	4182.25
RTD185T12.5	⁎	185.0	12.5	19.306	581.20	6774.06
RTD185T15	⁎	185.0	15.0	22.832	581.20	8011.06
RTD185T17.5	⁎	185.0	17.5	26.245	581.20	9208.79
RTD185T22.5	⁎	185.0	22.5	32.736	581.20	11486.45
RTD185T27.5	⁎	185.0	27.5	38.780	581.20	13607.02
RTD185T32.5	⁎	185.0	32.5	44.376	581.20	15570.52
RTD185T37.5	⁎	185.0	37.5	49.524	581.20	17376.93
RTD185T42.5	⁎	185.0	42.5	54.225	581.20	19026.27
RTD185T47.5	⁎	185.0	47.5	58.478	581.20	20518.53
RTD185T57.5	⁎	185.0	57.5	65.641	581.20	23031.80
RTD186T8	⁎	186.0	8.0	12.750	581.20	4473.63
RTD189.5T15.6	⁎	189.5	15.6	24.290	595.33	8522.64
RTD190T10	⁎	190.0	10.0	16.116	596.90	5654.87
RTD190T15	⁎	190.0	15.0	23.503	596.90	8246.68
RTD190T17.5	⁎	190.0	17.5	27.028	596.90	9483.68
RTD190T20	⁎	190.0	20.0	30.442	596.90	10681.42
RTD190T25	⁎	190.0	25.0	36.933	596.90	12959.07
RTD190T30	⁎	190.0	30.0	42.977	596.90	15079.65
RTD190T35	⁎	190.0	35.0	48.573	596.90	17043.14
RTD190T40	⁎	190.0	40.0	53.721	596.90	18849.56
RTD190T45	⁎	190.0	45.0	58.422	596.90	20498.89
RTD190T50	⁎	190.0	50.0	62.675	596.90	21991.15
RTD190T60	⁎	190.0	60.0	69.838	596.90	24504.42
RTD200T6	⁎	200.0	6.0	10.422	628.32	3656.81
RTD200T10	⁎	200.0	10.0	17.012	628.32	5969.03
RTD217T20	⁎	217.0	20.0	35.277	681.73	12377.88
RTD220T10	✓	220.0	10.0	18.802	691.15	6597.34

"✓" Stocked Item
" ⁎ " Pre-order Only Item
(30-40 working days delivery)

Round Tubes



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD220T15	⁎	220.0	15.0	27.532	691.15	9660.40
RTD220T20	⁎	220.0	20.0	35.814	691.15	12566.37
RTD230T10	⁎	230.0	10.0	19.698	722.57	6911.50
RTD230T15	⁎	230.0	15.0	28.875	722.57	10131.64
RTD230T20	⁎	230.0	20.0	37.605	722.57	13196.69
RTD230T25	⁎	230.0	25.0	45.887	722.57	16100.66
RTD240T10	⁎	240.0	10.0	20.593	753.98	7225.66
RTD240T15	⁎	240.0	15.0	20.593	753.98	10602.88
RTD240T20	⁎	240.0	20.0	30.218	753.98	13823.01
RTD240T25	⁎	240.0	25.0	39.396	753.98	16886.06
RTD240T30	⁎	240.0	30.0	48.125	753.98	19792.03
RTD250T10	⁎	250.0	10.0	21.488	785.40	7539.82
RTD270T10	⁎	270.0	10.0	23.279	848.23	8186.14
RTD270T20	⁎	270.0	20.0	44.768	848.23	15707.96
RTD280T8	⁎	280.0	8.0	19.483	879.64	6836.11
RTD280T15	⁎	280.0	15.0	35.590	879.64	12487.83
RTD280T25	⁎	280.0	25.0	57.079	879.64	20027.65
RTD290T22.5	⁎	290.0	22.5	53.889	911.06	18908.46
RTD300T10	⁎	300.0	10.0	25.965	942.48	9110.62
RTD318T5.2	⁎	318.0	5.2	15.648	999.03	5490.61
RTD320T10	⁎	320.0	10.0	27.756	1005.31	9738.94
RTD332T22.5	⁎	332.0	22.5	62.350	1043.01	21877.27

Scaffolding Round Tubes

6061-T6



Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
RTD48.26T3.68	✓	48.26	3.68	1.469	151.61	515.39
RTD48.4T2.6	✓	48.4	2.60	1.066	152.05	374.10
RTD48.4T4.47	✓	48.4	4.47	1.758	152.05	616.91
RTD50T2	✓	50.0	2.00	1.063	157.00	372.88
RTD50T3	✓	50.0	3.00	1.262	157.00	442.74

"✓" Stocked Item
" ⁎ " Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Equal Angles



Product Code	Ex Stock	A (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
EAA9T0.6	⁎	9.0	0.6	0.030	36.00	10.40
EAA10T1.6	✓	10.0	1.6	0.084	40.00	29.44
EAA11T1.2	⁎	11.0	1.2	0.073	44.00	25.64
EAA12T1.2	⁎	12.0	1.2	0.078	48.00	27.36
EAA12T1.6	✓	12.0	1.6	0.102	47.00	35.70
EAA12T3	✓	12.0	3.0	0.179	47.00	62.92
EAA12.5T0.6	⁎	12.5	0.6	0.042	50.00	14.60
EASA15T1.2	✓	15.0	1.2	0.097	60.00	34.12
EAA16 T1.5	✓	16.0	1.5	0.130	63.00	45.60
EAA16T3	✓	16.0	3.0	0.248	63.00	86.92
EAA19T0.65	⁎	19.0	0.65	0.069	76.00	24.20
EASA19T1.5	✓	19.0	1.5	0.155	76.00	54.30
EAA19T1.9	✓	19.0	1.9	0.195	76.00	68.50
EAA20T0.8	⁎	20.0	0.8	0.089	80.00	31.22
EAA20T1.5	⁎	20.0	1.5	0.163	80.00	57.27
EAA20T1.6	✓	20.0	1.6	0.175	80.00	61.44
EASA20T3	✓	20.0	3.0	0.322	77.00	113.14
EAA22T1.1	✓	22.0	1.1	0.135	88.00	47.20
EASA25T1.4	⁎	25.0	1.4	0.194	100.00	68.04
EASA25T1.5	✓	25.0	1.5	0.206	100.00	72.30
EAA25T2.5	✓	25.0	2.5	0.337	79.50	76.00
EAA25T3	⁎	25.0	3.0	0.400	99.00	140.52
GM-25X25X3YXJL	✓	25.0	3.0	0.394	96.00	138.26
GM-VT-LS-1000	⁎	25.4	1.9	0.265	102.00	92.83
EASA29.5T3	⁎	29.5	3.0	0.473	118.00	166.00
EASA29.95T6	⁎	29.95	6.0	0.859	112.00	301.30
EAA30T1	⁎	30.0	1.0	0.168	120.00	58.90
EAA30T1.5	✓	30.0	1.5	0.250	119.23	87.67
EAA30T2.0	⁎	30.0	2.0	0.331	120.00	116.00
EAA30T2.5	⁎	30.0	2.5	0.409	120.00	143.35
EAA30T3	✓	30.0	3.0	0.487	120.00	171.00
GM-LZY-42	✓	30.0	3.0	0.487	120.00	171.00
EASA30T3	✓	30.0	3.0	0.487	120.00	171.00
EAA30T4	✓	30.0	4.0	0.638	120.00	223.70
EAA30T4.5	⁎	30.0	4.5	0.712	119.00	249.67
EAA30T5.5	⁎	30.0	5.5	0.854	119.00	299.67
GM-GFX-169	⁎	30.0	5.5	0.845	117.00	296.32
EAA32T1.5	✓	32.0	1.5	0.270	127.23	93.67
EAA35T1.5	✓	35.0	1.5	0.293	140.00	102.75
EAA37.8T1.8	⁎	37.8	1.8	0.378	151.00	132.80

"✓" *Stocked Item*
" ⁎ " *Pre-order Only Item*
(30-40 working days delivery)

ALUMINIUM

Equal Angles



Product Code	Ex Stock	A (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
EASA38T1.5	✓	38.0	1.5	0.317	152.00	111.30
EAA38T3	⁎	38.0	3.0	0.624	152.00	218.92
EAA40T1.6	✓	40.0	1.6	0.357	159.00	125.36
EAA40T2	⁎	40.0	2.0	0.445	160.00	156.00
EAA40T3	✓	40.0	3.0	0.658	160.00	231.00
EAA40T4	⁎	40.0	4.0	0.866	160.00	304.00
EAA40T6	✓	40.0	6.0	1.270	160.00	444.00
EASA40T7	⁎	40.0	7.0	1.448	159.00	508.23
EASA49T6	⁎	49.0	6.0	1.478	184.00	518.44
EAA50T1.6	✓	50.0	1.6	0.449	200.00	157.44
EAA50T2	✓	50.0	2.0	0.559	200.00	196.00
EAA50T3	✓	50.0	3.0	0.829	200.00	291.00
EAA50T4	✓	50.0	4.0	1.094	200.00	384.00
EAA50T4 .7	⁎	50.0	4.7	1.276	200.00	447.80
EAA50T6	✓	50.0	6.0	1.607	199.00	563.92
EAA50T7	⁎	50.0	7.0	1.855	199.00	650.92
EASA55T5	⁎	55.0	5.0	1.511	217.00	530.27
EASA60T1.5	✓	60.0	1.5	0.507	240.00	177.75
EASA60T2	✓	60.0	2.0	0.673	240.00	236.00
EAA60T3	✓	60.0	3.0	1.000	240.00	351.00
EASA60T5	⁎	60.0	5.0	1.592	240.00	558.54
EAA60T6	✓	60.0	6.0	1.949	240.00	684.00
EAA64T15	⁎	64.0	15.0	4.844	253.00	1699.80
EAA65T6	✓	65.0	6.0	2.120	260.00	744.00
EAA75T3	✓	75.0	3.0	1.257	300.00	441.00
EAA75T6	✓	75.0	6.0	2.462	300.00	864.00
EAA75T12	⁎	75.0	12.0	4.720	300.00	1656.00
EAA80T6	✓	80.0	6.0	2.633	320.00	924.00
EASA80T6	⁎	80.0	6.0	2.621	317.00	919.50
EASA90T6	✓	90.0	6.0	2.795	360.00	1044.00
EAA100T3	✓	100.0	3.0	1.684	400.00	591.00
EAA100T6	✓	100.0	6.0	3.317	399.00	1163.80
EAA120T10	✓	120.0	10.0	6.555	480.00	2300.00
EAA150T10	✓	150.0	10.0	8.265	599.00	2899.92
EAA200T20	⁎	200.0	20.0	21.660	800.00	7600.00

"✓" Stocked Item
" ⁎ " Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Unequal Angles



Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
UAA10B5T1	⁎	10.0	5.0	1.0	0.040	29.23	13.92
UAA15B10T1	⁎	15.0	10.0	1.0	0.068	50.00	24.00
UAA18B10T1	✓	18.0	10.0	1.0	0.077	56.00	27.00
UAA19B8T1.5	⁎	19.0	8.0	1.5	0.105	52.98	36.82
UAA20B10T0.8	⁎	20.0	10.0	0.8	0.067	60.00	23.36
UAA20B11T1.5	⁎	20.0	11.0	1.5	0.126	62.00	44.25
UAA20B12T1.6	✓	20.0	12.0	1.6	0.138	62.70	48.50
UAA20B12T3	✓	20.0	12.0	3.0	0.248	63.23	86.92
UAA20B14T2	⁎	20.0	14.0	2.0	0.182	68.00	64.00
UAA20.3B7.1T1.1	⁎	20.3	7.1	1.1	0.082	54.16	28.83
UAA21B20T2	⁎	21.0	20.0	2.0	0.220	81.14	77.20
UAA21.2B13.7T1.2	⁎	21.2	13.7	1.2	0.115	69.40	40.30
UAA21.6B7.8T1.6	⁎	21.6	7.8	1.6	0.125	57.17	43.93
UAA24B16T1.5	⁎	24.0	16.0	1.5	0.165	80.00	57.75
UAA25B12T1.6	✓	25.0	12.0	1.6	0.161	74.00	56.64
UAA25B12.4T2	⁎	25.0	12.4	2.0	0.201	73.50	70.60
UAA25B12.5T2.9	⁎	25.0	12.5	2.9	0.285	73.50	99.96
UAA25B20T1.6	✓	25.0	20.0	1.6	0.198	88.70	69.30
UAA25B20T2	⁎	25.0	20.0	2.0	0.245	90.00	86.00
UAA25B20T3	✓	25.0	20.0	3.0	0.359	90.00	126.00
UASA29.2B17.3T2.8	⁎	29.2	17.3	2.8	0.307	92.20	107.80
UASA30B8.5T1.5	⁎	30.0	8.5	1.5	0.148	77.00	51.95
UAA30B17T2	⁎	30.0	17.0	2.0	0.257	94.00	90.00
UAA30B20T2	⁎	30.0	20.0	2.0	0.274	100.00	96.00
UAA30B20T2.5	✓	30.0	20.0	2.5	0.338	99.00	118.67
UAA30B25T2	✓	30.0	25.0	2.0	0.302	110.00	106.00
UAA30B25T4	⁎	30.0	25.0	4.0	0.581	109.23	203.92
UAA30B26T6	⁎	30.0	26.0	6.0	0.857	112.00	300.80
UAA32B20T1.5	✓	32.0	20.0	1.5	0.207	103.23	75.67
UAA32B25T3	✓	32.0	25.0	3.0	0.462	114.00	162.00
UASA33.5B25T3	✓	33.5	25.0	3.0	0.472	117.00	165.60
UAA38B11T1	⁎	38.0	11.0	1.0	0.137	98.00	48.00
UAA38.5B26.5T4	⁎	38.5	26.5	4.0	0.695	130.00	244.00
UAA38.5B26.5T8	⁎	38.5	26.5	8.0	1.300	130.00	456.00
UASA40B12T3	✓	40.0	12.0	3.0	0.419	104.00	147.00
UASA40B17T2	⁎	40.0	17.0	2.0	0.314	114.00	110.00
UASA40B20T2	✓	40.0	20.0	2.0	0.331	120.00	116.00
UASA40B20T3	✓	40.0	20.0	3.0	0.490	119.23	170.92
UASA40B25T1.5	✓	40.0	25.0	1.5	0.271	130.00	95.25
UASA40B25T3	✓	40.0	25.0	3.0	0.530	130.00	186.00

"✓" Stocked Item
" ⁎ " Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Unequal Angles



Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
UAA40B25T2	⁎	40.0	25.0	2.0	0.358	130.00	125.60
UASA41B26T6	⁎	41.0	26.0	6.0	1.045	134.00	366.80
UASA42B22T2	⁎	42.0	22.0	2.0	0.351	125.85	123.00
UAA44B30T3	✓	44.0	30.0	3.0	0.627	148.00	219.90
UAA45B8T1.2	⁎	45.0	8.0	1.2	0.177	106.00	62.10
UAA45B10T1	⁎	45.0	10.0	1.0	0.154	110.00	54.00
UAA45B35T3	⁎	45.0	35.0	3.0	0.658	160.00	231.00
UAA50B20T1.6	✓	50.0	20.0	1.6	0.312	140.00	109.44
UAA50B20T3	✓	50.0	20.0	3.0	0.573	140.00	201.00
UAA50B25T1.5	✓	50.0	25.0	1.5	0.314	148.70	110.00
UAA50B25T3	✓	50.0	25.0	3.0	0.615	148.70	215.80
UAA50B30T1.5	✓	50.0	30.0	1.5	0.335	159.23	117.67
UAA50B30T4	✓	50.0	30.0	4.0	0.866	160.00	304.00
UAA50B28T4	⁎	50.0	28.0	4.0	0.844	156.00	296.00
UAA50B40T3	⁎	50.0	40.0	3.0	0.744	180.00	261.00
UAA52B20T2	⁎	52.0	20.0	2.0	0.399	144.00	140.00
UAA52B30T2	⁎	52.0	30.0	2.0	0.456	164.00	160.00
UAA52B40T22	⁎	52.0	40.0	22.0	4.389	184.00	1540.00
UAA55B40T4	✓	55.0	40.0	4.0	1.037	190.00	363.93
UAA60B25T3	✓	60.0	25.0	3.0	0.701	168.70	245.80
UAA60B25T4	⁎	60.0	25.0	4.0	0.923	169.23	323.93
UAA60B30T2	✓	60.0	30.0	2.0	0.502	180.00	176.00
UASA60B40T10	⁎	60.0	40.0	10.0	2.567	196.57	900.86
UAA60B50T4.7	⁎	60.0	50.0	4.7	1.410	220.00	494.80
UAA62B32T3	⁎	62.0	32.0	2.0	0.524	188.00	184.00
UAA63B25T3	⁎	63.0	25.0	3.0	0.726	176.33	254.84
GM0009	⁎	64.0	25.0	10.0	2.394	172.96	840.00
GM0010	⁎	64.0	25.0	10.0	2.468	172.68	865.88
GM0007	⁎	65.0	25.0	10.0	2.417	174.71	847.99
UAA70B25T1.5	✓	70.0	25.0	1.5	0.400	190.00	140.25
UAA70B35T3	⁎	70.0	35.0	3.0	0.881	205.92	309.17
UAA70B40T1.6	✓	70.0	40.0	1.6	0.500	219.23	173.36
UAA70B40T5	✓	70.0	40.0	5.0	1.494	220.00	524.10
UAA70B50T4.7	✓	70.0	50.0	4.7	1.544	240.00	541.80
UAA75B25T1.5	✓	75.0	25.0	1.5	0.421	200.00	147.75
UAA75B25T3	✓	75.0	25.0	3.0	0.829	198.70	290.80
UAA75B30T4.5	✓	75.0	30.0	4.5	1.289	210.00	452.25
UAA75B50T1.6	✓	75.0	50.0	1.6	0.560	249.23	197.36
UAA75B50T3	✓	75.0	50.0	3.0	1.043	250.00	366.00
UAA75B50T6	✓	75.0	50.0	6.0	2.035	250.00	714.00

"✓" *Stocked Item*
"⁎" *Pre-order Only Item*
(30-40 working days delivery)

SD ALUMINIUM

Unequal Angles



Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
UASA80B40T10	⁎	80.0	40.0	10.0	3.137	236.57	1100.86
UASA80B50T2	⁎	80.0	50.0	2.0	0.730	257.94	255.97
UAA80B50T4.7	⁎	80.0	50.0	4.7	1.678	260.00	588.80
UAA90B80T10.4	⁎	90.0	80.0	10.4	4.730	339.23	1659.80
GM0192	⁎	92.0	66.0	15.0	6.113	314.28	2145.00
GM0044	⁎	98.0	27.0	12.0	3.771	245.28	1323.21
UAA100B25T3	✓	100.0	25.0	3.0	1.043	248.70	365.80
UAA100B50T4	✓	100.0	50.0	4.0	1.664	300.00	584.00
UAA100B50T5	⁎	100.0	50.0	5.0	2.066	299.30	725.00
UAA100B50T6	✓	100.0	50.0	6.0	2.462	299.23	863.92
UAA100B50T8	⁎	100.0	50.0	8.0	3.237	300.00	1135.92
UAA100B50T10	⁎	100.0	50.0	10.0	3.990	300.00	1400.00
UAA100B65T6	⁎	100.0	65.0	6.0	2.718	328.70	953.80
UAA100B75T3	✓	100.0	75.0	3.0	1.471	350.00	516.00
UAA100B75T8	✓	100.0	75.0	8.0	3.808	350.00	1336.00
UAA110B25T10	⁎	110.0	25.0	10.0	3.563	270.00	1250.00
UASA110B70T12	⁎	110.0	70.0	12.0	4.628	360.00	1624.00
UAA125B40T6	✓	125.0	50.0	8.0	3.808	350.00	1336.00
UAA125B75T8	✓	125.0	75.0	8.0	4.378	400.00	1536.00
UAA130B30T1.8	⁎	130.0	30.0	1.8	0.811	319.23	284.68
UAA150B50T2.5	✓	150.0	50.0	2.5	1.407	400.00	493.75
UAA150B75T6	✓	150.0	75.0	6.0	3.745	450.00	1314.00
UAA150B75T10	✓	150.0	75.0	10.0	6.127	449.23	2149.92
UAA150B100T8	✓	150.0	100.0	8.0	5.518	500.00	1936.00
UAA150B120T10	✓	150.0	120.0	10.0	7.410	540.00	2600.00
ZD21-J5049	⁎	160.0	78.0	10.0	7.754	464.41	2720.83
UAA175B75T7	⁎	175.0	75.0	7.0	4.848	499.23	1700.92
ZD-CLW1001	⁎	195.0	80.0	10.0	8.843	537.77	3102.67
UAA200B75T10	✓	200.0	75.0	8.0	6.088	550.00	2136.00
UAA200B100T10	✓	200.0	100.0	10.0	8.265	599.23	2899.92
UAA203B50.8T10.2	⁎	203.0	50.8	10.2	7.178	499.62	2518.66
GM0477	⁎	210.0	80.0	10.0	7.980	575.71	2800.00
ZD22-J5229	⁎	250.0	80.0	9.5	9.045	653.77	3173.66

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

U Channels



Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
CLA4.3B8T0.6	✓	4.3	8.0	0.6	0.032	38.37	11.38
CLA5B9T1	⁎	5.0	9.0	1.0	0.059	43.14	20.79
CLSA5.4B22T1.5	⁎	5.4	11.0	1.5	0.103	50.20	36.13
CLA7.2B9.9T1.3	⁎	7.2	9.9	1.3	0.087	51.72	30.40
CLA8B9.3T0.65	✓	8.0	9.3	0.65	0.047	50.83	16.35
CLA8.7B9T0.6	⁎	8.7	9.0	0.6	0.043	51.20	15.22
CLSA8.84B5T2	⁎	8.84	5.0	2.0	0.070	32.48	24.53
CLA10B10T1.5	✓	10.0	10.0	1.5	0.115	56.00	40.42
CLA10B15T1.4	⁎	10.0	15.0	1.4	0.148	77.20	52.08
CLA10B15T1.6	✓	10.0	15.0	1.6	0.168	76.8	58.88
CLA10.3B15T1.5	⁎	10.3	15.0	1.5	0.159	77.60	55.95
CLA12B4T2	⁎	12.0	4.0	2.0	0.091	36.00	32.00
CLA12B10T1.4	⁎	12.0	10.0	1.4	0.117	61.20	40.88
CLA12B12T1.5	✓	12.0	12.0	1.5	0.141	68.00	49.42
CLA13B20T1.25	⁎	13.0	20.0	1.25	0.180	103.50	63.13
CLA15B15T4	⁎	15.0	15.0	4.0	0.396	78.57	138.93
CLA15.6B20T1.5	⁎	15.6	20.0	1.5	0.225	108.20	78.90
CLA16B16T1.6	✓	16.0	16.0	1.6	0.204	91.10	71.50
CLA16B30T1.5	⁎	16.0	30.0	1.5	0.312	149.00	109.50
CLA16B60T4.0	⁎	16.0	60.0	4.0	1.479	253.88	518.87
CLA18B12T0.5	⁎	18.0	12.0	0.5	0.053	82.20	18.45
CLSA19B3T1	⁎	19.0	3.0	1.0	0.063	46.25	22.27
CLA19B13T0.5	⁎	19.0	13.0	0.5	0.063	89.00	22.00
CLA19.6B19.6T1.3	✓	19.6	19.6	1.3	0.207	113.40	72.70
CLA20B10T1.5	⁎	20.0	10.0	1.5	0.158	77.00	55.50
CLA20B20T3	✓	20.0	20.0	3.0	0.461	112.30	161.80
CLSA20B25T2.6	✓	20.0	25.0	2.6	0.497	133.00	174.30
CLSA21B21T1.5	⁎	21.0	21.0	1.5	0.257	123.00	90.00
CLSA22B22T3	✓	22.0	22.0	3.0	0.513	434.13	179.92
CLSA22B60T3	⁎	22.0	60.0	3.0	1.251	271.20	438.80
GM-GFX-159	⁎	22.0	110.0	4.5	3.241	456.73	1137.06
CLSA22.5B35T3.5	✓	22.5	35.0	3.5	0.860	174.00	301.80
CLA23B20T2	⁎	23.0	20.0	2.0	0.107	40.84	37.70
CLA23B15T1	✓	23.0	15.0	1.0	0.145	102.80	51.00
CLA24B7.5T2.4	⁎	24.0	7.5	2.4	0.234	72.20	82.00
CLSA24B12T1	⁎	24.0	12.0	1.0	0.130	92.73	45.72
CLA25B20T1	⁎	25.0	20.0	1.0	0.179	127.00	62.92
CLA25B25T1.5	⁎	25.0	25.0	1.5	0.308	147.00	108.00
CLA25B25T3	✓	25.0	25.0	3.0	0.590	143.00	207.00
CLA25B25T1.9	✓	25.0	25.0	1.9	0.385	147.00	135.20

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

U Channels



Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
CLA25B50T2	✓	25.0	50.0	2.0	0.690	246.00	242.00
CLA25B50T3	✓	25.0	50.0	3.0	1.017	243.00	357.00
CLA25.5B12.8T1	⁎	25.5	12.8	1.0	0.140	99.17	49.02
CLSA26B15.5T0.7	⁎	26.0	15.5	0.7	0.112	111.40	39.34
CLSA28.8B35T3.5	✓	28.8	35.0	3.5	0.932	187.00	327.00
CLA29.4B40T3	⁎	29.4	40.0	3.0	0.917	210.8	321.80
CLA30B10T2	⁎	30.0	10.0	2.0	0.262	96.00	92.00
CLA30B17T1.2	⁎	30.0	17.0	1.2	0.239	124.60	84.00
CLA30B20T1	⁎	30.0	20.0	1.0	0.194	137.00	67.92
CLA32B40T4	⁎	32.0	40.0	3.0	0.943	216.00	331.00
CLA35B7.5T2.4	⁎	35.0	7.5	2.4	0.309	94.20	108.40
CLSA35B9.5T3.3	⁎	35.0	9.5	3.3	0.512	100.00	179.70
CLA35B13T2	⁎	35.0	13.0	2.0	0.325	118.00	114.00
CLSA35B15T4	⁎	35.0	15.0	4.0	0.726	117.43	254.79
CLA35.5B17T3	⁎	35.5	17.0	3.0	0.543	131.87	190.42
CLA36B36T2.5	✓	36.0	36.0	2.5	0.733	209.30	257.30
CLSA36.2B11.9T2	⁎	36.2	11.9	2.0	0.319	115.20	111.92
CLSA37B40T3	⁎	37.0	40.0	3.0	0.993	226.00	384.40
CLA38.2B12.8T1	⁎	38.2	12.8	1.0	0.177	124.20	62.00
CLA40B11.5T2	⁎	40.0	11.5	2.0	0.335	120.71	117.68
CLA40B15T3	✓	40.0	15.0	3.0	0.547	132.28	191.79
CLSA40B19T4	⁎	40.0	19.0	4.0	0.787	144.14	276.03
CLA40B20T1.6	⁎	40.0	20.0	1.6	0.350	155.77	122.80
CLA40B20T3	⁎	40.0	20.0	3.0	0.633	154.00	222.00
CLA40B25T3	✓	40.0	25.0	3.0	0.718	172.30	251.80
CLA40.2B40T3	⁎	40.2	40.0	3.0	1.025	232.40	359.60
CLSA41B45T3	⁎	41.0	45.0	3.0	1.035	252.65	363.00
CLA44B50T4	✓	44.0	50.0	4.0	1.550	278.30	543.80
CLA44B50T6	⁎	44.0	50.0	6.0	2.230	270.94	782.57
CLA45B8T1.2	⁎	45.0	8.0	1.2	0.200	118.60	70.20
CLA45.5B27T5	⁎	45.5	27.0	5.0	1.275	188.00	447.42
CLA46B20T2	⁎	46.0	20.0	2.0	0.467	168.00	164.00
CLA46B27T5	⁎	46.0	27.0	5.0	1.282	189.00	449.92
CLA46.5B27T4.5	⁎	46.5	27.0	4.5	1.173	191.00	411.67
CLSA46.6B22.5T3	⁎	46.6	22.5	3.0	0.729	177.00	255.71
CLSA47B40T3	⁎	47.0	40.0	3.0	1.039	246.28	364.72
CLA48B19T1	⁎	48.0	18.8	1.0	0.247	168.28	86.79
CLA48B75T8	⁎	48.0	75.0	8.0	4.150	380.00	1456.00
CLA48.5B18.8T1	⁎	48.5	18.8	1.0	0.239	168.92	83.89
CLA48.5B24.5T1.7	⁎	48.5	24.5	1.7	0.400	188.94	140.20

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

U Channels



Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
CLA49.5B38T3	⁎	49.5	38.0	3.0	1.021	243.97	358.42
CLSA50B9T3	⁎	50.0	9.0	3.0	0.529	128.37	185.53
CLA50B10T3	⁎	50.0	10.0	3.0	0.547	133.00	191.90
CLA50B15T3	✓	50.0	15.0	3.0	0.633	154.00	222.00
CLSA50B25T3	✓	50.0	25.0	3.0	0.803	193.00	281.90
GM-NZJUN-012	✓	50.0	25.0	3.0	0.793	191.50	278.30
CLA50B30T4	⁎	50.0	30.0	4.0	1.163	212.00	408.00
CLSA50B30T4	⁎	50.0	30.0	4.0	1.177	206.00	412.95
GM-GFX-172	⁎	50.0	35.0	4.0	1.256	228.21	440.66
CLSA50B36T6	⁎	50.0	36.0	6.0	1.730	228.57	606.87
CLSA50B50T3	⁎	50.0	50.0	3.0	1.219	292.40	427.80
CLA50B50T3	✓	50.0	50.0	3.0	1.231	292.96	431.92
CLA50.6B20T1	⁎	50.6	20.0	1.0	0.252	177.92	88.39
CLA51B13T1	⁎	51.0	13.0	1.0	0.213	151.00	74.80
CLA51.1B20T1	⁎	51.1	20.0	1.0	0.253	178.95	88.91
CLA51.4B110T4	⁎	51.4	110.0	4.0	3.004	534.00	1054.00
CLSA51.8B25T0.9	⁎	51.8	25.0	0.9	0.258	201.20	90.50
CLSA52.4B25T1.2	⁎	52.4	25.0	1.2	0.342	202.4	120.00
CLSA55B30T3	⁎	55.0	30.0	3.0	0.929	221.40	326.00
CLA56B27T4.5	⁎	56.0	27.0	4.5	1.295	210.00	454.42
CLA56B27T5	⁎	56.0	27.0	5.0	1.425	209.00	499.92
CLA57B15T3	✓	57.0	15.0	3.0	0.693	168.00	243.00
CLA58B20T2	⁎	58.0	20.0	2.0	0.536	192.00	188.00
CLA58B65T3.5	✓	58.0	65.0	3.5	1.873	367.42	657.10
CLSA69B59T4	⁎	59.0	69.0	4.0	2.128	383.90	746.70
CLA60B40T3.5	⁎	60.0	40.0	3.5	1.351	263.56	473.87
CLA60B70T4	⁎	60.0	70.0	4.0	2.189	392.00	768.00
CLA60B110T4	⁎	60.0	110.0	4.0	3.101	559.00	1088.00
CLSA61B150T5	✓	61.0	150.0	5.0	4.480	705.50	1571.98
CLA65B25T4	✓	65.0	25.0	4.0	1.220	222.00	428.00
CLA65B12T1	⁎	65.0	12.0	1.0	0.243	172.05	85.21
CLA65B40T10	⁎	65.0	40.0	10.0	3.809	259.13	1336.57
CLA68B19T1	⁎	68.0	19.0	1.0	0.296	209.00	103.92
CLA70B12T1	⁎	70.0	12.0	1.0	0.262	184.97	91.92
CLA70B20T1	⁎	70.0	20.0	1.0	0.308	217.00	107.92
CLA75B25T3	✓	75.0	25.0	3.0	1.017	242.30	356.80
CLA75B40T3	✓	75.0	40.0	3.0	1.273	302.30	446.80
CLA76.5B12.8T1.1	⁎	76.5	12.8	1.1	0.312	200.50	109.6
CLA80B36T5	⁎	80.0	36.0	5.0	2.028	291.51	711.60
CLSA80B39.8T3.9	⁎	80.0	39.8	3.9	1.701	305.39	596.96

"✓" Stocked Item
" ⁎ " Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

U Channels



Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
CLA80B30T2	⁎	80.0	30.0	2.0	0.778	276.00	272.97
CLA80B40T3	✓	80.0	40.0	3.0	1.317	314.00	462.00
CLA80B40T5	✓	80.0	40.0	5.0	2.137	308.97	749.92
CLA81.5B100T5	⁎	81.5	100.0	5.0	3.873	550.00	1358.89
CLSA90B75T13	⁎	90.0	75.0	13.0	6.888	450.57	2416.87
CLA100B25T3	✓	100.0	25.0	3.0	1.231	292.30	431.80
CLA100B50T5	✓	100.0	50.0	5.0	2.707	388.97	949.92
CLSA100B60T5.5	⁎	100.0	60.0	5.5	3.429	426.00	1203.00
CLSA100B85T1.7	⁎	100.0	85.0	1.7	1.158	478.96	406.31
CLA100B100T5	⁎	100.0	100.0	5.0	4.133	589.00	1450.00
CLA101.6B12.8T1.1	⁎	101.6	12.8	1.1	0.391	251.00	137.20
CLSA104B45T8	⁎	104.0	45.0	8.0	4.269	372.00	1498.00
CLA108B48T2.6	⁎	108.0	48.0	2.6	1.473	401.80	516.80
CLA110B15T3	⁎	110.0	15.0	3.0	1.148	272.28	402.79
CLA113B50T5	⁎	113.0	50.0	3.0	2.923	411.70	1025.73
CLA115B25T2.5	⁎	115.0	25.0	2.5	1.140	325.00	400.00
CLA116B40.5T5	⁎	116.0	40.5	5.0	2.555	382.51	896.50
CLSA120B85T1.7	⁎	120.0	85.0	1.7	1.255	518.95	440.31
CLSA127B69.85T4.83	⁎	127.0	69.85	4.83	4.879	514.56	1711.77
CLSA150B65T6.5	⁎	150.0	65.0	6.5	5.068	537.64	1778.30
CLA150B75T5	✓	150.0	75.0	5.0	4.132	588.30	1449.80
CLA152.4B82.6T5.33	⁎	152.4	82.6	5.33	6.299	617.80	2210.19
CLA153B64T19	⁎	153.0	64.0	19.0	13.146	518.85	4612.71
CLA153B74T19	⁎	153.0	74.0	19.0	14.229	558.85	4992.71
CLSA170B100T6	⁎	170.0	100.0	6.0	6.048	719.42	2122.25
CLA180B52T15	⁎	180.0	52.0	15.0	10.859	538.00	3810.00
CLA180B120T15	⁎	180.0	120.0	15.0	16.673	810.00	5850.00
CLSA180B120T15	⁎	180.0	120.0	15.0	15.421	811.71	5410.73
CLSA200B70T10	⁎	200.0	70.0	10.0	9.242	651.42	3242.92
CLSA203.2B95.3T6.35	⁎	203.2	95.3	6.35	9.049	767.07	3175.14
CLSA254B88.9T6.35	⁎	254.0	88.9	6.35	9.592	843.30	3365.51
CLSA280B53T11	⁎	280.0	53.0	11.0	10.258	744.85	3599.45
CLSA280B53T21	⁎	280.0	53.0	21.0	18.067	742.85	6339.45
CLSA300B70T7	⁎	300.0	70.0	7.0	11.012	866.00	3864.00
CLA300B100T7	⁎	300.0	100.0	7.0	9.696	986.00	3402.00

"✓" Stocked Item
" ⁎ " Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Flat Bars



Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
FBRA6.9T4.9R2.5	⁎	6.9	4.9	2.5	0.082	19.40	28.70
FBA7.5T2	⁎	7.5	2.0		0.043	19.00	15.00
FBA8T4	⁎	8.0	4.0		0.091	24.00	32.00
FBA10T2	⁎	10.0	2.0		0.057	24.00	20.00
FBA10T3	✓	10.0	3.0		0.086	26.00	30.00
FBA10T6	✓	10.0	6.0		0.171	32.00	60.00
FBA11.4T4.4	⁎	11.4	4.4		0.143	31.60	50.16
FBA12T3	✓	12.0	3.0		0.103	30.00	36.00
FBA13T6	⁎	13.0	6.0		0.222	38.00	78.00
FBA15T1.6	✓	15.0	1.6		0.068	33.20	24.00
FBA15T2	✓	15.0	2.0		0.085	33.50	29.90
FBRA15T2.7R1	⁎	15.0	2.7	1.0	0.113	33.70	39.64
FBA15T4	⁎	15.0	4.0		0.170	37.14	59.79
FBA16T3	✓	16.0	3.0		0.136	37.20	47.80
FBRA16T4R4.7	⁎	16.0	4.0	4.7	0.180	38.18	62.76
FBA18T1.8	⁎	18.0	1.8		0.092	39.60	32.40
FBRA18T1.8R0.9	⁎	18.0	1.8	0.9	0.090	38.06	31.71
FBA19T1.2	⁎	19.0	1.2		0.062	42.00	21.89
FBA19T2	✓	19.0	2.0		0.108	42.00	38.00
FBA19T3	⁎	19.0	3.0		0.162	44.00	57.00
FBRA19T5R1	⁎	19.0	5.0	1.0	0.268	46.28	94.14
FBA20T1.5	✓	20.0	1.5		0.086	42.50	30.00
FBA20T2	⁎	20.0	2.0		0.114	44.00	40.00
FBA20T2.5	⁎	20.0	2.5		0.143	45.00	50.00
FBA20T2.8	✓	20.0	2.8		0.160	45.60	56.00
FBA20T3	⁎	20.0	3.0		0.171	46.00	60.00
FBA20T5	⁎	20.0	5.0		0.285	50.00	100.00
FBA23T4	⁎	23.0	4.0		0.262	54.00	92.00
FBA20T10	⁎	20.0	10.0		0.570	60.00	200.00
FBA23T10	⁎	23.0	10.0		0.656	66.00	230.00
FBA24.7T6	⁎	24.7	6.0		0.418	59.74	146.66
FBA25T1.5	⁎	25.0	1.5		0.107	53.00	37.50
FBA25T2	⁎	25.0	2.0		0.143	54.00	50.00
FBA25T2.5	✓	25.0	2.5		0.178	55.00	62.50
FBA25T3	✓	25.0	3.0		0.214	55.50	74.92
FBA25T4	⁎	25.0	4.0		0.285	58.40	99.90
FBA25T5	✓	25.0	5.0		0.356	60.00	125.00
FBA25T10	✓	25.0	10.0		0.713	70.00	250.00
FBA25T20	✓	25.0	20.0		1.425	90.00	500.00
FBA28T1.5	⁎	28.0	1.5		0.119	58.50	41.90

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Flat Bars



Product Code	Ex Stock	A (mm)	T (mm)	R(mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
FBA28T3	⁎	28.0	3.0		0.239	62.00	84.00
FBA28T5.8	⁎	28.0	5.8		0.462	66.74	162.20
FBA28T8	⁎	28.0	8.0		0.638	71.14	223.80
FBA28T14	⁎	28.0	14.0		1.117	83.14	391.80
FBA28.3T2	⁎	28.3	2.0		0.161	60.60	56.60
FBA29.5T3.9	⁎	29.5	3.9		0.328	66.80	115.05
FBA30T1.2	⁎	30.0	1.2		0.092	61.26	32.74
FBA30T2	⁎	30.0	2.0		0.171	64.00	60.00
FBA30T2.5	⁎	30.0	2.5		0.214	65.00	75.00
FBA30T3	✓	30.0	3.0		0.257	66.00	90.00
FBRA30T3R1	⁎	30.0	3.0	1.0	0.254	64.28	89.14
FBA30T4.8	✓	30.0	4.8		0.410	69.60	144.00
FBSA30T5	⁎	30.0	5.0		0.428	70.00	150.00
FBSA30T8	✓	30.0	8.0		0.684	76.00	240.00
FBSA30T13	⁎	30.0	13.0	2.5	1.096	81.70	384.64
FBSA32T3	✓	32.0	3.0		0.274	70.00	96.00
FBRSA32T22R3	⁎	32.0	22.0	3.0	1.995	105.00	700.03
FBRA34.5T3.8R1	⁎	34.5	3.8	1.0	0.374	76.60	131.10
FBA35T5	✓	35.0	5.0		0.499	80.00	175.00
FBRA35T5R1	⁎	35.0	5.0	1.0	0.496	78.28	174.14
FBA35T20	⁎	35.0	20.0		2.000	110.00	700.00
FBRA37.6T5.5R2.7	⁎	37.6	5.5	2.7	0.571	82.00	200.30
FBA38T10	⁎	38.0	10.0		0.669	207.27	234.74
FBA38T13	⁎	38.0	13.0		1.408	102.00	494.00
FBRA38.1T3R1.5	✓	38.1	3.0	1.5	0.326	82.20	114.30
FBRA38.1T6.3R3.1	✓	38.1	6.3	3.1	0.684	88.80	240.03
FBA40T0.9	⁎	40.0	0.9		0.103	81.80	36.00
FBA40T1.5	⁎	40.0	1.5		0.171	82.50	59.92
FBA40T2	⁎	40.0	2.0		0.228	84.00	80.00
FBA40T2.9	✓	40.0	2.9		0.331	85.80	116.00
FBRA40T5R2.5	⁎	40.0	5.0	2.5	0.555	85.70	194.60
GLX-4532	✓	40.0	5.0		0.570	90.00	200.00
FBA40T6	✓	40.0	6.0		0.684	92.00	240.00
FBA40T8.2	⁎	40.0	8.2		0.935	96.40	328.00
FBA40T10	✓	40.0	10.0		1.140	100.00	400.00
FBA40T15	✓	40.0	15.0		1.710	110.00	600.00
FBSA43T30	⁎	43.0	30.0		3.625	138.97	1272.00
FBA45T10	✓	45.0	10.0		1.282	110.00	449.92
FBA45T42	⁎	45.0	42.0		5.387	174.00	1890.00
FBA45.2T3.2	⁎	45.2	3.2		0.412	96.80	144.64

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Flat Bars



Product Code	Ex Stock	A (mm)	T (mm)	R(mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
FBA46T2	⁎	46.0	2.0		0.262	96.00	92.00
FBA47.5T1.3	✓	47.5	1.3		0.176	97.60	61.75
FBA47.6T1.5	⁎	47.6	1.5		0.203	97.70	71.32
FBRA49T5R2.5	⁎	49.0	5.0	2.5	0.695	108.00	245.00
FBRA50T2	⁎	50.0	2.0		0.285	104.00	100.00
FBRA50T3R1.5	⁎	50.0	3.0	1.5	0.422	106.00	150.00
FBA50T3	✓	50.0	3.0		0.428	106.00	150.00
FBA50T3.5	⁎	50.0	3.5		0.500	107.00	175.00
FBA50T4	⁎	50.0	4.0		0.570	108.00	200.00
FBA50T5	✓	50.0	5.0		0.713	110.00	250.00
FBA50T6LB	✓	50.0	6.0		0.855	112.00	300.00
FBRA50T6R3	⁎	50.0	6.0	3.0	0.855	112.00	300.00
FBA50T8	✓	50.0	8.0		1.140	116.00	400.00
FBA50T10	✓	50.0	10.0		1.425	120.00	500.00
FBA50T12	✓	50.0	12.0		1.710	124.00	600.00
FBA50T20	✓	50.0	20.0		2.850	140.00	1000.00
FBA50T25	✓	50.0	25.0		3.563	150.00	1250.00
FBA55T1.7	⁎	55.0	1.7		0.266	113.40	93.50
FBSA55T5	⁎	55.0	5.0		0.784	120.00	275.00
FBSA55T8	⁎	55.0	8.0		1.254	125.50	439.92
FBA56.5T27	⁎	56.5	27.0		4.344	164.77	1524.05
FBA57.6T2.8	⁎	57.6	2.8		0.460	120.80	161.28
FBA58T4	⁎	58.0	4.0		0.661	124.00	232.00
FBA60T0.9	⁎	60.0	0.9		0.154	121.80	54.00
FBA60T3	✓	60.0	3.0		0.512	125.20	179.80
FBA60T4	⁎	60.0	4.0		0.684	128.00	240.00
FBA60T5	✓	60.0	5.0		0.855	130.00	300.00
FBA60T6	✓	60.0	6.0		1.026	132.00	360.00
FBA60T10	✓	60.0	10.0		1.710	140.00	600.00
FBA60T12	✓	60.0	12.0		2.052	144.00	720.00
FBRA64T5R2.5	⁎	64.0	5.0	2.5	0.911	135.70	319.60
FBA65T8	⁎	65.0	8.0		1.482	146.00	520.00
FBA70T2	⁎	70.0	2.0		0.399	144.00	140.00
FBA70T4	⁎	70.0	4.0		0.798	147.50	279.92
FBA70T5	⁎	70.0	5.0		0.997	149.50	349.92
FBA70T10	✓	70.0	10.0		1.995	160.00	700.00
FBA70T15	⁎	70.0	15.0		2.993	170.00	1050.00
FBA75T2	✓	75.0	2.0		0.428	154.00	150.00
FBA75T4	✓	75.0	4.0		0.855	158.00	300.00
FBA75T6	✓	75.0	6.0		1.283	162.00	450.00

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Flat Bars



Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
FBA75T10	✓	75.0	10.0		2.138	170.00	750.00
FBA75T12	✓	75.0	12.0		2.565	174.00	900.00
FBA75T20	✓	75.0	20.0		4.275	190.00	1500.00
FBA77T6	⁎	77.0	6.0		1.317	165.50	462.00
FBA80T6	✓	80.0	6.0		1.368	172.00	480.00
FBA80T10	✓	80.0	10.0		2.280	180.00	800.00
FBA80T12	✓	80.0	12.0		2.736	184.00	960.00
FBA84T4	⁎	84.0	4.0		0.958	176.00	336.00
FBA84T5	⁎	84.0	5.0		1.197	177.48	419.92
FBA84T6	⁎	84.0	6.0		1.436	180.00	504.00
FBA88T5	⁎	88.0	5.0		1.254	185.50	440.00
FBA90T3	✓	90.0	3.0		0.769	185.50	269.92
FBRA90T5R2.5	✓	90.0	5.0	2.5	1.267	185.70	444.60
FBRA90T6R3	✓	90.0	6.0	3.0	1.517	186.90	532.30
FBRA90T12.8R1	⁎	90.0	12.8	1.0	3.281	203.88	1151.14
FBA90T15	⁎	90.0	15.0		3.848	210.00	1350.00
FBA95T3.5	⁎	95.0	3.5		0.950	197.00	332.40
FBA95T15	⁎	95.0	15.0		4.061	219.49	1424.92
FBA96T6	⁎	96.0	6.0		1.950	204.00	576.00
FBA100T1.5	⁎	100.0	1.5		0.430	203.00	150.00
FBA100T3	✓	100.0	3.0		0.855	206.00	300.00
FBA100T3	⁎	100.0	4.0		1.140	208.00	400.00
FBA100T6	✓	100.0	6.0		1.709	211.20	599.80
FBA100T8	⁎	100.0	8.0		2.280	216.00	800.00
FBA100T10	✓	100.0	10.0		2.850	220.00	1000.00
FBRA100T10R5	⁎	100.0	10.0	5.0	2.789	211.42	978.54
FBA100T12	✓	100.0	12.0		3.420	224.00	1200.00
FBA100T30	⁎	100.0	30.0		8.550	259.49	2999.92
FBRA102T12.8R6.4	⁎	102.0	12.8	6.4	3.621	218.61	1270.44
FBA106T6	⁎	106.0	6.0		1.813	224.00	636.00
FBA110T2	⁎	110.0	2.0		0.627	224.00	220.00
FBA110T3	⁎	110.0	3.0		0.940	225.50	329.92
FBA110T8	✓	110.0	8.0		2.508	236.00	880.00
FBA116T6	⁎	116.0	6.0		1.984	224.00	696.00
FBA117T3.7	⁎	117.0	3.7		1.234	241.40	432.90
FBRA119T5R2.5	⁎	119.0	5.0	2.5	1.682	243.70	590.00
FBA120T6	✓	120.0	6.0		2.052	252.00	720.00
FBRA120T6R3	✓	120.0	6.0	3.0	2.030	246.90	712.30
FBA120T8	⁎	120.0	8.0		2.736	256.00	960.00
FBA120T12	✓	120.0	12.0		4.104	264.00	1440.00

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Flat Bars



Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
FBA123T3.5	⁎	123.0	3.5		1.227	253.00	430.50
FBA123T4.8	⁎	123.0	4.8		1.683	255.60	590.40
FBA125T6	✓	125.0	6.0		2.138	262.00	750.00
FBA125T10	✓	125.0	10.0		3.563	270.00	1250.00
FBA125T12	✓	125.0	12.0		4.275	274.00	1500.00
FBA126T6	⁎	126.0	6.0		2.155	264.00	756.00
FBA133.5T6	⁎	133.5	6.0		2.283	279.00	801.00
FBA136T4	⁎	136.0	4.0		1.550	280.00	544.00
FBA136T6	⁎	136.0	6.0		2.326	284.00	816.00
FBA138T5.8	✓	138.0	5.8		2.281	287.60	800.40
FBRA140T5.9R2.9	⁎	140.0	5.9	2.9	2.333	286.70	818.50
FBA140T10	⁎	140.0	10.0		3.990	300.00	1400.00
FBA142T3.6	⁎	142.0	3.6		1.457	291.20	511.20
FBA142T27	⁎	142.0	27.0		10.926	337.39	3833.70
FBA143T25	⁎	143.0	25.0		10.189	336.00	3575.00
FBA145T6	✓	145.0	6.0		2.480	302.00	870.00
FBA150T3	✓	150.0	3.0		1.283	306.00	450.00
FBA150T5	✓	150.0	5.0		2.138	310.00	750.00
FBA150T8	⁎	150.0	8.0		3.420	316.00	1200.00
FBA150T10	✓	150.0	10.0		4.275	319.50	1500.00
FBA150T13.5	✓	150.0	13.5		5.771	327.00	2025.00
FBA151T3.2	⁎	151.0	3.2		1.377	308.40	483.20
FBA151T4.8	⁎	151.0	4.8		2.066	311.60	724.80
FBA151T5.8	⁎	151.0	5.8		2.496	313.60	875.80
FBA151T3.7	⁎	151.0	3.7		1.592	309.40	558.70
FBRA160T5.9R2.9	⁎	160.0	5.9	2.9	2.670	427.00	937.00
FBA160T10	✓	160.0	10.0		4.560	340.00	1600.00
FBA160T20	⁎	160.0	20.0		9.120	360.00	3200.00
FBA160T25	⁎	160.0	25.0		11.400	370.00	4000.00
FBA160T27	⁎	160.0	27.0		12.466	378.00	4374.00
FBA200T5	✓	200.0	5.0		2.850	410.00	1000.00
FBA200T10	✓	200.0	10.0		5.700	420.00	2000.00
FBA200T11	✓	200.0	11.0		6.270	422.00	2200.00
FBRA209T5.9R2.9	⁎	209.0	5.9	2.9	3.493	424.70	1225.60
FBA220T5	✓	220.0	5.0		3.135	450.00	1100.00
FBA222T2.4	⁎	222.0	2.4		1.518	448.80	532.80
FBA270T6	⁎	270.0	6.0		4.617	552.00	1620.00
FBA270T9	✓	270.0	9.0		6.926	558.00	2430.00
FBA270T14	⁎	270.0	14.0		10.773	568.00	3780.00
FBA300T4	⁎	300.0	4.0		3.420	608.00	1200.00
FBA300T10	✓	300.0	10.0		8.550	619.50	2999.92

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Tee Bars



Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
TBA15B15T1.5	⁎	15.0	15.0	1.5	0.122	60.00	42.75
TBA15B35T1.1	⁎	15.0	35.0	1.1	0.153	98.97	53.71
TBA15B80T3	⁎	15.0	80.0	3.0	0.787	190.00	276.00
TBA19B19T3.2	✓	19.0	19.0	3.2	0.316	76.71	110.89
TBA20B10T1.5	✓	20.0	10.0	1.5	0.122	59.00	42.68
TBA20B11.5T4	✓	20.0	11.5	4.0	0.292	62.00	102.42
TBA20B20T1.5	✓	20.0	20.0	1.5	0.165	80.00	57.75
TBSA22.8B42.7T1	⁎	22.8	42.7	1.0	0.189	129.37	66.35
TBA25B25T3	✓	25.0	25.0	3.0	0.401	98.30	140.80
TBSA30B40T4	⁎	30.0	40.0	4.0	0.763	137.44	267.86
TBSA35.8B68T2.8	⁎	35.8	68.0	2.8	1.139	231.00	399.50
TBSA35.8B78T2.8	⁎	35.8	78.0	2.8	1.269	253.80	445.30
TBSA35.8B88T2.8	⁎	35.8	88.0	2.8	1.400	277.00	491.20
TBSA35.8B98T2.8	⁎	35.8	98.0	2.8	1.530	300.00	537.00
TBSA37B53.7T3.7	⁎	37.0	53.7	3.7	0.908	184.00	318.76
TBA40B20T1.5	✓	40.0	20.0	1.5	0.250	118.30	87.60
TBA40B40T3	✓	40.0	40.0	3.0	0.658	158.30	230.80
TBA40B40T6	✓	40.0	40.0	6.0	1.265	158.30	443.80
TBA40B50T6	✓	40.0	50.0	6.0	1.436	178.30	503.80
TBSA41B32T1.5	✓	41.0	32.0	1.5	0.353	143.00	123.90
TBSA45B25T2.5	⁎	45.0	25.0	2.5	0.481	139.23	168.63
TBA50B50T3	✓	50.0	50.0	3.0	0.829	199.00	290.92
TBA50B50T5	⁎	50.0	50.0	5.0	1.354	200.00	475.00
TBA50B50T6	✓	50.0	50.0	6.0	1.607	198.30	563.80
TBA50B100T6	✓	50.0	100.0	6.0	2.462	298.30	863.80
TBA51B62T16.7	⁎	51.0	62.0	16.7	4.207	225.15	1476.17
TBA55B55T3	⁎	55.0	55.0	3.0	0.915	220.00	321.00
TBSA60B30T4.5	⁎	60.0	30.0	4.5	1.351	179.00	473.92
TBSA60B30T5.5	⁎	60.0	30.0	5.5	1.499	179.00	525.92
GM-GFX-170	⁎	60.0	30.0	5.5	1.484	174.85	520.85
TBSA60B60T6	✓	60.0	60.0	6.0	1.949	240.00	684.00
TBA60B70T2	⁎	60.0	70.0	2.0	0.729	259.00	255.92
TBA60B120T6	⁎	60.0	120.0	6.0	2.975	360.00	1044.00
TBA63.5B63.5T6.35	✓	63.5	63.5	6.35	2.183	252.30	766.00
TBA65B123T2.2	⁎	65.0	123.0	2.2	1.125	373.08	394.86
TBA75B75T6	✓	75.0	75.0	6.0	2.462	298.30	863.80
TBA101B60T4	⁎	101.0	60.0	4.0	1.809	318.57	634.87
TBA103B33T3	⁎	103.0	33.0	3.0	1.137	272.00	399.00
TBA120B84T4	⁎	120.0	84.0	4.0	2.280	406.97	800.00
TBA150B100T8	✓	150.0	100.0	8.0	5.518	500.00	1936.00

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

Zed Section



Product Code	Ex Stock	A (mm)	B (mm)	C (mm)	T (mm)	Mass (kg/m)	Perimeter (mm)	Area (mm²)
ZEA13.2B3.6C3.6T1.6	⁎	13.2	3.6	3.6	1.6	0.078	37.60	27.52
ZEA12B5C18T2	⁎	12.0	5.0	18.0	2.0	0.177	66.00	62.00
ZEA15B20C15T2	⁎	15.0	20.0	15.0	2.0	0.262	96.00	92.00
ZEA7B19C28T1	⁎	7.0	19.0	28.0	1.0	0.148	105.00	52.00
ZEA18.5B17C18.5T1.4	✓	18.5	17.0	18.5	1.4	0.204	105.20	71.68
ZEA20B8C21T4	⁎	20.0	8.0	21.0	4.0	0.467	89.00	163.92
ZEA20B25C20T1.6	✓	20.0	25.0	20.0	1.6	0.282	126.80	98.88
ZEA25B15C43T3	⁎	25.0	15.0	43.0	3.0	0.658	156.05	230.92
ZEA30B20C30T1.5	✓	30.0	20.0	30.0	1.5	0.329	155.63	115.36
ZEA30B40C30T1.5	✓	30.0	40.0	30.0	1.5	0.414	195.63	145.36
ZEA30B14C38T3	⁎	30.0	14.0	38.0	3.0	0.650	154.05	227.92
ZEA46.8B16.8C22T3.8	⁎	46.8	16.8	22.0	3.8	0.845	164.00	296.40
ZEA118B26C15T3	⁎	118.0	26.0	15.0	3.0	1.308	312.00	459.00

Solid Rounds



Product Code	Ex Stock	O.D (mm)	Mass (kg/m)	Perimeter (mm)	Grade & Temper
SRD4.4L3	⁎	4.4	0.043	13.82	6061-T6
SRD5L3	⁎	5.0	0.056	15.71	6061-T6
SRD5.3L3	⁎	5.3	0.063	16.65	6061-T6
SRD6L3	⁎	6.0	0.081	18.90	6061-T6
SRD6.3L3	✓	6.3	0.089	19.79	6061-T6
SRD6.8L3	⁎	6.8	0.104	21.36	6061-T6
SRD7L3	✓	7.0	0.110	21.99	6061-T6
SRD8L3	✓	8.0	0.143	25.13	6061-T6
SRD9.53L3	✓	9.53	0.203	30.00	6061-T6
SRD9.7L3	⁎	9.7	0.211	30.50	6061-T6
SRD10L3	⁎	10.0	0.224	31.42	6061-T6
SRD10.5L3	⁎	10.5	0.247	32.99	6061-T6
SRD11L3	✓	11.0	0.271	34.56	6061-T6
SRD11.8L3	⁎	11.8	0.312	37.10	6061-T6

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Solid Rounds



Product Code	Ex Stock	O.D (mm)	Mass (kg/m)	Perimeter (mm)	Grade & Temper
SRD12L3	⁎	12.0	0.322	37.70	6061-T6
SRD12.7L3	✓	12.7	0.361	40.00	6061-T6
SRD13L3	⁎	13.0	0.378	40.84	6061-T6
SRD14L3	⁎	14.0	0.439	44.00	6061-T6
SRD15L3	✓	15.0	0.504	47.12	6061-T6
SRD15.6L3	⁎	15.6	0.545	49.00	6061-T6
SRD16L3	✓	16.0	0.573	50.27	6061-T6
SRD17L3	⁎	17.0	0.647	53.40	6061-T6
SRD18L3	✓	18.0	0.725	56.55	6061-T6
SRD19L3	✓	19.0	0.808	59.70	6061-T6
SRD20L3	✓	20.0	0.895	62.80	6061-T6
SRD21L3	⁎	21.0	0.987	66.00	6061-T6
SRD22L3	✓	22.0	1.083	69.12	6061-T6
SRD23L3	⁎	23.0	1.184	72.26	6061-T6
SRD24L3	✓	24.0	1.289	75.40	6061-T6
SRD25L3	⁎	25.0	1.399	78.54	6061-T6
SRD25.4L3	✓	25.4	1.444	79.80	6061-T6
SRD26L3	⁎	26.0	1.513	81.70	6061-T6
SRD26.2L3	⁎	26.2	1.537	82.31	6061-T6
SRD26.5L3	✓	26.5	1.572	83.25	6061-T6
SRD27L3	✓	27.0	1.632	84.80	6061-T6
SRD28L3	⁎	28.0	1.755	88.00	6061-T6
SRD29L3	✓	29.0	1.882	91.11	6061-T6
SRD30L3	⁎	30.0	2.015	94.25	6061-T6
SRD32L3	✓	32.0	2.292	100.53	6061-T6
SRD33L3	⁎	33.0	2.438	103.67	6061-T6
SRD34L3	⁎	34.0	2.588	106.81	6061-T6
SRD35L3	⁎	35.0	2.742	109.96	6061-T6
SRD36L3	⁎	36.0	2.901	113.10	6061-T6
SRD37.5L3	⁎	37.5	3.148	117.81	6061-T6
SRD38.1L3	✓	38.1	3.249	119.70	6061-T6
SRD39.5L3	⁎	39.5	3.492	124.10	6061-T6
SRD40L3	✓	40.0	3.581	125.66	6061-T6
SRD41.28L3	✓	41.28	3.814	129.70	6061-T6
SRD42L3	⁎	42.0	3.949	131.95	6061-T6
SRD42.8L3	⁎	42.8	4.100	134.46	6061-T6
SRD44.5L3	✓	44.5	4.423	139.70	6061-T6
SRD45L3	✓	45.0	4.533	141.37	6061-T6
SRD47.4L3	⁎	47.4	5.029	148.91	6061-T6
SRD47.7L3	⁎	47.7	5.093	149.90	6061-T6

"✓" *Stocked Item*
"⁎" *Pre-order Only Item*
(30-40 working days delivery)

SD ALUMINIUM

Solid Rounds



Product Code	Ex Stock	O.D (mm)	Mass (kg/m)	Perimeter (mm)	Grade & Temper
SRD50L3	⁎	50.0	5.596	157.08	6061-T6
SRD50.8L3	✓	50.8	5.777	159.60	6061-T6
SRD54L3	✓	54.0	6.527	169.70	6061-T6
SRD55L3	⁎	55.0	6.771	172.79	6061-T6
SRD56.9L3	⁎	56.9	7.247	178.76	6061-T6
SRD59.9L3	⁎	59.9	8.031	188.18	6061-T6
SRD60.32L3	✓	60.32	8.144	189.50	6061-T6
SRD64L3	✓	64.0	9.168	201.10	6061-T6
SRD65L3	⁎	65.0	9.457	204.20	6061-T6
SRD69.5L3	✓	69.5	10.812	177.12	6061-T6
SRD70L3	⁎	70.0	10.968	219.91	6061-T6
SRD76.2L3	✓	75.0	12.591	239.39	6061-T6
SRD80L3	⁎	80.0	14.326	251.33	6061-T6
SRD85L3	⁎	85.0	16.172	267.04	6061-T6
SRD90L3	✓	90.0	18.131	279.29	6061-T6
SRD95L3	⁎	95.0	20.201	298.45	6061-T6
SRD100L3	✓	100.0	22.384	314.16	6061-T6
SRD105L3	✓	105.0	24.678	329.87	6061-T6
SRD110L3	✓	110.0	27.084	345.58	6061-T6
SRD115L3	✓	115.0	29.603	361.28	6061-T6
SRD120L3	⁎	120.0	32.233	376.99	6061-T6
SRD125L3	✓	125.0	34.975	392.70	6061-T6
SRD130L3	⁎	130.0	37.829	408.41	6061-T6
SRD135L3	⁎	135.0	40.795	424.12	6061-T6
SRD140L3	✓	140.0	43.872	439.82	6061-T6
SRD150L3	✓	150.0	50.360	471.24	6061-T6
SRD165L3	✓	165.0	60.940	518.36	6061-T6
SRD200L3	✓	200.0	89.535	628.32	6061-T6
SRD250L3	✓	250.0	139.900	785.40	6061-T6
SRD280L3	✓	280.0	175.489	879.65	6061-T6

"✓" *Stocked Item*
"⁎" *Pre-order Only Item*
(30-40 working days delivery)

SD ALUMINIUM

Solid Square



Product Code	Ex Stock	A (mm)	Mass (kg/m)	Perimeter (mm)	Grade & Temper
SQBA5L3	⁎	5.0	0.071	20.00	6061-T6
SQBA6.3L3	✓	6.3	0.113	25.20	6061-T6
SQBA8L3	⁎	8.0	0.175	29.00	6061-T6
SQBA10L3	✓	10.0	0.284	39.10	6061-T6
SQBA12L3	✓	12.0	0.410v	47.10	6061-T6
SQBA16L3	✓	16.0	0.729	63.10	6061-T6
SQBA19L3	✓	19.0	1.034	75.30	6061-T6
SQBA20L3	✓	20.0	1.139	79.10	6061-T6
SQBA25L3	✓	25.0	1.781	99.10	6061-T6
SQBA31.8L3	✓	31.8	2.881	126.30	6061-T6
SQBA33L3	✓	33.0	3.104	132.00	6061-T6
SQBA38.1L3	✓	38.1	4.136	151.40	6061-T6
SQBA40L3	✓	40.0	4.560	160.00	6061-T6
SQBA42L3	⁎	42.0	5.027	168.00	6061-T6
SQBA44.5L3	✓	44.5	5.643	177.10	6061-T6
SQBA51L3	✓	51.0	7.413	201.00	6061-T6
SQBA60L3	✓	60.0	10.260	240.00	6061-T6
SQBA70L3	✓	70.0	13.970	280.00	6061-T6
SQBA80L3	✓	80.0	18.240	320.00	6061-T6
SQBA90L3	✓	90.0	23.090	360.00	6061-T6
SQBA100L3	✓	100.0	28.500	400.00	6061-T6

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Powder Coated Profiles
Square Hollow



Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Length (m)	Stocked Colours
SHA19T1.2R2	✓	19.0	1.2	2.0	1.20	Matt Appliance White
SHA19T1.2R2	✓	19.0	1.2	2.0	5.97	Matt Black, Matt Appliance White
SHRA25T1.5R2	✓	25.0	1.5	2.0	5.97	Matt Black, Matt Appliance White
SHRA40T2R3	✓	40.0	2.0	3.0	5.97	Matt Black, Signal White, Dark Cedar, Antique Wood
SHRA50T2R3	✓	50.0	2.0	3.0	5.97	Matt Black, Matt Ironsand, Matt Appliance White
SHA50T3	✓	50.0	3.0		5.97	Matt Black
SHRA50T3R3	✓	50.0	3.0	3.0	5.97	Matt Black
SHRA65T2.5R3	✓	65.0	2.5	3.0	5.97	Matt Black
SHRA75T3R3	✓	75.0	3.0	3.0	5.97	Matt Black
SHRA80T2.5R3.5	✓	80.0	2.5	3.5	4.80	Matt Black, Signal White
SHRA80T2.5R3.5	✓	80.0	2.5	3.5	5.97	Matt Black, Matt Appliance White
SHA100T3	✓	100.0	3.0		3.00	Matt Ironsand
SHA100T3	✓	100.0	3.0		5.97	Matt Black, Matt Appliance White
SHRA120T3	✓	120.0	3.0	3.0	5.97	Matt Black, Matt Appliance White

Powder Coated Profiles
Square Hollow
with Screw Holes



Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Length (m)	Stocked Colours
GM-NEWZ-50	✓	50.0	2.0	2.0	5.95	Matt Black, Matt Appliance White
GM-NEWZ-49	✓	65.0	2.0	2.0	5.95	Matt Black, Matt Appliance White
GM-NEWZ-48	✓	75.0	2.5	2.0	5.95	Matt Black, Matt Ironsand, Matt Appliance White
GM-NEWZ-47	✓	100.0	4.0		5.95	Matt Black, Matt Ironsand, Matt Appliance White

Powder Coated Profiles
Channel



Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Length (m)	Stocked Colours
CLA50B15T3	✓	50.0	15.0	3.0	5.97	Matt Black, Matt Ironsand
CLA50B50T3	✓	50.0	50.0	3.0	5.95	Matt Black, Matt Ironsand
CLA58B65T3.5	✓	58.0	65.0	3.5	5.95	Matt Black, Matt Ironsand

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

ALUMINIUM

Powder Coated Profiles
Rectangular Hollow



Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	R (mm)	Length (m)	Stocked Colours
GM-NEWZ-127	✓	38.0	25.0	1.2		5.95	Matt Black
GM-NEWZ-61	✓	65.0	16.0	1.2	2.0	5.95	Matt Black, Matt Appliance White
RHA75B40T2	✓	75.0	40.0	2.0		5.95	Matt Black
RHA76B44T2	✓	76.0	44.0	2.0		5.95	Matt Black, Signal White
RHA80B50T3	✓	80.0	50.0	3.0		5.95	Matt Black, Matt Ironsand
RHRA80B50T3R3	✓	80.0	50.0	3.0	3.0	5.95	Matt Black, Matt Ironsand, Matt Appliance White
GM-NEWZ-59	✓	100.0	19.7	1.4		5.95	Matt Black, Dark Cedar, Antique White, Matt Appliance White
RHA100B44T3	✓	100.0	44.0	3.0		5.95	Matt Black, Matt Appliance White, Dark Cedar
RHA100B50T3	✓	100.0	50.0	3.0		5.95	Matt Black, Matt Ironsand
RHA120B60T3	✓	120.0	60.0	3.0		5.95	Matt Black, Matt Appliance White

Powder Coated Profiles
Round Tube

Product Code	Ex Stock	D (mm)	T (mm)	Length (m)	Stocked Colours
RTD16T1.2	✓	16.0	1.2	5.95	Matt Black, Matt Appliance White
RTD19T1.2	✓	19.0	1.2	5.95	Matt Black, Matt Appliance White
RTD19T1.6	✓	19.0	1.6	5.95	Matt Black, Matt Appliance White
RTD40T0.9	✓	40.0	0.9	5.95	Matt Black, Matt Ironsand, Signal White
RTD49.5T0.8	✓	49.5	0.8	5.20	Matt Black, Signal White

Powder Coated Profiles
Flat Bar

Product Code	Ex Stock	A (mm)	T (mm)	Length (m)	Stocked Colours
FBA25T3	✓	25.0	3.0	5.97	Matt Black, Signal White
FBA50T3	✓	50.0	3.0	5.97	Matt Black
FBA50T10	✓	50.0	10.0	5.97	Matt Black, Matt Ironsand
FBA70T10	✓	70.0	10.0	6.00	Matt Black
FBA90T6	✓	90.0	6.0	5.40	Matt Black, Matt Appliance, Matt Ironsand, Dark Cedar
FBA100T3	✓	100.0	3.0	5.97	Matt Black

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Powder Coated Profiles
Equal Angle

Product Code	Ex Stock	A (mm)	T (mm)	Length (m)	Stocked Colours
EAA12T1.6	✓	12.0	1.6	3.00	Matt Black, Signal White
EAA16T1.5	✓	16.0	1.5	3.00	Matt Black, Signal White
EAA20T1.6	✓	20.0	1.6	3.00	Matt Black, Signal White
EAA20T3	✓	20.0	3.0	3.00	Matt Black, Signal White
EAA25T1.5	✓	25.0	1.5	3.00	Matt Black, Signal White
EAA25T2.5	✓	25.0	2.5	3.00	Matt Black, Signal White
EAA25T2.5	✓	25.0	2.5	5.95	Matt Black, Matt Ironsand
EAA30T1.5	✓	30.0	1.5	3.00	Matt Black, Signal White
EAA30T3	✓	30.0	3.0	5.95	Matt Black, Matt Ironsand
EAA32T1.5	✓	32.0	1.5	3.00	Matt Black, Signal White
EAA40T1.6	✓	40.0	1.6	3.00	Matt Black, Signal White
EAA50T1.6	✓	50.0	1.6	3.00	Matt Black, Signal White
EAA50T3	✓	50.0	3.0	5.95	Matt Black, Matt Ironsand
EAA50T6	✓	50.0	6.0	5.95	Matt Black, Matt Ironsand
EAA60T3	✓	60.0	3.0	5.95	Matt Black, Matt Ironsand

Powder Coated Profiles
Unequal Angle



Product Code	Ex Stock	A (mm)	B(mm)	T (mm)	Length (m)	Stocked Colours
UAA20B12T1.6	✓	20.0	12.0	1.6	3.00	Matt Black, Signal White
UAA20B12T3	✓	20.0	12.0	3.0	3.00	Matt Black, Signal White
UAA25B12T1.6	✓	25.0	12.0	1.6	3.00	Matt Black, Signal White
UAA25B20T1.6	✓	25.0	20.0	1.6	3.00	Matt Black, Signal White
UAA32B20T1.5	✓	32.0	20.0	1.5	3.00	Matt Black, Signal White
UAA32B25T3	✓	32.0	25.0	3.0	3.00	Matt Black, Signal White
UAA40B20T2	✓	40.0	20.0	2.0	5.97	Matt Black, Signal White
UAA40B20T3	✓	40.0	20.0	3.0	5.97	Matt Black, Signal White
UAA40B25T1.5	✓	40.0	25.0	1.5	5.97	Matt Black, Signal White
UAA40B25T3	✓	40.0	25.0	3.0	5.97	Matt Black, Signal White
UAA50B20T1.6	✓	50.0	20.0	1.6	5.97	Matt Black, Signal White
UAA50B25T1.5	✓	50.0	25.0	1.5	5.97	Matt Black, Signal White
UAA50B25T3	✓	50.0	25.0	3.0	5.97	Matt Black, Signal White
UAA70B40T1.6	✓	70.0	40.0	1.6	5.97	Matt Black, Signal White
UAA75B25T3	✓	75.0	25.0	3.0	5.97	Matt Black, Signal White
UAA75B50T1.6	✓	75.0	50.0	1.6	5.97	Matt Black, Signal White

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Flat Sheet

5005 - H34

General Purpose



Product Code	Ex Stock	Thickness (mm)	Length (mm)	Width (mm)	Weight (kg)
5005AS071224	⁎	0.70	1200	2400	5.53
5005AS0751224	✓	0.75	1200	2400	5.93
5005AS091224	✓	0.90	1200	2400	7.12
5005AS091530	✓	0.90	1500	3000	11.13
5005AS121224	✓	1.20	1200	2400	9.48
5005AS121530	✓	1.20	1500	3000	14.81
5005AS15153	✓	1.50	1500	3000	18.90
5005AS161224	✓	1.60	1200	2400	12.72
5005AS16153	✓	1.60	1500	3000	20.30
5005AS161236	⁎	1.60	1200	3600	18.80
5005AS21224	✓	2.00	1200	2400	16.13
5005AS2153	✓	2.00	1500	3000	25.17
5005AS251224	✓	2.50	1200	2400	20.14
5005AS31224	✓	3.00	1200	2400	23.88
5005AS3153	✓	3.00	1500	3000	37.86
5005AS31836	⁎	3.00	1800	3600	54.52
5005AS41224	✓	4.00	1200	2400	31.91
5005AS4153	✓	4.00	1500	3000	50.79
5005AS51224	✓	5.00	1200	2400	39.73
5005AS5153	✓	5.00	1500	3000	64.32
5005AS61224	✓	6.00	1200	2400	47.71

Flat Sheet

5083 - H116

Hard Marine & Transport



Product Code	Ex Stock	Thickness (mm)	Length (mm)	Width (mm)	Weight (kg)
5083AS31224	⁎	3.00	1200	2400	22.95
5083AS41224	✓	4.00	1200	2400	30.60
5083AS51224	✓	5.00	1200	2400	38.20
5083AS61224	⁎	6.00	1200	2400	45.90
5083AS81224	⁎	8.00	1200	2400	61.20
5083AS101224	⁎	10.00	1200	2400	76.50
5083AS121224	⁎	12.00	1200	2400	91.80

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

SD ALUMINIUM

Flat Sheet

6061 - T6

Structural

Product Code	Ex Stock	Thickness (mm)	Length (mm)	Width (mm)	Weight (kg)
6061AS412525	✓	4.00	1250	2500	34.00
6061AS512525	✓	5.00	1250	2500	42.50
6061AS612525	✓	6.00	1250	2500	54.20
6061AS812525	✓	8.00	1250	2500	71.45
6061AS8153	✓	8.00	1500	3000	107.91
6061AS1012525	✓	10.00	1250	2500	90.92
6061AS101530	✓	10.00	1500	3000	130.92
6061AS1212525	✓	12.00	1250	2500	103.00

Flat Sheet

5052 - H32

Marine Grade



Product Code	Ex Stock	Thickness (mm)	Length (mm)	Width (mm)	Weight (kg)
5052AS071224	✓	0.70	1200	2400	5.48
5052AS161224	✓	1.60	1200	2400	12.53
5052AS16153	✓	1.60	1500	3000	19.58
5052AS21224	✓	2.00	1200	2400	16.18
5052AS2153	✓	2.00	1500	3000	25.28
5052AS251224	✓	2.50	1200	2400	20.23
5052AS31224	✓	3.00	1200	2400	24.35
5052AS3153	✓	3.00	1500	3000	38.05
5052AS41224	✓	4.00	1200	2400	31.62
5052AS51224	✓	5.00	1200	2400	39.53
5052AS61224	✓	6.00	1200	2400	47.44

"✓" Stocked Item
"⁎" Pre-order Only Item
(30-40 working days delivery)

Standard Treadplate

5052 - H114

5 Bar Pattern

Product Code	Ex Stock	Thickness (mm)	Length (mm)	Width (mm)	Weight (kg)
5052TP15153	✓	1.50	1500	3000	18.90
5052TP161224	✓	1.60	1200	2400	13.82
5052TP21224	✓	2.00	1200	2400	17.06
5052TP251224	✓	2.50	1200	2400	21.67
5052TP31224	✓	3.00	1200	2400	25.89
5052TP3153	✓	3.00	1500	3000	40.25
5052TP41224	✓	4.00	1200	2400	33.41
5052TP4153	✓	4.00	1500	3000	52.20
5052TP51224	✓	5.00	1200	2400	41.76
5052TP5153	✓	5.00	1500	3000	65.25
5052TP61224	✓	6.00	1200	2400	50.11
5052TP6153	✓	6.00	1500	3000	77.16
5052TP81224	✓	8.00	1200	2400	66.81

Honeycomb Panel

Powdercoated both sides of surfaces



Product Code	Ex Stock	Thickness (mm)	Length (mm)	Width (mm)	Colour
HS1712525MF	✓	17.00	1250	2500	Mill Finish
HS1712525Ironsand	✓	17.00	1250	2500	Ironsand
HS1712525Black	✓	17.00	1250	2500	Black

One side powdercoated, one side mill finish

Product Code	Ex Stock	Thickness (mm)	Length (mm)	Width (mm)	Colour
HS1461022MF	✓	14.60	1000	2200	Mill Finish
HS1461022Black	✓	14.60	1000	2200	Black
HS1461022Ironsand	✓	14.60	1000	2200	Ironsand
HS14610245MF	✓	14.60	1000	2450	Mill Finish
HS14610245Black	✓	14.60	1000	2450	Black
HS14610245Ironsand	✓	14.60	1000	2450	Ironsand

SD ALUMINIUM

We offer an extensive **local inventory**,
a comprehensive **range of sizes**,
and proficiency in crafting **customized profiles** to exact specifications.

Contact Us Now!

Auckaland Rosedale Branch

Address: 6 John Glenn Ave, Rosedale, Auckland 0632
Phone: 09-218 2188, 09-218 2111
Email: info@sdalu.co.nz

Auckaland Manukau Branch

Address: 28 Ryan Place, Manukau City, Auckland 2104
Phone: 09-217 8666
Email: info@sdalu.co.nz

Follow Us on Social Media ....

https://www.instagram.com/sd_aluminum?igsh=MWIyOGhuZm96cDF2aQ==

https://www.linkedin.com/company/67363257/admin/feed/posts/

https://www.facebook.com/SDAluminiumLtd