Aluminium & WPC Fence, Railing & Gate Systems







Elevate Your Outdoor Space with the Elegance of our Fence & Balustrade System

2025-2026 Edition



Find the right fit

Icons at the bottom of each profile page show the ideal applications for that design — helping you quickly match each fence to its best use, whether at home, in a garden, or on a commercial site.



Residential Boundary

For securing and defining private home boundaries.



Decorative & Garden

Adds style and structure to garden spaces and landscaping



Commercial & Factory

Designed for durability and performance in industrial settings.



School & Public

Safe and reliable fencing for educational and public spaces.



Pool Fencing

Compliant options that ensure safety without compromising design.



Motorway & Infrastructure

Designed for roadside safety, visibility, and long-term performance.



Explore Our Range ...

Aluminium Fence & Gat	e ŀ	₹an	ae
----------------------------------	-----	-----	----

Project Gallery ————————————————————————————————————	1 - 7
FaceLine System	
FaceLine 4040 —	8 - 19
CoreLine System	
CoreLine 3825	20 - 38
CoreLine 4040	39 - 48
CoreLine 4545	49 - 57
CoreLine 5025	58 - 60
VistaLine System	
VistaLine Variations ————————————————————————————————————	61 - 70
CrossLine System	
CrossLine 2525	71 - 72
Steel Fence Range Motorway Fence	73
Security Fence	73
WPC Fence & Gate Range	
Project Gallery ————————————————————————————————————	74- 76
Assembly Guide ————————————————————————————————————	77 - 82
WPC System	
Spaced Panel ————————————————————————————————————	83- 84
Solid Panel ————————————————————————————————————	85 - 86
DECO Panel	87 - 94
Hardware & Accessories	
Fence Panel Accessories	95 - 96
Pedestrian Gate Hardware ————————————————————————————————————	97
Driveway Gate Hardware	98 - 100
Screws & Fasteners	
Plastic End Caps	102



Fencing that fits

YOUR STYLE YOUR SPACE YOUR STANDARD









Fence Profile: GM-SDWL-02 Glendowie, Auckland







Fence Profile: GM-SDWL-05 Torbay, Auckland

Easy Installation: Experience hassle-free installation with our user-friendly design. Save time and effort while enjoying the benefits of a secure and attractive aluminium fence around your property.

Durability: Aluminium fences are highly durable, capable of with standing various weather conditions without corroding or rusting. This durability ensures that your fence maintains its structural integrity and appearance for years to come, providing long-term value and peace of mind.









Fence Profile: GM-SDWL-03 Botany Downs, Auckland







Fence Profile: GM-SDWL-23 Massey, Auckland

Low Maintenance: Unlike wood or wrought iron fences that may require regular painting, staining, or sealing, aluminium fences are virtually maintenance-free. A simple occasional cleaning with soap and water is usually sufficient to keep them looking pristine, reducing the need for ongoing

Versatility: Aluminium fences are available in a wide range of styles, colours, and heights, making them suitable for various aesthetic preferences and functional needs. Whether you prefer a traditional or modern look, there's an aluminium fence design to complement any property.









Fence Profile: GM-SDWL-05 Flat Bush, Auckland







Fence Profile: GM-SDWL-23, GM-SDWL-03 Mt Eden, Auckland

Security: Aluminium fences provide a secure boundary for residential, commercial, or industrial properties. Their sturdy construction and customizable height options help deter trespassers and enhance overall security measures.

Cost-Effectiveness: While aluminium fences may have a higher upfront cost than some other materials, their long-term benefits, such as low maintenance and durability, often outweigh the initial investment. In the long run, choosing aluminium can save money on maintenance and replacement costs, making it a cost-effective fencing option.









Fence Profile: GM-SDWL-26 Goodwood Heights, Auckland







Fence Profile: GM-SDWL-23 Mt Eden, Auckland

Long Lifespan: Due to their resistance to rust and corrosion, aluminium fences typically have a longer lifespan compared to other materials. This longevity translates to extended durability and cost-effectiveness over the fence's lifespan.

Environmental Aluminium is a recyclable material, making aluminium fences an eco-friendly choice Friendliness: for environmentally-conscious consumers. Choosing aluminium helps reduce the demand for new raw materials and minimizes environmental impact.










Fence Profile: GM-SDWL-04 Remuera, Auckland







Fence Profile: GM-SDWL-42 Botany Downs, Auckland

Easy Installation: Experience hassle-free installation with our user-friendly design. Save time and effort while enjoying the benefits of a secure and attractive aluminium fence around your property.

Durability: Aluminium fences are highly durable, capable of with standing various weather conditions without corroding or rusting. This durability ensures that your fence maintains its structural integrity and appearance for years to come, providing long-term value and peace of mind.









Fence Profile: GM-SDWL-30 Flat Bush, Auckland







Fence Profile: GM-SDWL-23 & 30 Kumeū, Auckland

Low Maintenance: Unlike wood or wrought iron fences that may require regular painting, staining, or sealing, aluminium fences are virtually maintenance-free. A simple occasional cleaning with soap and water is usually sufficient to keep them looking pristine, reducing the need for ongoing

Versatility: Aluminium fences are available in a wide range of styles, colours, and heights, making them suitable for various aesthetic preferences and functional needs. Whether you prefer a traditional or modern look, there's an aluminium fence design to complement any property.









Fence Profile: GM-SDWL-03 Burger King, Glenn In, Auckland

Fence Profile: GM-SDWL-03 Popeyes, Papatoetoe, Auckland








Fence Profile: GM-SDWL-08-1 One Tree Hill, Auckland

Security: Aluminium fences provide a secure boundary for residential, commercial, or industrial properties. Their sturdy construction and customizable height options help deter trespassers and enhance overall security measures.

Cost-Effectiveness: While aluminium fences may have a higher upfront cost than some other materials, their long-term benefits, such as low maintenance and durability, often outweigh the initial investment. In the long run, choosing aluminium can save money on maintenance and replacement costs, making it a cost-effective fencing option.

FaceLine SYSTEM

The FaceLine 4040 series features a modern, minimalist look with vertical pickets mounted to the front face of a robust 40x40mm rail. This design creates a clean, flush aesthetic from the front while offering excellent rigidity and strength. Ideal for both residential and commercial applications, FaceLine fences are easy to install and provide a sleek visual line that complements a wide range of architectural styles.





This rail includes a Back Cover Plate simply screw the infill through the gap and snap on the cover for a clean modern finish



GM-NEWZ-119 / 139

Rail Bracket - 40x40mm

Securely fasten rails to posts or mount directly onto brick, block. stone, or concrete surfaces.



SL-31 40x40mm Rail Bracket

(3) Infill Options - Variations

The structural design supports Various Infill Profiles, with Different Rail Quantities available. See the next page for infill and rail variations.

Post Profiles - Variations

Available in 50mm, 65mm, 75mm, and 100mm sizes, selected based on fence span and height. Each post includes a top end cap for a sleek appearance.





Gate Frame Profiles - Variations

Available in 50x50 and 80x50 sizes, each frame includes internal corner stakes for secure joints and a snap-on cover plate for a clean, modern finish. Designed for strength, stability, and style







NEWZ-219 / 220

INSTALLATION OPTIONS

Option 1:

TOP FIX - Flange Plate

Installed directly on top of the surface using a Flange Plate to secure the post.







Option 2

IN-GROUND FIX - In-ground Post

Posts are Embedded directly into the ground and secured with concrete, providing a clean look with strong, stable support.

Embedded Concrete Pile Ø300mm Minimum





Option 3:

SIDE FIX - Direct Mount

Posts are fixed to the side of a structure using Bolts or Anchors, ideal for maximizing usable surface space on decks, stairs, or concrete pads.







Option 4:

WALL-TO-WALL FIX - Rail Bracket

Rails are installed between two solid surfaces—such as brick, concrete, or timber—using Rail Brackets fixed directly to the walls with screws for a secure, streamlined fit.

Self Drilling Screw M5.5 Hex Washer Screw







FaceLine 4040 **GM-SDWL-02**

PICKET PROFILE



STOCKED COLOUR OPTIONS




Matt Black Powdercoated

*Additional colours available upon request




FENCE PANEL



PEDESTRIAN GATE




DRIVEWAY SWING GATE



Swing	Driveway Gate Stocked Sizes	
Height: 900mm 1200mm 1500mm 1800mm	Width: 1500mm 2000mm 2500mm 3000mm 3500mm	

DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:







& Gate System



FaceLine 4040 **GM-SDWL-49**

PICKET PROFILE

HOME THE




STOCKED COLOUR OPTIONS




Matt Appliance White Powdercoated

*Additional colours available upon request




FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:



Boundary



& Garden





FaceLine 4040

GM-SDWL-19

PICKET PROFILE



STOCKED COLOUR OPTIONS









Matt Appliance White Powdercoated

*Additional colours available upon request




FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:









FaceLine 4040
GM-SDWL-09

PICKET PROFILE



STOCKED COLOUR OPTIONS








*Additional colours available upon request.

FENCE PANEL




Fence Panel
Stocked Sizes
900mm(H) x 2000mm(W)
1200mm(H) x 2000mm(W)
1500mm(H) x 2000mm(W)
0ther sizes can be customized according to customer greferenes.

PEDESTRIAN GATE




Pedestrian Gate
Stocked Sizes
900mm(H) x 900mm(W)
1200mm(H) x 900mm(W)
1500mm(H) x 900mm(W)
0ther sizes can be customized

DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:







Residential Decorative Boundary & Garden

& Gate System



FaceLine 4040

GM-SDWL-10

PICKET PROFILE



STOCKED COLOUR OPTIONS








Dark Cedar Wood-grain Powdercoated

*Additional colours available upon request.



FENCE PANEL





PEDESTRIAN GATE



DRIVEWAY SWING GATE



Swin	g Driveway Gate Stocked Sizes
Height : 900mm 1200mm 1500mm	Width: 1500mm 2000mm 2500mm 3000mm 3500mm

DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:









FaceLine 4040

GM-SDWL-11

PICKET PROFILE



NEWZ-52 / 53 70x30mm Profile

STOCKED COLOUR OPTIONS





Antique Wood Wood-grain Powdercoated

Powdercoated Powderco
*Additional colours available upon request.






PEDESTRIAN GATE




Pedestrian Gate
Stocked Sizes
900mm(H) x 900mm(W)
1200mm(H) x 900mm(W)
1500mm(H) x 900mm(W)
0ther sizes can be customized

DRIVEWAY SWING GATE



Swin	g Driveway Gate Stocked Sizes
Height : 900mm 1200mm 1500mm	Width : 1500mm 2000mm 2500mm 3000mm 3500mm

DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

| Sliding Driveway Gate | Stocked Sizes | Height: 900mm | 1200mm | 1500mm | 4000mm | 4500mm | 5500mm | 5500mm | 6000mm | 6500mm |

*Ideal Applications:



Boundary



& Garden





FaceLine 4040

GM-SDWL-12

PICKET PROFILE



NEWZ-55 / 53 100x50mm Profile

STOCKED COLOUR OPTIONS





Dark Cedar Wood-grain Powdercoated

Antique Wood Wood-grain Powdercoated

*Additional colours available upon request.



FENCE PANEL



PEDESTRIAN GATE



DRIVEWAY SWING GATE



Swing	g Driveway Gate Stocked Sizes
Height: 900mm 1200mm 1500mm	Width: 1500mm 2000mm 2500mm 3000mm 3500mm
Other sizes can be customized ac	cording to customer preferences.

DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:







15



FaceLine 4040 **GM-SDWL-04**

PICKET PROFILE



NEWZ-60 100x19.7mm Profile

STOCKED COLOUR OPTIONS



Appliance White Powdercoated

Dark Cedar Wood-grain Powdercoated




*Additional colours available upon request.


PEDESTRIAN GATE



FENCE PANEL




DRIVEWAY SWING GATE



Swing Dri	veway Gate Stocked Sizes
Height: 900mm Wi 1200mm 1500mm 1800mm	dth: 1500mm 2000mm 2500mm 3000mm 3500mm
Other sizes can be customized according	

DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:



Boundary






16



FaceLine 4040
GM-SDWL-47


PICKET PROFILE




STOCKED COLOUR OPTIONS



*Additional colours available upon request.



FENCE PANEL




Fence Panel Stocked Sizes
900mm(H) x 2000mm(W)
1200mm(H) x 2000mm(W)
1500mm(H) x 2000mm(W)
1800mm(H) x 2000mm(W)
Other sizes can be customized according to customer preferences.

PEDESTRIAN GATE




Pedestrian Gate Stocked Sizes 900mm(H) x 900mm(W) 1200mm(H) x 900mm(W) 1500mm(H) x 900mm(W) 1800mm(H) x 900mm(W) Other sizes can be customized

DRIVEWAY SWING GATE



| Stocked Sizes | Height: 900mm | Width: 1500mm | 2000mm | 1500mm | 2500mm | 3500mm | 3000mm | 3000mm

DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

Sliding Driveway Gate Stocked Sizes Height: 900mm Width: 3000mm 1200mm 3500mm 4000mm 1800mm 4500mm 5000mm 6000mm 6000mm 7000mm

*Ideal Applications:










FaceLine 4040

GM-SDWL-48

PICKET PROFILE






19x19 19x19mm Profile

STOCKED COLOUR OPTIONS




Matt Black Powdercoated

*Additional colours available upon request.




FENCE PANEL



PEDESTRIAN GATE




DRIVEWAY SWING GATE



Swin	g Driveway Gate Stocked Sizes
Height : 900mm 1200mm 1500mm 1800mm	Width: 1500mm 2000mm 2500mm 3000mm 3500mm
	3500

DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:







Gate System



FaceLine 4040 **GM-SDWL-50**


PICKET PROFILE



STOCKED COLOUR OPTIONS



*Additional colours available upon request.




FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:







CoreLine SYSTEM

Our **CoreLine** series includes multiple profiles built around the core principle of a clean internal structure. Pickets or infill panels sit neatly between horizontal rails, delivering a balanced and secure frame. With rail sizes including 38x25mm, 50x25mm, 40x40mm and 45x45mm, the CoreLine offers flexibility for different design and strength requirements. This system is popular for boundary fencing, pool enclosures, and secure areas — combining a timeless look with robust construction and easy assembly.





This rail includes a Back Cover Plate — simply screw the infill through the gap and snap on the cover for a clean, modern finish.





GM-NEWZ-169 / 69





GM-NEWZ-167 / 69 45x45mm Rail Profile

GM-NEWZ-128 / 69 50x25mm Rail Profile



Securely fasten rails to posts or mount directly onto brick, block, stone, or concrete surfaces.









(3) Infill Options - Variations

The structural design supports Various Infill Profiles, with Different Rail Quantities available. See the next page for infill and rail variations.

4 Post Profiles - Variations

Available in 50mm, 65mm, 75mm, and 100mm sizes, selected based on fence span and height. Each post includes a top end cap for a sleek appearance.





Gate Frame Profiles - Variations

Available in 50x50 and 80x50 sizes, each frame includes internal corner stakes for secure joints and a snap-on cover plate for a clean, modern finish. Designed for strength, stability, and style.





INSTALLATION OPTIONS

Option 1:

TOP FIX - Flange Plate

Installed directly on top of the surface using a Flange Plate to secure the post.







Option 2:

IN-GROUND FIX - In-ground Post

Posts are **Embedded** directly into the ground and secured with concrete, providing a clean look with strong, stable support.

Embedded Concrete Pile Ø300mm Minimum





Option 3:

SIDE FIX - Direct Mount

Posts are fixed to the side of a structure using Bolts or Anchors, ideal for maximizing usable surface space on decks, stairs, or concrete pads.







Option 4:

WALL-TO-WALL FIX - Rail Bracket

Rails are installed between two solid surfaces—such as brick, concrete, or timber—using Rail Brackets fixed directly to the walls with screws for a secure, streamlined fit.

> Self Drilling Screw M5.5 Hex Washer Screw







CoreLine 3825

GM-SDWL-07

INFILL PROFILE




STOCKED COLOUR OPTIONS



*Additional colours available upon request.



FENCE PANEL




Fence Panel
Stocked Sizes
900mm(H) x 2070mm(W)
1200mm(H) x 2070mm(W)
1500mm(H) x 2070mm(W)
Other sizes can be eustomized

PEDESTRIAN GATE



Pedestrian Gate Stocked Sizes 900mm(H) x 900mm(W) 1200mm(H) x 900mm(W) 1500mm(H) x 900mm(W) Other sizes can be oustomized


DRIVEWAY SWING GATE



Swing Driveway Gate
Stocked Sizes

Height: 900mm Width: 1500mm
1200mm 2500mm
3000mm
3000mm
3000mm
00her sizes can be customized according to customer preferences.

DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:











Commercial & Factory

Railing & Gate System



CoreLine 3825

GM-SDWL-07-1

INFILL PROFILE




STOCKED COLOUR OPTIONS



*Additional colours available upon request




FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:









公路 Residential Boundary

Commercial & Factory



CoreLine 3825

GM-SDWL-08

INFILL PROFILE



D19 Ø19mm Round Tube Profile

STOCKED COLOUR OPTIONS




Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request.




FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:









Commercial & Factory



CoreLine 3825

GM-SDWL-08-1

INFILL PROFILE



D19 Ø19mm Round Tube Profile

STOCKED COLOUR OPTIONS




Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request.




FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:













CoreLine 3825

GM-SDWL-08-2

INFILL PROFILE

Marine Trues



D19 Ø19mm Round Tube Profile

STOCKED COLOUR OPTIONS




Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request.




FENCE PANEL



PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:









Commercial & Factory



CoreLine 3825

GM-SDWL-08-3

INFILL PROFILE



D19 Ø19mm Round Tube Profile

STOCKED COLOUR OPTIONS




Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request



FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:











CoreLine 3825

GM-SDWL-13

INFILL PROFILE





19x19 19x19mm Square Tube Profile

SL-67 Infill Spear Hea for 19x19 Infill

STOCKED COLOUR OPTIONS






*Additional colours available upon request



FENCE PANEL




Fence Panel
Stocked Sizes
900mm(H) x 2070mm(W)
1200mm(H) x 2070mm(W)
1500mm(H) x 2070mm(W)
Other sizes can be customized according to customer preferences.

PEDESTRIAN GATE




Pedestrian Gate
Stocked Sizes
900mm(H) x 900mm(W)
1200mm(H) x 900mm(W)
1500mm(H) x 900mm(W)
Other sizes can be customized

DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:



Boundary



& Garden





CoreLine 3825

GM-SDWL-14

INFILL PROFILE





19x19 19x19mm Square Tube Profile

SL-67 Infill Spear Head for 10x10 Infill

STOCKED COLOUR OPTIONS






Matt Appliance White Powdercoated

*Additional colours available upon request

FENCE PANEL




Fence Panel
Stocked Sizes
900mm(H) x 2070mm(W)
1200mm(H) x 2070mm(W)
1500mm(H) x 2070mm(W)
Other sizes can be customized

PEDESTRIAN GATE




Pedestrian Gate
Stocked Sizes
900mm(H) x 900mm(W)
1200mm(H) x 900mm(W)
1500mm(H) x 900mm(W)
0ther sizes can be customized

DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

| Sliding Driveway Gate | Stocked Sizes | Height: 900mm | Width: 3000mm | 3500mm | 1500mm | 4000mm | 4500mm | 5500mm | 5500mm | 6500mm | 6

*Ideal Applications:



Boundary



& Garden





CoreLine 3825

GM-SDWL-15

INFILL PROFILE





19x19 19x19mm Square Tube Profile

STOCKED COLOUR OPTIONS




Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request




FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:









CoreLine 3825

GM-SDWL-16

INFILL PROFILE





19x19 19x19mm Square Tube Profile

SL-67 Infill Spear Hea for 19x19 Infill


STOCKED COLOUR OPTIONS






Matt Appliance White Powdercoated

*Additional colours available upon request



FENCE PANEL




Fence Panel Stocked Sizes 900mm(H) x 2070mm(W) 1200mm(H) x 2070mm(W) 1500mm(H) x 2070mm(W) 1800mm(H) x 2070mm(W) Other sizes can be customized

PEDESTRIAN GATE




Pedestrian Gate Stocked Sizes 900mm(H) x 900mm(W) 1200mm(H) x 900mm(W) 1500mm(H) x 900mm(W) 000mm(H) x 900mm(W) 000mm(H) x 900mm(W)

DRIVEWAY SWING GATE



| Swing Driveway Gate | Stocked Sizes | Height: | 900mm | Width: 1500mm | 2000mm | 1500mm | 2500mm | 3500mm | 3

DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

| Sliding Driveway Gate | Stocked Sizes | Stoc

*Ideal Applications:









CoreLine 3825

GM-SDWL-23

INFILL PROFILE



19x19 19x19mm Square Tube Profile

STOCKED COLOUR OPTIONS




Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request.




FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE




DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:



Decorative & Garden









CoreLine 3825

GM-SDWL-24

INFILL PROFILE



19x19 19x19mm Square Tube Profile

STOCKED COLOUR OPTIONS



Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request.



FENCE PANEL



PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:



Decorative & Garden









CoreLine 3825 **GM-SDWL-20**

INFILL PROFILE



D19 Ø19mm Round Tube Profile

STOCKED COLOUR OPTIONS




Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request.




FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:









CoreLine 3825

GM-SDWL-21

INFILL PROFILE



D19 Ø19mm Round Tube Profile

STOCKED COLOUR OPTIONS




Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request



FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:



Boundary







CoreLine 3825 **GM-SDWL-22**

INFILL PROFILE



D19 Ø19mm Round Tube Profile

STOCKED COLOUR OPTIONS




Matt Appliance White Powdercoated

*Additional colours available upon request.




FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.









CoreLine 3825

GM-SDWL-28

INFILL PROFILE

THE PHASE




STOCKED COLOUR OPTIONS



*Additional colours available upon request.



FENCE PANEL



PEDESTRIAN GATE










CoreLine 3825

GM-SDWL-53

INFILL PROFILE




STOCKED COLOUR OPTIONS



Matt Appliance White Powdercoated

*Additional colours available upon request.

FENCE PANEL



PEDESTRIAN GATE



*Ideal Applications:



Residential Decorative Commercial Boundary & Garden & Factory

Pedestrian Gate



CoreLine 3825

GM-SDWL-53-1

INFILL PROFILE



STOCKED COLOUR OPTIONS




Matt Appliance White Powdercoated

*Additional colours available upon request.



FENCE PANEL



PEDESTRIAN GATE



*Ideal Applications:





Residential Decorative Commercial Boundary & Garden & Factory



CoreLine 4040 **GM-SDWL-29**

INFILL PROFILE



STOCKED COLOUR OPTIONS




Matt Black Powdercoated


Matt Appliance White Powdercoated

*Additional colours available upon request.




FENCE PANEL





PANEL DEMONSTRATION



*Posts, Brackets and other accessories are not included.

This aluminium fence system is built for flexibility and strength, offering a sleek, modern finish that adapts to the shape of your site.

With the ability to tilt up to 45 degrees, it's ideal for installation along retaining walls, uneven boundaries, stepped sections, or sloped driveways—delivering a smart solution where standard panels won't work.











CoreLine 4040

GM-SDWL-30

INFILL PROFILE



19x19 19x19mm Square Tube Profile

STOCKED COLOUR OPTIONS




Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request.




FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE




DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:



Boundary









CoreLine 4040

GM-SDWL-31

INFILL PROFILE



19x19 19x19mm Square Tube Profile


STOCKED COLOUR OPTIONS



Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request




FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE




DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:





Boundary









CoreLine 4040

GM-SDWL-32

INFILL PROFILE



19x19 19x19mm Square Tube Profile


STOCKED COLOUR OPTIONS




Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request




FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:





Boundary







42



CoreLine 4040

GM-SDWL-33

INFILL PROFILE



19x19 19x19mm Square Tube Profile

STOCKED COLOUR OPTIONS




Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request.




FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.













CoreLine 4040

GM-SDWL-34

INFILL PROFILE



19x19 19x19mm Square Tube Profile

STOCKED COLOUR OPTIONS



Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request.




FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.



*Ideal Applications:









44



CoreLine 4040

GM-SDWL-35

INFILL PROFILE



19x19 19x19mm Square Tube Profile

STOCKED COLOUR OPTIONS




Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request.




FENCE PANEL



PEDESTRIAN GATE




DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.













CoreLine 4040

GM-SDWL-36

INFILL PROFILE



19x19 19x19mm Square Tube Profile


STOCKED COLOUR OPTIONS




Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request.



FENCE PANEL



PEDESTRIAN GATE




DRIVEWAY SWING GATE



Swing	g Drivew Stoc	ay Gate ked Sizes
Height: 900mm 1200mm 1500mm 1800mm	Width:	1500mm 2000mm 2500mm 3000mm 3500mm
Other sizes can be customized according to customer preferences.		

DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.













CoreLine 4040

GM-SDWL-37

INFILL PROFILE



19x19 19x19mm Square Tube Profile

STOCKED COLOUR OPTIONS



Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request.



FENCE PANEL



PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.









Commercial & Factory



CoreLine 4040

GM-SDWL-52

INFILL PROFILE



19x19 19x19mm Square Tube Profile

STOCKED COLOUR OPTIONS




Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request.




FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:











48



CoreLine 4545

GM-SDWL-01

INFILL PROFILE




STOCKED COLOUR OPTIONS



*Additional colours available upon request



FENCE PANEL




Fence Panel Stocked Sizes 900mm(H) x 2350mm(W) 1200mm(H) x 2350mm(W) 1500mm(H) x 2350mm(W) 1800mm(H) x 2350mm(W) 2000mm(H) x 2350mm(W)

PEDESTRIAN GATE




Pedestrian Gate Sizes 900mm(H) x 900mm(W) 1200mm(H) x 900mm(W) 1500mm(H) x 900mm(W) 1800mm(H) x 900mm(W) 2000mm(H) x 900mm(W) 000mm(H) x 900mm(W)

DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:





Boundary









CoreLine 4545

GM-SDWL-38

INFILL PROFILE

Times Was



STOCKED COLOUR OPTIONS



Matt Black Powdercoated Matt Appliance White

*Additional colours available upon request.



FENCE PANEL



Fence Panel Stocked Sizes 900mm(H) x 2350mm(W) 1200mm(H) x 2350mm(W) 1500mm(H) x 2350mm(W) 1800mm(H) x 2350mm(W)

PEDESTRIAN GATE




Pedestrian Gate Stocked Sizes 900mm(H) x 900mm(W) 1200mm(H) x 900mm(W) 1500mm(H) x 900mm(W) 1800mm(H) x 900mm(W) Other sizes can be customized

DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:





Boundary









CoreLine 4545

GM-SDWL-39

INFILL PROFILE




STOCKED COLOUR OPTIONS




Matt Appliance White

*Additional colours available upon request



FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE




DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:













CoreLine 4545

GM-SDWL-40

INFILL PROFILE



STOCKED COLOUR OPTIONS



Matt Black Powdercoated

Matt Appliance White

*Additional colours available upon request



FENCE PANEL



PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.













CoreLine 4545

GM-SDWL-41

INFILL PROFILE



STOCKED COLOUR OPTIONS



Matt Black Powdercoated

Matt Appliance White

*Additional colours available upon request.




FENCE PANEL



PEDESTRIAN GATE




DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.













CoreLine 4545

GM-SDWL-42

INFILL PROFILE



STOCKED COLOUR OPTIONS




Matt Black Powdercoated Matt Appliance White

*Additional colours available upon request.



FENCE PANEL




Fence Panel
Stocked Sizes
900mm(H) x 2350mm(W)
1200mm(H) x 2350mm(W)
1500mm(H) x 2350mm(W)
Other sizes can be customized

PEDESTRIAN GATE




Pedestrian Gate
Stocked Sizes
900mm(H) x 900mm(W)
1200mm(H) x 900mm(W)
1500mm(H) x 900mm(W)
Other sizes can be customized

DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:





Boundary









CoreLine 4545

GM-SDWL-43

INFILL PROFILE



STOCKED COLOUR OPTIONS




Matt Black Powdercoated Matt Appliance White

*Additional colours available upon request.



FENCE PANEL



Fence Panel
Stocked Sizes
900mm(H) x 2350mm(W)
1200mm(H) x 2350mm(W)
1500mm(H) x 2350mm(W)
Other sizes can be customized

PEDESTRIAN GATE




Pedestrian Gate Stocked Sizes 900mm(H) x 900mm(W) 1200mm(H) x 900mm(W) 1500mm(H) x 900mm(W) Other sizes can be customized

DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.













CoreLine 4545 GM-SDWL-44

INFILL PROFILE



STOCKED COLOUR OPTIONS



Matt Appliance White

*Additional colours available upon request



FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE




DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:





Boundary







56



CoreLine 4545

GM-SDWL-45

INFILL PROFILE



STOCKED COLOUR OPTIONS




Matt Black Powdercoated

Matt Appliance White

*Additional colours available upon request.




FENCE PANEL




PEDESTRIAN GATE




DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE













*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.



CoreLine 5025

GM-SDWL-17

INFILL PROFILE



STOCKED COLOUR OPTIONS




Matt Black Powdercoated

Matt Appliance White Powdercoated

*Additional colours available upon request.




FENCE PANEL




PEDESTRIAN GATE



DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:





Boundary










CoreLine 5025

GM-SDWL-18


INFILL PROFILE




STOCKED COLOUR OPTIONS



*Additional colours available upon request.



FENCE PANEL



PEDESTRIAN GATE









CoreLine 5025

GM-SDWL-27

INFILL PROFILE



NEWZ-59 100x19.7mm RHS Profile

STOCKED COLOUR OPTIONS




Matt Black Powdercoated

*Additional colours available upon request.




FENCE PANEL



PEDESTRIAN GATE




DRIVEWAY SWING GATE



Swin	g Driveway Gate Stocked Sizes
Height: 900mm 1200mm 1500mm 1800mm	Width: 1500mm 2000mm 2500mm 3000mm 3500mm
Other sizes can be customized ac	cording to customer preferences.

DRIVEWAY SLIDING GATE




*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.





VistaLine SYSTEM

The VistaLine series is designed for privacy, airflow, and modern living. This range includes slatted and louvre-style fences with various gap options — from fully enclosed to partially open — allowing for light and ventilation where needed. Some profiles are fixed, while others allow adjustable airflow, making this series perfect for private courtyards, patios, and side boundaries. VistaLine not only enhances privacy but also adds architectural appeal to your property.



Rail Profile - Variations

Side rail profiles vary depending on the actual fence design—some require pre-slotted rails, while others allow the infill to be inserted directly. Simply screw the infill in place for a clean, easy installation with a sleek finish. This system uses the same fixing method as the Pedestrian Gate and does not require rail brackets.

Infill Profile - Variations

The structural design supports Various Infill Profiles, with Different Rail Quantities available. See the next page for infill and rail variations.

Post Profiles - Variations

Available in 50mm, 65mm, 75mm, and 100mm sizes, selected based on fence span and height. Each post includes a top end cap for a sleek appearance. 70mm and 100mm Slot Post also available for SDWL-56 & SDWL-57








Available in 50x50 and 80x50 sizes, each frame includes internal corner stakes for secure joints and a snap-on cover plate for a clean, modern finish. Designed for strength, stability, and style.





NEWZ-219 / 220 80x50mm Frame Profile

INSTALLATION OPTIONS



Option 3: SIDE FIX - Direct Mount

Posts are fixed to the side of a structure using Bolts or Anchors, ideal for maximizing usable surface space on decks, stairs, or concrete pads.



Option 2

IN-GROUND FIX - In-ground Post

Posts are Embedded directly into the ground and secured with concrete, providing a clean look with strong, stable support.

Embedded Concrete Pile Ø300mm Minimum





Option 4: WALL-TO-WALL FIX - Direct Mount

Rails are vertically installed between two solid surfaces—such as brick, concrete, or timber—using Masonry Anchors. Mounting positions vary depending on the rail profile, ensuring a secure and sleek wall-to-wall fit.

Masonry Anchor M8 Dia. x 75mm









INFILL & RAIL PROFILES




STOCKED COLOUR OPTIONS




Matt Black Powdercoated

*Additional colours available upon request.




FENCE PANEL











DRIVEWAY SWING GATE



	ked Sizes
Width:	1500mm 2000mm 2500mm 3000mm 3500mm
	Width:

DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.









Residential Decorative Commercial Boundary & Garden & Factory



VistaLine **GM-SDWL-46**

INFILL & RAIL PROFILES




GM-WL-04 153x16mm RHS Profile


STOCKED COLOUR OPTIONS



*Additional colours available upon request.



FENCE PANEL





PEDESTRIAN GATE




Pedestrian Gate Stocked Sizes	
900mm(H) x 900mm(W) 1200mm(H) x 900mm(W) 1500mm(H) x 900mm(W) 1800mm(H) x 900mm(W)	

DRIVEWAY SWING GATE




way Gate ocked Sizes
: 1500mm 2000mm 2500mm 3000mm 3500mm

DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.



*Ideal Applications:







Residential Decorative Commercial Boundary & Garden & Factory



VistaLine **GM-SDWL-05**

INFILL & RAIL PROFILES



NEWZ-60 100x19.7mm RHS Profile

STOCKED COLOUR OPTIONS









Antique Wood Wood-grain Powdercoated

Matt Ironsand Powdercoated

*Additional colours available upon request.

FENCE PANEL













DRIVEWAY SWING GATE



Width: 1500mm 2000mm 2500mm 3000mm 3500mm

DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.



*Ideal Applications:







Residential Decorative Boundary & Garden



VistaLine **GM-SDWL-25**

INFILL & RAIL PROFILES



STOCKED COLOUR OPTIONS



Matt Black Powdercoated

*Additional colours available upon request.

FENCE PANEL



PEDESTRIAN GATE











VistaLine **GM-SDWL-06**





NEWZ-06
120x20mm Louvre Profile
NEWZ-50x15x3U
50x15mm Rail Profile


STOCKED COLOUR OPTIONS








*Additional colours available upon request.



FENCE PANEL











Pedestrian Gate Stocked Sizes
900mm(H) x 900mm(W) 1200mm(H) x 900mm(W) 1500mm(H) x 900mm(W) 1800mm(H) x 900mm(W)

DRIVEWAY SWING GATE



Swin	g Driveway Gate Stocked Sizes
Height: 900mm 1200mm 1500mm 1800mm	Width: 1500mm 2000mm 2500mm 3000mm 3500mm

DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.











VistaLine GM-SDWL-06-1

INFILL & RAIL PROFILES



NEWZ-06
120x20mm Louvre Profile
NEWZ-50x15x3U
50x15mm Rail Profile


STOCKED COLOUR OPTIONS






Matt Ironsand Powdercoated

*Additional colours available upon request.



FENCE PANEL






PEDESTRIAN GATE




DRIVEWAY SWING GATE




Swin	g Driveway Gate Stocked Sizes
Height: 900mm 1200mm 1500mm 1800mm	Width: 1500mm 2000mm 2500mm 3000mm 3500mm

DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.



*Ideal Applications:







Residential Decorative Commercial Boundary & Garden & Factory



VistaLine **GM-SDWL-03**

INFILL & RAIL PROFILES



NEWZ-05 107x16mm Louvre Profile

STOCKED COLOUR OPTIONS



Appliance White Powdercoated



Antique Wood Wood-grain Powdercoated

*Additional colours available upon request.






FENCE PANEL




DRIVEWAY SWING GATE



Swin	g Driveway Gate Stocked Sizes
Height: 900mm 1200mm 1500mm 1800mm	Width: 1500mm 2000mm 2500mm 3000mm 3500mm
Other sizes can be customized ac	cording to customer preferences.

DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

*Ideal Applications:







Residential Decorative & Garden Boundary



VistaLine **GM-SDWL-56**






NEWZ-17 100x20mm RHS Profile

STOCKED COLOUR OPTIONS



*Additional colours available upon request.



FENCE PANEL





PEDESTRIAN GATE




DRIVEWAY SWING GATE



Swing	Driveway Gate Stocked Sizes
Height: 900mm 1200mm 1500mm 1800mm	Width : 1500mm 2000mm 2500mm 3000mm 3500mm

DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.











VistaLine **GM-SDWL-57**

INFILL & RAIL PROFILES




NEWZ-18 150x20mm RHS Profile


STOCKED COLOUR OPTIONS



*Additional colours available upon request.



FENCE PANEL









Pedestrian Gate Stocked Sizes
900mm(H) x 900mm(W) 1200mm(H) x 900mm(W) 1500mm(H) x 900mm(W) 1800mm(H) x 900mm(W)
Other sizes can be customized

DRIVEWAY SWING GATE



Swing	g Driveway Gate Stocked Sizes		
Height : 900mm 1200mm 1500mm 1800mm	Width: 1500mm 2000mm 2500mm 3000mm 3500mm		

DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.



*Ideal Applications:







Residential Decorative Commercial Boundary & Garden & Factory

CrossLine SYSTEM

The **CrossLine** system offers a streamlined, contemporary look using a clever interlocking design. This system features perforated infill profiles that the horizontal rails pass through, creating a secure, integrated frame without visible brackets or fasteners. For a cohesive aesthetic, the posts are designed to match the profile size of the infills, giving the entire fence a clean, flush appearance. Ideal for modern boundaries, urban developments, and commercial settings, CrossLine delivers both form and function with minimal visual clutter and maximum strength.



Fence Panel



This 50x25 Infill Profile features a snap-on cover plate that allows you to screw-fix through the rail, then conceal the fixings for a clean, streamlined finish



GM-NEWZ-210 / 69 50x25mm Infill Profile



The 25x25x3 square hollow Rail Profile slides through the infill sections and secures with screws, creating a strong and cohesive structure.





Pedestrian Gate

3) Rail Bracket

This box-shaped bracket securely fixes to the post and holds the rail in place with precision. Designed for strength and stability, it ensures a clean connection and a solid, long-lasting installation.



4 Post Profiles - Variations

Available in 50mm, 65mm, 75mm, and 100mm sizes, selected based on fence span and height. Each post includes a top end cap for a sleek appearance.



INSTALLATION OPTIONS

Option 1:

TOP FIX - Flange Plate

Installed directly on top of the surface using a Flange Plate to secure the post.







Option 2: IN-GROUND FIX - In-ground Post

Posts are **Embedded** directly into the ground and secured with concrete, providing a clean look with strong, stable support.v

Embedded Concrete Pile Ø300mm Minimum






ce, Railing & Gate System



CrossLine **GM-SDWL-55**

INFILL PROFILE




STOCKED COLOR OPTIONS



*Additional colours available upon request.



FENCE PANEL



PEDESTRIAN GATE











Motorway Fence

GM-SDWL-51

PANEL DETAILS



The folded triangle design at the top and bottom adds strength and prevents sagging over long spans.



Panels are securely fastened to the post using heavy-duty wire clips for a strong and stable connection.

FENCE PANEL SIZES

Fence Panel - Stocked Sizes

900mm(H) x 2400mm(W) 1200mm(H) x 2400mm(W) 1500mm(H) x 2400mm(W) 1800mm(H) x 2400mm(W)

STOCKED COLORS







*Additional colours available upon request.

SDWL-51 is a galvanized steel wire fence with folded triangle shapes at the top and bottom for added strength. It's durable, low-maintenance, and ideal for roadsides, commercial zones, and open boundaries.

*Ideal Applications:







Security Fence **GM-SDWL-5**

PANEL DETAILS



The folded triangle design at the top and bottom adds strength and prevents sagging over long spans.



Panels are securely fastened to the post using heavy-duty wire clips for a strong and stable connection.

FENCE PANEL SIZES

Fence Panel - Stocked Sizes

1200mm(H) x 2400mm(W) 1500mm(H) x 2400mm(W) 1800mm(H) x 2400mm(W)

STOCKED COLORS



Matt Black

*Additional colours available upon request.

SDWL-54 is a high-security steel fence made from square tubes with triple-split, pointed tops. It provides strong protection and a sharp anti-climb barrier for sensitive or restricted areas.














Projects















Durability Meets Our WPC Fences combine the resilience of wood-plastic composite with advanced engineering, Sustainability: offering a long-lasting, weather-resistant barrier. Unlike traditional timber, these fences resist rotting, warping, and insect damage, ensuring a low-maintenance solution built to withstand the test of time.

Timeless Elegance: Elevate your outdoor space with the natural beauty of wood and the modern performance of composite materials. Our WPC Fences feature rich textures and contemporary tones that seamlessly blend with any landscape, providing both privacy and style for years to come.


Projects
















Effortless Installation: Designed with simplicity in mind, our WPC Fences feature modular components that make setup quick and straightforward. Whether you're upgrading a backyard or enclosing a commercial site, the system is installer-friendly and adaptable to various layouts.

Eco-Friendly Choice: Made from recycled materials, WPC fencing offers a sustainable alternative to traditional timber. By choosing composite, you're reducing environmental impact without compromising on strength,



WPC Fence SOLID PANEL SYSTEM

Wood-Plastic Composite Fence




SOLID PANEL SYSTEM

A fully enclosed design with panels placed tightly together, providing maximum privacy and noise reduction. Ideal for residential and commercial spaces that require complete coverage.

ACCESSORIES







Rail Bracket

Post & Cover Plate

INSTALLATIONS

Our WPC fence system is designed for easy & versatile installation, suitable for both:







In-ground Fix

Flange Fix (Flange Base is Required)

COMPATIBLE WPC BOARDS

Solid Panel System works with different board styles, allowing for customization **(6)** based on aesthetic and functional preferences.





90mm WPC Flat Board



150mm WPC Flat Board



150mm WPC Corrugated Board










WPC Fence SPACED PANEL SYSTEM

Wood-Plastic Composite Fence



SPACED PANEL SYSTEM

Features evenly spaced panels with integrated spacers, allowing airflow and light while maintaining a modern, stylish look. Perfect for areas where ventilation and visibility are desired.

ACCESSORIES



Top / Bottom Rail



Rail Bracket



Post Cap



Post & Cover Plate





25mm Spacer 10mm Spacer

INSTALLATIONS

Our WPC fence system is designed for easy & versatile installation, suitable for both:



In-ground Fix





Flange Fix (Flange Base is Required)

COMPATIBLE WPC BOARDS



Spaced Panel System features 90mm WPC flat boards with 25mm or 10mm spacing, offering a stylish, ventilated design with durability.



Each board type is available in three elegant colours:










WPC Fence SOLID+SPACED PANEL

Wood-Plastic Composite Fence



SOLID+SPACED PANEL SYSTEM

The Mixed Panel System blends privacy and airflow, using 150mm flat boards for solid sections and 90mm flat boards with spacers for spaced sections, creating a balanced and stylish design.

ACCESSORIES



Top / Bottom Rail



Post & Cover Plate



(5)

Rail Bracket





25mm Spacer 10mm Spacer

INSTALLATIONS

Our WPC fence system is designed for easy & versatile installation, suitable for both:



In-ground Fix





Flange Fix (Flange Base is Required)

COMPATIBLE WPC BOARDS



Combining privacy and airflow, this system uses 150mm flat boards for solid sections and 90mm flat boards with spacers for spaced sections.



90mm WPC Flat Board



150mm WPC Flat Board

Each board type is available in three elegant colours:










WPC Fence Slim DECO PANEL SYSTEM

Wood-Plastic Composite Fence



SLIM DECO PANEL SYSTEM

The Slim Decorative Panel System offers a unique design with a 150mm flat board combined with five different 150mm patterned panels, providing a refined and stylish look.

ACCESSORIES



Top / Bottom Rail



Post Cap



Rail Bracket



Post & Cover Plate

INSTALLATIONS

Our WPC fence system is designed for easy & versatile installation, suitable for both:



In-ground Fix





Flange Fix (Flange Base is Required)

COMPATIBLE WPC BOARDS



The 150mm Slim Decorative Panel System pairs 150mm Flat Boards with five elegant patterned panels, offering a blend of privacy and stylish design.



150mm WPC

Flat Board











Slim Patten 1








Slim Patten 4 Slim Patten 5

Each board type is available in three elegant colours:



WPC Fence Wide DECO PANEL SYSTEM

Wood-Plastic Composite Fence



WIDE DECO PANEL SYSTEM

The Wide Decorative Panel System offers a unique design with a 150mm flat board combined with two different 280mm patterned panels, providing a refined and stylish look. These patterned panels can also be used independently to create vertical fence panels,

ACCESSORIES



Top / Bottom Rail



Post Cap



Rail Bracket



Post & Cover Plate

INSTALLATIONS

Our WPC fence system is designed for easy & versatile installation, suitable for both:



In-ground Fix





Flange Fix (Flange Base is Required)

COMPATIBLE WPC BOARDS

The Wide Decorative Panel System pairs 150mm flat boards with 280mm wide patterned panels, or use the patterned panels alone for a sleek vertical fence



150mm WPC Flat Board



Wide Patten 1



Wide Patten 2

Each board type is available in three elegant colours:










WPC Fence PEDESTRIAN GATE SYSTEM

Wood-Plastic Composite Fence



PEDESTRIAN GATE SYSTEM

The Pedestrian Gate System is fully customizable to match all our fence profiles, ensuring a seamless and cohesive look. It features a sturdy frame around the fence panel, providing both durability and a stylish finish for a secure and elegant entryway.

ACCESSORIES





Gate Frame





Frame Corner Stake





25mm Spacer



10mm Spacer

COMPATIBLE WPC BOARDS

The Pedestrian Gate System suits all fence profiles for a customizable look. It accommodates 150mm flat boards, 90mm flat boards, 150mm corrugated boards, and patterned panels, offering versatile design options with durability and style.



90mm WPC Flat Board



150mm WPC











Wide Patten 1

Wide Patten 2

Slim Patten 4

Slim Patten 5

Each board type is available in three elegant colours:









Spaced Panel GM-MSWL-01

PANEL COMPONENTS







0mm Wide VPC Flat Board

GM-WL-13 25mm Height Aluminium Spacer

GM-WL-14 10mm Height Aluminium Space

STOCKED COLOUR OPTIONS







FENCE PANEL






PEDESTRIAN GATE






DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.





*Ideal Applications:







83



Solid + Spaced Panel GM-MSWL-02





90mm Wide WPC Flat Board







EWZ-429 (Imm Wide 2 PC Flat Board A

GM-WL-13 GM-WL-14 25mm Height 10mm Height Aluminium Spacer Aluminium Spacer

STOCKED COLOUR OPTIONS








FENCE PANEL





DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE	DRIV	'EWAY	SL	IDIN	G	<i>GATE</i>
-----------------------	------	-------	----	------	---	-------------



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

PEDESTRIAN GATE



Pedestrian Gate Stocked Sizes
1200mm(H) x 900mm(W) 1500mm(H) x 900mm(W) 1800mm(H) x 900mm(W)
Other sizes can be customized according to customer preferences.



Slidin	g Driveway Gate Stocked Sizes
Height: 1200mm 1500mm 1800mm	Width: 3000mm 3500mm 4000mm 4500mm 5500mm 6000mm 6500mm 7000mm
Other sizes can be customized according	









Solid Panel GM-MSWL-03

PANEL COMPONENTS



STOCKED COLOUR OPTIONS







FENCE PANEL






PEDESTRIAN GATE







DRIVEWAY SWING GATE



DRIVEWAY S	SLIDING	<i>GATE</i>
------------	---------	-------------



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

Swing Driveway Gate
Stocked Sizes

Height: 1200mm Width: 1500mm
1500mm 2500mm
2500mm
3000mm
3500mm













Solid Panel

GM-MSWL-13

PANEL COMPONENTS



STOCKED COLOUR OPTIONS









FENCE PANEL





PEDESTRIAN GATE




86








DRIVEWAY SWING GATE



Swii	ng Driveway Gate Stocked Sizes
Height: 1200mm 1500mm 1800mm	Width: 1500mm 2000mm 2500mm 3000mm 3500mm

DRIVEWAY SLIDING GATE



For both Swing & Sliding Driveway Gates, when a single gate panel exceeds
3.0m in width or 1.8m in height, a Central Supporting Rail will be added to
enhance structural strength and durability.



*Ideal Applications:









Slim Deco Panel GM-MSWL-04

PANEL COMPONENTS





SL-429 150mm Wide WPC Flat Board

Slim Patten #01 150mm Height Slim Deco Panel

STOCKED COLOUR OPTIONS







FENCE PANEL






DRIVEWAY SWING GATE





DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.



PEDESTRIAN GATE

















Slim Deco Panel

GM-MSWL-05

PANEL COMPONENTS





SL-429 150mm Wide WPC Flat Board

Slim Patten #02 150mm Height Slim Deco Panel

STOCKED COLOUR OPTIONS








FENCE PANEL






DRIVEWAY SWING GATE





DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.



PEDESTRIAN GATE

















Slim Deco Panel

GM-MSWL-06

PANEL COMPONENTS





SL-429 150mm Wide WPC Flat Board

Silm Patten #03 150mm Height Slim Deco Panel

STOCKED COLOUR OPTIONS







FENCE PANEL







PEDESTRIAN GATE






DRIVEWAY SWING GATE





DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.











Slim Deco Panel

GM-MSWL-07

PANEL COMPONENTS





SL-429 150mm Wide WPC Flat Board

Slim Patten #04 150mm Height Slim Deco Panel

STOCKED COLOUR OPTIONS








FENCE PANEL








DRIVEWAY SWING GATE



DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.



PEDESTRIAN GATE



Pedestrian Gate Stocked Sizes
1200mm(H) x 900mm(W) 1500mm(H) x 900mm(W) 1800mm(H) x 900mm(W)
Other sizes can be customized according to customer preferences



Slidir	ng Driveway Gate Stocked Sizes
H ei ght: 1200mm 1500mm 1800mm	Width: 3000mm 3500mm 4000mm 4500mm 5000mm 6000mm 6500mm 7000mm









Slim Deco Panel

GM-MSWL-08

PANEL COMPONENTS





SL-429 150mm Wide WPC Flat Board

Silm Patten #03 150mm Height Slim Deco Panel

STOCKED COLOUR OPTIONS







FENCE PANEL






DRIVEWAY SWING GATE





DRIVEWAY SLIDING GATE



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

Folds Folds Folds Folds Folds

PEDESTRIAN GATE







Slidir	ng Driveway Gate Stocked Sizes
Height: 1200mm 1500mm 1800mm	Width: 3000mm 3500mm 4000mm 4500mm 5000mm 5500mm 6000mm 6500mm 7000mm









Wide Deco Panel **GM-MSWL-09**







SL-429

STOCKED COLOUR OPTIONS







FENCE PANEL






PEDESTRIAN GATE




Pedestrian Gate Stocked Sizes
1200mm(H) x 900mm(W) 1500mm(H) x 900mm(W) 1800mm(H) x 900mm(W)
Other sizes can be customized

DRIVEWAY SWING GATE



DRIVEWAY S	SLIDING	GATE
------------	---------	------



*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.

	Swing Drivey Sto	way Gate cked Sizes
Height: 1200i 1500i 1800i	mm	: 1500mm 2000mm 2500mm 3000mm 3500mm











Wide Deco Panel

GM-MSWL-10







SL-429 150mm Wide WPC Flat Board

Wide Patten #02 280mm Height Wide Deco Panel

STOCKED COLOUR OPTIONS








FENCE PANEL






DRIVEWAY SWING GATE







*Note: For both Swing & Sliding Driveway Gates, when a single gate panel exceeds 3.0m in width or 1.8m in height, a Central Supporting Rail will be added to enhance structural strength and durability.



PEDESTRIAN GATE

















Wide Deco Panel Variation

GM-MSWL-11

PANEL COMPONENTS





150mm Wide WPC Flat Board

Wide Patten #01 280mm Height Wide Deco Panel

STOCKED COLOUR OPTIONS







FENCE PANEL







Wide Deco Panel Variation

GM-MSWL-12

PANEL COMPONENTS





SL-429 150mm Wide WPC Flat Board

Wide Patten #0: 280mm Height Wide Deco Panel

STOCKED COLOUR OPTIONS







FENCE PANEL

















Fence Panel Accessories

Complete your fence panels with a full range of accessories – brackets, rail connectors, and fixings designed for strength, precision, and durability.



Aluminium Fence System Fence Posts

Aluminium Flange Posts



PRODUCT CODE	POST SIZE	POST HEIGHT	FINISH COLOUR
FPSA50B25T4	50X25X4mm	1.25m, 1.55m, 1.85m	Matt Black, Matt Appliance White, Matt Ironsand
FPSA50T2	50X50X2mm	1.0m, 1.3m, 1.5m, 2.0m	Matt Black, Matt Appliance White, Matt Ironsand
FPSA65T2.5	65X65X2.5mm	1.3m, 1.5m, 2.0m	Matt Black, Matt Appliance White, Matt Ironsand
FPSA75T3	75X75X3mm	1.5m, 2.0m	Matt Black, Matt Appliance White, Matt Ironsand
FPSA100T4	100X100X4mm	1.5m, 2.0m	Matt Black, Matt Appliance White, Matt Ironsand
FPSA120T3	120X120X3mm	1.5m, 2.0m, 2.5m	Matt Black, Matt Appliance White, Matt Ironsand

Aluminium In-ground Posts



PRODUCT CODE	POST SIZE	POST HEIGHT	FINISH COLOUR
GPSA50B25T4	50X25X4mm	1.75m, 2.05m, 2.35m	Matt Black, Matt Appliance White, Matt Ironsand
GPSA50T2	50X50X2mm	1.5m, 1.8m, 2.0m	Matt Black, Matt Appliance White, Matt Ironsand
GPSA50T3	50X50X3mm	1.5m, 1.8m, 2.0m	Matt Black, Matt Appliance White, Matt Ironsand
GPSA65T2.5	65X65X2.5mm	1.5m, 1.8m, 2.0m, 2.5m	Matt Black, Matt Appliance White, Matt Ironsand
GPSA75T3	75X75X3mm	1.5m, 1.8m, 2.0m, 3.0m	Matt Black, Matt Appliance White, Matt Ironsand
GPSA100T3	100X100X3mm	1.5m, 2.0m, 3.0m	Matt Black, Matt Appliance White, Matt Ironsand
GPSA100T4	100X100X4mm	1.5m, 2.0m, 3.0m	Matt Black, Matt Appliance White, Matt Ironsand
GPSA120T3	120X120X3mm	2.0m, 3.0m	Matt Black, Matt Appliance White, Matt Ironsand

Motorway Fence System

Fence Posts

Galvanised Steel Flange Posts



PRODUCT CODE	POST SIZE	POST HEIGHT	FINISH COLOUR
FPSA50T1.5L1.3GALV	50X50X1.5mm	1.3m	Matt Black, Galvanised Finish
FPSA50T1.5L1.6GALV	50X50X1.5mm	1.6m	Matt Black, Galvanised Finish
FPSA50T1.5L1.9GALV	50X50X1.5mm	1.9m	Matt Black, Galvanised Finish

Galvanised Steel In-ground Posts



PRODUCT CODE	POST SIZE	POST HEIGHT	FINISH COLOUR
FPSA50T1.5L1.5GALV	50X50X1.5mm	1.5m	Matt Black, Galvanised Finish
FPSA50T1.5L2GALV	50X50X1.5mm	2.0m	Matt Black, Galvanised Finish
FPSA50T1.5L2.5GALV	50X50X1.5mm	2.5m	Matt Black, Galvanised Finish

WPC Fence System
Fence Posts

Aluminium Flange Posts



POST SIZE	POST HEIGHT	FINISH COLOUR
70X70X1.5mm	1.2m / 1.5m / 1.8m	Matt Black
100X100X1.8mm	1.2m / 1.5m / 1.8m	Matt Black



POST SIZE	POST HEIGHT	FINISH COLOUR
70X70X1.5mm	2.0m / 2.5m	Matt Black
100X100X1.8mm	2.0m/2.5m	Matt Black



Infill Spear Head



SL-63 Infill Spear Head #1 Fit Ø16 Round Infills Overall Height: 100mm Finish: Mill Finish



SL-64 Infill Spear Head #2 Fit Ø19 Round Infills Overall Height: 100mm Finish: Matt Black / Mill Finish



SL-66 Infill Spear Head #3 Fit 16x16 Square Infills Overall Height: 95mm Finish: Mill Finish



SL-65 Infill Spear Head #4 Fit 16x16 Square Infills Overall Height: 110mm Finish:: Mill Finish



Post Cap



Aluminium Post Cap Finish: Mill Finish / Matt Black



Steel Post Cap Finish: Galvanised Finish / Matt Black / Matt Appliance White / Matt Ironsand



Steel Post Cap Finish: Galvanised Finish / Matt Black / Matt Appliance White / Matt Ironsand



Steel Post Cap Black / Matt Appliance White / Matt Ironsand



Steel Post Cap Finish: Galvanised Finish / Matt Black / Matt Appliance White / Matt Ironsand



Steel Round Post Cap Fit Ø50 Post Finish: Galvanised Finish



Steel Round Post Cap Finish: Galvanised Finish



Steel Round Post Cap Fit Ø75 Post Finish: Galvanised Finish



Steel Round Post Cap Fit Ø114 Post Finish: Galvanised Finish



Steel Round Post Cap Fit Ø165 Post Finish: Galvanised Finish

Flange Plate






SL-419 Flange Plate Fit 50x25mm Post Overall Size: 100x50x12mm Fixing Hole: Ø10.5mm




Fit 65x65m Post Overall Size: 120x120x8mm Fixing Hole: Ø12mm





Flange Plate Fit 75x75m Post Overall Size: 140x140x10mm Fixing Hole: Ø12mm



Flange Plate Fit 100x100m Post Overall Size: 200x200x11mm Fixing Hole: Ø14mm

Rail Bracket











Overall Size: 12.5x45x38mmmm



SL-31 Rail Bracket Fit 40x40mm Rail Profile Overall Size: 83x48x30mm



Adjustable Rail Bracket Overall Size: 17x33x40mm









Pedestrian Gate *Hardware*

Everything you need to complete your gate installation. This range includes durable latches, hinges, handles, and gate stops – all designed for smooth operation and a secure fit.



Pedestrian Gate Hinges



SHG-90 / SHG-90L Adjustable Tension Hinge Max Holding weight: 70kg Max Closing weight: 45kg Gaps: 4mm-27mm



SHG-90C Self-closing Hinge with Safety Cap Max Holding weight: 28kg Fixing Holes: 4 Gaps: 9mm-28mm



SL-170Adjustable Tension Hinge
Height: 150mm
Hinge Leaf Width: 35mm
Fixing Holes: 8



SL-171 Neutral Tension Hinge Height: 150mm Hinge Leaf Width: 35mm Fixing Holes: 8

Pedestrian Gate Latches



SLV-VIPER X1 / SLV-VIPER X1-IK
Double Hooked Gravity Latch
Single Sided
Gaps: 14mm-34mm
Overall Height: 145mm
(Comes with "Key Alike" & "Individual Keyed" options)



SLV-VIPER X2 / SLV-VIPER X2-IK
Double Hooked Gravity Latch
Double Sided
Gaps: 14mm-34mm
Overall Height: 145mm
(Cornes with "Key Alike" & "Individual Keyed" options)



SL-25H Top-pull Lockable Short Gate Hinge Gaps: 12mm-38mm Overall Height: 255mm









Pedestrian Gate Stops & Handle



SGSS Gate Stop - Standard 3 Fixing Holes Overall Height: 90mm Overall Width: 71mm



SGSL Gate Stop - Large4 Fixing Holes
Overall Height: 90mm
Overall Width: 106mm






Driveway Gate *Hardware*


Essential hardware for smooth and secure driveway gate operation. This selection includes heavy-duty hinges, drop bolts, latches, and wheels – built to handle wide openings with ease.



Sliding Gate Wheels




SL-263 - HT1U80R10 Ø78mm Sliding Gate Wheel - U Groove Material: Galvanised Steel Weight: 0.75kg



SL-287 - HF2U80XWR10

Orsens Sliding Gate Wheel - U Groove
Material: Glavnised Steel
Weight: 1.5kg




SL-328 - HD1U80R10 Ø78mm Sliding Gate Wheel - U Groove Material: Glavnised Steel Weight: 0.8kg




SL-282 - ZCL5"-A 5" Swivel Gate Castor Over Height: 350mm Wheel Dia.: Ø123mm

Sliding Gate Gear Tracks



SL-272 - CT03C Sliding Gate Nylon Gear Rack Length: 1000mm Fixing Hole: M4 Weight: 1.4kg



SL-284 - CT01E Sliding Gate Steel Gear Rack Length: 1000mm Fixing Hole: M4 Weight: 2.6kg



SL-285 - CTPJ02A Steel Gear Rack Fixing Bracket Fixing Hole: M4

Sliding Gate Tracks



SL-266 - HGDR10 In-ground Sliding Track Material: Galvanised Steel Weight: 3.2kg/m



SL-197 Silence Sliding Track Material: Aluminium Weight: 0.8kg/m



SL-314 - QT01A In-ground Sliding Track Connector Material: Glavnised Steel Weight: 0.1kg




SL-288 - HGR10W0.5M Bolt-down Sliding Track - CurvedCurved Radius: 0.5m
Weight: 1.7kg



SL-318 Anchor Expansion Rivet Rivet Size: M6 Length: 50mm




Sliding Gate Guide Rollers



SL-316 - KJ07A Sliding Gate Roller Guide with Bracket Material: Glavnised Steel Weight: 0.7kg




SL-290 - KJ05A Sliding Gate Roller Guide with BracketRoller Length: 60mm
Weight: 1.4kg



SL-277 - KJ13A Adjustable Roller Guide with Bracket Material: Glavnised Steel Weight: 1.2kg



SL-275 - KJ05B.01 Sliding Gate Roller Guide with Bracket Roller Length: 150mm Weight: 1.4kg



SL-278 - KJ13A.02 Adjustable Roller Guide with Bracket Material: Glavnised Steel Weight: 1.5kg




SL-276 - KJ05B.02 Sliding Gate Roller Guide with Bracket Roller Length: 250mm Weight: 1.4kg

Gate Stops



SL-267 - MX02B Swing Gate Stopper with Rubber Material: Glavnised Steel Weight: 0.5kg






SL-268 - MX02A Sliding Gate Stopper with Base Plate Material: Glavnised Steel Weight: 1.0kg




O SL-315 - ZDMD01A
Adjustable Sliding Gate End Stop
Material: Glavnised Steel
Weight: 2.9kg


Swing Gate Hinges




SL-286 - JL129A Folding Gate Hinge Material: Glavnised Steel Weight: 0.7kg



SL-289 - JL118A Estate Gate Adjustable Hinge - Heavy Duty Material: Glavnised Steel Weight: 1.4kg



SL-289 - JL79D Swing Gate Adjustable Hinge Material: Glavnised Steel Weight: 2.1kg



SL-273 - JL29B Swing Gate Adjustable Hinge Material: Glavnised Steel Weight: 0.9kg


Automation Gate Motors







BFT DEIMOS BT-A400
Automation Sliding Gate Motor
Motor Voltage: 24V
Max Gate Weight: 400kg
Gate Speed: 12 m/min
Locking: Mechanical



BFT PHOBOS BT-A25
Automation Swing Gate Motor
Motor Voltage: 24V
Max Gate Weight: 400kg
Gate Speed: 15 secs to fully open
Locking: Mechanical
Max Gate Width: 2.5m



Gate Latches & Bolts



SL-270 - JCX53L
Safety Gate Latch - Left Side Open
Material: Glavnised Steel
Weight: 0.2kg



SL-293 - CX25A 300mm Drop Bolt Material: Glavnised Steel Weight: 0.8kg



SL-271 - JCX53R Safety Gate Latch - Right Side Open Material: Glavnised Steel Weight: 0.2kg



SL-294 - CX25B 500mm Drop Bolt Material: Glavnised Steel Weight: 1.1kg



SL-271 - JCX54A Gate Flip Latch Material: Glavnised Steel Weight: 0.2kg



SL-291 - CX26A 87mm Sliding Pad Bolt Material: Glavnised Steel Colour Options: Galvanised Finished / Matt Black Weight: 75g




SL-274 - CX09A 300mm Sliding Bolt Material: Glavnised Steel Weight: 0.5kg



SL-292 - CX26B 144mm Sliding Pad Bolt Material: Glavnised Steel Weight: 120g

Cantilever Gate Carriage



SL-281 - FK01A Sliding Plastic Block Weight: 0.3kg



FG02A Aluminium Z-shape Track Material: Aluminium Weight: 1.1kg/m



SL-280 - FG01A Aluminium Sliding Guide Weight: 0.3kg

Gate Locks



SD-308B Mechanical Digital Gate Lock Single Sided Backset: 60mm Door Thickness: 35-60mm Overall Height: 142mm Material: Zinc Alloy



SD-208S
Mechanical Digital Gate Lock
Double Sided
Backset: 60mm
Door Thickness: 35-60mm
Overall Height: 142mm
Material: Zinc Alloy



ML-180
Electric Magnetic Gate Lock
Input Voltage: 12v DC
Max Holding Force: 180kg
Weight: 1.2kg
Overall Size: 170x40x20mm
Material: Zinc Alloy

Security Keypad



XKI-EM Secure Access Control Keypad Voltage Range: 12-28V Card Type: 13.56MHz Mifare Card Overall Size: 115x75x22mm Waterproof Rating: IP66



Screws & Fasteners

Hex Washer Head - Self Drilling Screws

Black Electrophoretic Steel



PRODUCT CODE	GAUGE	THREAD DIA.	LENGTH
D-24	12g	M5.5	16mm
D-9	12g	M5.5	25mm
D-25	12g	M5.5	38mm
SL-172	12g	M5.5	55mm

Hex Flange Head - Masonry Anchor

Hot-dip Galvanised Steel



PRODUCT CODE	GAUGE	THREAD DIA.	LENGTH
D75-60	24g	M10	60mm
D75-75	24g	M10	75mm
D75-100	24g	M10	100mm
D75-140	24g	M10	140mm
D95-100	N/A	M12	100mm
D95-100	N/A	M12	150mm
D95-100	N/A	M12	200mm

Hex Head - Coach Screw 316 Stainless Steel



PRODUCT CODE	GAUGE	THREAD DIA.	LENGTH
D71-60	24g	M10	60mm
D71-80	24g	M10	80mm
D71-90	24g	M10	90mm
D71-100	24g	M10	100mm
D71-120	24g	M10	120mm
D71-130	24g	M10	130mm
D71-150	24g	M10	150mm
D71-160	24g	M10	160mm
D71-180	24g	M10	180mm
D71-200	24g	M10	200mm
D72-65	N/A	M12	65mm
D72-75	N/A	M12	75mm
D72-90	N/A	M12	90mm
D72-100	N/A	M12	100mm
D72-120	N/A	M12	120mm
D72-130	N/A	M12	130mm
D72-150	N/A	M12	150mm
D72-160	N/A	M12	160mm
D72-180	N/A	M12	180mm
D72-200	N/A	M12	200mm
D72-220	N/A	M12	220mm
D72-250	N/A	M12	250mm
D72-280	N/A	M12	280mm
D72-300	N/A	M12	300mm



Plastic End Caps

Square End Cap



PRODUCT CODE	FIT SIZE	COLOUR OPTIONS
SL-104	19x19x1.2-1.6mm Tube	Matt Black
SL-172	19x19x2.0mm Tube	Matt Black
SL-173	25x25x2.0 / 3.0mm Tube	Matt Black
SL-307-ZG805	30x30mm Tube	Matt Black
SL-151	40x40x2.0 / 3.0mm Tube	Matt Black
SL-176	40x40x2.0 / 3.0mm Tube	Matt Black
SL-308-ZG807	45x45mm Tube	Matt Black
SL-54	50x50x2.0 / 3.0mm Tube	Matt Black
SL-55	63.5x63.5x2.0 / 3.0mm Tube	Matt Black
SL-253	65x65x2.0 / 3.0mm Tube	Matt Black
SL-309-ZG810	70x70mm Tube	Matt Black
SL-56	76x76x2.0 / 3.0mm Tube	Matt Black
SL-310-ZG0811	80x80mm Tube	Matt Black
SL-311-ZG0812	90x90mm Tube	Matt Black
SL-312-ZG0813	100x100mm Tube	Matt Black
SL-313-ZG0814	120x120mm Tube	Matt Black

Rectangular End Cap



PRODUCT CODE	FIT SIZE	COLOUR OPTIONS
SL-295-ZG0705	30x20mm Tube	Matt Black
SL-296-ZG0706	30x25mm Tube	Matt Black
SL-297-ZG0710	40x25mm Tube	Matt Black
SL-298-ZG0711	40x30mm Tube	Matt Black
SL-299-ZG0714	50x30mm Tube	Matt Black
SL-300-ZG0721	60x40mm Tube	Matt Black
SL-301-ZG0728	80x30mm Tube	Matt Black
SL-302-ZG0729	80x40mm Tube	Matt Black
SL-57	80x50x2.0 / 3.0mm Tube	Matt Black
SL-58	100x50mmx2.0 / 3.0mm Tube	Matt Black
SL-58	150x50mmx2.0 / 3.0mm Tube	e Matt Black
SL-58	200x50mmx2.0 / 3.0mm Tube	Matt Black
SL-58	250x50mmx2.0 / 3.0mm Tube	e Matt Black
SL-22	65x16x1.2-2.0mm Tube	Matt Black
SL-12	100x19.7x1.4-2.0m Tube	Matt Black
SL-150	38x25x2.0 / 3.0mm Tube	Matt Black
SL-161	38x25x2.0 / 3.0mm Tube	Matt Black
SL-174	25x38x2.0mm Tube	Matt Black
SL-175	25x50x2.0 / 3.0mm Tube	Matt Black

Round End Cap



PRODUCT CODE	FIT SIZE	COLOUR OPTIONS
SL-373W/B	Ø6.0mm Tube	White, Matt Black
SL-374W/B	Ø7.0mm Tube	White, Matt Black
SL-375W/B	Ø8.0mm Tube	White, Matt Black
SL-376W/B	Ø10.0mm Tube	White, Matt Black
SL-303-ZG0601	Ø10.0mm Tube	Matt Black
SL-377W/B	Ø11.0mm Tube	White, Matt Black
SL-378W/B	Ø12.0mm Tube	White, Matt Black
SL-379W/B	Ø13.0mm Tube	White, Matt Black
SL-380W/B	Ø14.0mm Tube	White, Matt Black
SL-381W/B	Ø15.0mm Tube	White, Matt Black
SL-304-ZG0602	Ø15.0mm Tube	Matt Black
SL-382W/B	Ø16.0mm Tube	White, Matt Black
SL-99	Ø16.0x1.2-1.6mm Tube	Matt Black
SL-383W/B	Ø17.0mm Tube	White, Matt Black
SL-384W/B	Ø18.0mm Tube	White, Matt Black
SL-385W/B	Ø19.0mm Tube	White, Matt Black
SL-89	Ø19.0x1.2-1.6mm Tube	Matt Black
SL-386W/B	Ø20.0mm Tube	White, Matt Black
SL-305-ZG0603	Ø20.0mm Tube	Matt Black
SL-387W/B	Ø22.0mm Tube	White, Matt Black
SL-388W/B	Ø25.0mm Tube	White, Matt Black
SL-214	Ø25.0mm Tube	Matt Black
SL-389W/B	Ø28.0mm Tube	White, Matt Black
SL-390W/B	Ø30.0mm Tube	White, Matt Black
SL-306-ZG0605	Ø30.0mm Tube	Matt Black
SL-391W/B	Ø32.0mm Tube	White, Matt Black
SL-215	Ø32.0mm Tube	Matt Black
SL-392W/B	Ø35.0mm Tube	White, Matt Black
SL-393W/B	Ø38.0mm Tube	White, Matt Black
SL-394W/B	Ø40.0mm Tube	White, Matt Black
SL-59	Ø40.0x2.0-3.0mm Tube	Matt Black
SL-395W/B	Ø42.0mm Tube	White, Matt Black
SL-396W/B	Ø45.0mm Tube	White, Matt Black
SL-397W/B	Ø50.0mm Tube	White, Matt Black
SL-60	Ø50.0x2.0-3.0mm Tube	Matt Black
SL-398W/B	Ø60.0mm Tube	White, Matt Black
SL-61	Ø60.0x2.0-3.0mm Tube	Matt Black



		_
		_
		_
		_
		_
		_

SD ALUMINIUM

Website: www.sdalu.co.nz Email: info@sdalu.co.nz info.manukau@sdalu.co.nz

Rosedale Branch

Address: 6 John Glenn Ave, Rosedale,

Auckland 0632 Phone: 09-218 2188 09-218 2111

Manukau Branch

Address: 28 Ryan Place, Manukau City

Auckland 2104 Phone: 09-217 8666

NOTE

SD ALUMINIUM

Website: www.sdalu.co.nz
Email: info@sdalu.co.nz
info.manukau@sdalu.co.nz

Rosedale Branch

Address: 6 John Glenn Ave, Rosedale,

Auckland 0632 Phone: 09-218 2188 09-218 2111 Manukau Branch

Address: 28 Ryan Place, Manukau City

Auckland 2104 Phone: 09-217 8666



Contact Us Now!

Auckland Rosedale Branch

Address: 6 John Glenn Ave, Rosedale, Auckland 0632

Phone: 09 - 218 2188

09 - 218 2111

Website: www.sdalu.co.nz
Email: info@sdalu.co.nz

Auckland Manukau Branch

Address: 28 Ryan Place, Manukau City, Auckland 2104

Phone: 09 - 217 8666 Website: www.sdalu.co.nz

Email: info.manukau@sdalu.co.nz





