



SD Aluminium



**FASTENER**  
**PRODUCT CATALOGUE**

*Dependable Fasteners for Every Task  
Build to Perform*

*2026-2027 Edition*

# TABLE OF CONTENTS



## *Bolts, Nuts & Anchors*

<i>Coach Screws</i>	_____	1 - 2
<i>Coach Bolts &amp; Nuts</i>	_____	3
<i>Engineering Bolts &amp; Nuts</i>	_____	4 - 6
<i>Masonry Screw Anchors</i>	_____	7
<i>Full Thread Bolts</i>	_____	7
<i>Through Bolts</i>	_____	8
<i>Thread Rods</i>	_____	9
<i>Hammer-drive Anchors</i>	_____	9
<i>Nuts</i>	_____	10
<i>Washers</i>	_____	11

## *Window & Door Screws*

<i>CSK Head Screws</i>	_____	12 - 14
<i>PAN Head Screws</i>	_____	14 - 15

## *Building Screws*

<i>Batten Screws</i>	_____	16
<i>Chip Board Screws</i>	_____	17
<i>Drywall Screws</i>	_____	18
<i>Concrete Screws</i>	_____	18
<i>Decking Screws</i>	_____	19 - 20
<i>Landscaping Screws</i>	_____	21
<i>Roofing Screws</i>	_____	22

## *Other Screws*

<i>Hex Washer Head Screws</i>	_____	22 - 24
<i>Truss Head Screws</i>	_____	24



*Build to Perform* \_\_\_\_\_

***Fasteners You Can Trust***

# Bolts, Nuts & Anchors

## Coach Screws 304 Stainless Steel



Hex Drive

Code	Thread Dia.	Length
D69-50	M6	50mm
D69-60	M6	60mm
D69-75	M6	75mm
D69-90	M6	90mm
D69-100	M6	100mm
D69-120	M6	120mm
D69-130	M6	130mm
D70-50	M8	50mm
D70-60	M8	60mm
D70-75	M8	75mm
D70-100	M8	100mm
D70-120	M8	120mm
D70-150	M8	150mm
D70-180	M8	180mm
D71-60	M10	60mm
D71-80	M10	80mm
D71-90	M10	90mm

Code	Thread Dia.	Length
D71-100	M10	100mm
D71-120	M10	120mm
D71-130	M10	130mm
D71-150	M10	150mm
D71-180	M10	180mm
D71-200	M10	200mm
D72-65	M12	65mm
D72-65	M12	75mm
D72-90	M12	90mm
D72-100	M12	100mm
D72-110	M12	110mm
D72-120	M12	120mm
D72-130	M12	130mm
D72-150	M12	150mm
D72-180	M12	180mm
D72-200	M12	200mm

## 316 Stainless Steel



Hex Drive

Code	Thread Dia.	Length
D70-120	M8	120mm
D70-130	M8	130mm
D70-150	M8	150mm
D70-180	M8	180mm
D71-150	M10	150mm
D71-180	M10	180mm
D71-200	M10	200mm
D72-150	M12	150mm

Code	Thread Dia.	Length
D72-160	M12	160mm
D72-180	M12	180mm
D72-200	M12	200mm
D72-220	M12	220mm
D72-250	M12	250mm
D72-280	M12	280mm
D72-300	M12	300mm



Coach screws are designed for heavy-duty applications, providing reliable fastening in timber-to-timber or metal-to-wood connections. Commonly used in outdoor structures such as decks, pergolas, and retaining walls.

# Bolts, Nuts & Anchors

## Coach Screws Hot-dip Galvanised Steel



Code	Thread Dia.	Length
D65-130	M6	130mm
D66-50	M8	50mm
D66-65	M8	65mm
D66-75	M8	75mm
D66-90	M8	90mm
D66-100	M8	100mm
D66-120	M8	120mm
D66-130	M8	130mm
D66-150	M8	150mm
D66-160	M8	160mm
D66-180	M8	180mm
D66-200	M8	200mm
D67-50	M10	50mm
D67-65	M10	65mm
D67-75	M10	75mm
D67-80	M10	80mm

Code	Thread Dia.	Length
D67-90	M10	90mm
D67-100	M10	100mm
D67-120	M10	120mm
D67-130	M10	130mm
D67-150	M10	150mm
D67-180	M10	180mm
D67-200	M10	200mm
D68-60	M12	60mm
D68-75	M12	75mm
D68-90	M12	90mm
D68-100	M12	100mm
D68-120	M12	120mm
D68-150	M12	150mm
D68-200	M12	200mm
D68-220	M12	220mm
D68-240	M12	240mm

## Dacromet Coated Steel



Hex Drive

Code	Thread Dia.	Length
D65-50	M6	50mm
D65-60	M6	60mm
D65-75	M6	75mm

Code	Thread Dia.	Length
D65-90	M6	90mm
D65-100	M6	100mm
D65-120	M6	120mm



Coach screws are designed for heavy-duty applications, providing reliable fastening in timber-to-timber or metal-to-wood connections. Commonly used in outdoor structures such as decks, pergolas, and retaining walls.

# Bolts, Nuts & Anchors

## Coach Bolts & Nuts 316 Stainless Steel



*Cup Head*

*Hex Nut*

Code	Thread Dia.	Length
D97-65	M10	65mm
D97-75	M10	75mm
D97-90	M10	90mm
D97-100	M10	100mm
D97-120	M10	120mm
D98-65	M12	65mm
D98-75	M12	75mm
D98-90	M12	90mm
D98-100	M12	100mm
D98-110	M12	110mm
D98-120	M12	120mm

Code	Thread Dia.	Length
D98-130	M12	130mm
D98-150	M12	150mm
D98-160	M12	160mm
D98-180	M12	180mm
D98-200	M12	200mm
D98-220	M12	220mm
D98-240	M12	240mm
D98-260	M12	260mm
D98-280	M12	280mm
D98-300	M12	300mm
D98-400	M12	400mm

## Hot-dip Galvanised Steel



*Cup Head*

*Hex Nut*

Code	Thread Dia.	Length
	M10	50mm
	M10	65mm
	M10	75mm
	M10	90mm
	M10	100mm
	M10	110mm
	M10	120mm
	M10	130mm
	M10	150mm
	M10	160mm
	M10	180mm
	M10	200mm
	M12	65mm
	M12	75mm
	M12	90mm
	M12	100mm

Code	Thread Dia.	Length
	M12	110mm
	M12	120mm
	M12	130mm
	M12	140mm
	M12	150mm
	M12	160mm
	M12	170mm
	M12	180mm
	M12	200mm
	M12	220mm
	M12	240mm
	M12	260mm
	M12	280mm
	M12	300mm
	M12	400mm



Coach screws are designed for heavy-duty applications, providing reliable fastening in timber-to-timber or metal-to-wood connections. Commonly used in outdoor structures such as decks, pergolas, and retaining walls.

# Bolts, Nuts & Anchors

## Engineering Bolts & Nuts 316 Stainless Steel



Hex Drive



Hex Nut



Engineering bolts and nuts are strong fasteners for high-stress applications in construction and machinery. They provide secure connections that resist vibration and are commonly used in machinery assembly, structural components, and etc.

Code	Thread Dia.	Length
	M8	20mm
	M8	30mm
	M8	35mm
	M8	40mm
	M8	45mm
	M8	50mm
	M8	60mm
	M8	65mm
	M8	70mm
	M8	75mm
	M8	80mm
	M8	90mm
	M8	100mm
	M8	110mm
	M8	120mm
	M8	130mm
	M8	150mm
	M8	40mm
	M10	45mm
	M10	50mm
	M10	60mm
	M10	65mm
	M10	70mm
	M10	75mm
	M10	80mm
	M10	90mm
	M10	100mm
	M10	110mm
	M10	120mm
	M10	130mm
	M10	140mm
	M10	150mm
	M10	170mm
	M10	180mm
	M10	200mm
	M12	55mm
	M12	60mm

Code	Thread Dia.	Length
D99-65	M12	65mm
D99-75	M12	75mm
D99-90	M12	90mm
D99-100	M12	100mm
D99-110	M12	110mm
D99-120	M12	120mm
D99-130	M12	130mm
D99-140	M12	140mm
D99-150	M12	150mm
D99-160	M12	160mm
D99-170	M12	170mm
D99-180	M12	180mm
D99-200	M12	200mm
D99-220	M12	220mm
D99-240	M12	240mm
D99-260	M12	260mm
D99-280	M12	280mm
D99-300	M12	300mm
D99-350	M12	350mm
D99-400	M12	400mm
D100-50	M16	50mm
D100-60	M16	60mm
D100-65	M16	65mm
D100-75	M16	75mm
D100-90	M16	90mm
D100-100	M16	100mm
D100-120	M16	120mm
D100-130	M16	130mm
D100-150	M16	150mm
D100-180	M16	180mm
D100-200	M16	200mm
D100-220	M16	220mm
D100-240	M16	240mm
D100-260	M16	260mm
D100-280	M16	280mm
D100-300	M16	300mm

# Bolts, Nuts & Anchors

## Engineering Bolts & Nuts Hot-dip Galvanised Steel



Hex Drive



Hex Nut

Code	Thread Dia.	Length
	M8	60mm
	M8	65mm
	M8	75mm
	M8	80mm
	M8	90mm
	M8	100mm
	M8	110mm
	M8	120mm
	M8	130mm
	M8	140mm
	M8	150mm
	M10	55mm
	M10	60mm
	M10	65mm
	M10	70mm
	M10	75mm
	M10	80mm
	M10	90mm
	M10	100mm
	M10	110mm
	M10	120mm
	M10	150mm
	M10	160mm
	M10	180mm
	M10	200mm
	M10	220mm
	M10	240mm
	M12	60mm
	M12	65mm
	M12	70mm
	M12	75mm
	M12	80mm
	M12	90mm
	M12	100mm

Code	Thread Dia.	Length
	M12	120mm
	M12	130mm
	M12	150mm
	M12	160mm
	M12	170mm
	M12	180mm
	M12	200mm
	M12	220mm
	M12	240mm
	M12	260mm
	M12	280mm
	M12	300mm
	M12	325mm
	M12	350mm
	M12	375mm
	M16	65mm
	M16	75mm
	M16	80mm
	M16	90mm
	M16	100mm
	M16	110mm
	M16	120mm
	M16	130mm
	M16	140mm
	M16	150mm
	M16	160mm
	M16	180mm
	M16	200mm
	M16	220mm
	M16	240mm
	M16	260mm
	M16	280mm
	M16	300mm



Engineering bolts and nuts are strong fasteners for high-stress applications in construction and machinery. They provide secure connections that resist vibration and are commonly used in machinery assembly, structural components, and etc.

# Bolts, Nuts & Anchors

## Masonry Screw Anchors

Hot-dip Galvanised Steel



Hex  
Washer Drive

Code	Thread Dia.	Length
D73-75	M6	75mm
D73-100	M6	100mm
D74-60	M8	60mm
D74-75	M8	75mm
D74-100	M8	100mm
D75-60	M10	60mm
D75-75	M10	75mm
D75-100	M10	100mm
D75-140	M10	140mm
D95-100	M12	100mm
D95-150	M12	150mm
D95-200	M12	200mm

## Full Thread Bolt

304 Stainless Steel



Hex Drive

Code	Thread Dia.	Length
	M8	25mm
D63	M10	20mm

## Hammer-drive Anchor

Hot-dip Galvanised Steel



Code	Diameter	Length
SL433	M6	30mm
SL317	M6	40mm
SL318	M6	50mm
SL319	M6	60mm
SL320	M6	70mm
SL321	M6	80mm

# Bolts, Nuts & Anchors

## Through Bolts (with Nuts & Washers) 316 Stainless Steel



Hex Drive



Hex Nut

Code	Thread Dia.	Length
D101-80	M12	80mm
D101-100	M12	100mm
D101-120	M12	120mm
D101-135	M12	135mm
D101-180	M12	180mm
D101-230	M12	230mm
D102-180	M16	180mm
D102-230	M16	230mm

## Through Bolts (with Nuts & Washers) Hot-dip Galvanised Steel



Hex Drive



Hex Nut

Code	Thread Dia.	Length
	M10	60mm
	M10	75mm
	M10	100mm
	M10	125mm
	M12	80mm
	M12	100mm
	M12	120mm
	M12	135mm
	M12	180mm
	M16	140mm
	M16	180mm



Through bolts feature a long shank that passes through materials, secured with nuts and washers. They are ideal for anchoring beams, securing frameworks, and joining wood components in construction and engineering applications.

# Bolts, Nuts & Anchors

## Threaded Rod 304 / 316 Stainless Steel



Code	Thread Dia.	Length
D115-SS	M6	1000mm
D85-SS	M8	1000mm
D116-SS	M8	3000mm
D86-SS	M10	1000mm
D111-SS	M16	1000mm
D112-SS	M20	1000mm
D113-SS	M24	1000mm

## Threaded Rod Hot-dip Galvanised Steel



Code	Thread Dia.	Length
D85-GALV	M8	1000mm
D86-GALV	M10	1000mm
D133-GALV	M12	1000mm
D133-GALV	M12	2000mm
D134-GALV	M14	1000mm
D111-GALV	M16	1000mm

## Threaded Rod Zinc Plated Steel



Code	Thread Dia.	Length
D115-COLDGALV	M6	1000mm
D136-COLDGALV	M6	2000mm
D116-COLDGALV	M8	1000mm
D137-COLDGALV	M8	2000mm
D86-COLDGALV	M10	1000mm
D138-COLDGALV	M10	2000mm
D87-COLDGALV	M12	1000mm
D139-COLDGALV	M12	2000mm
D134-COLDGALV	M14	1000mm
D111-COLDGALV	M16	1000mm

# Bolts, Nuts & Anchors

## Hex Nuts 304 Stainless Steel



Code	Hole Dia.
	For M6
D79-SS	For M8
D80-SS	For M10
D81-SS	For M12
	For M16
	For M20
	For M24

## Self-lock Nuts



Code	Hole Dia.
	For M6
D82	For M8
D83	For M10
D84	For M12
	For M16
	For M20
	For M24

## Hex Nuts 316 Stainless Steel



Code	Hole Dia.
D103-SS	For M6
D79-SS	For M8
D80-SS	For M10
D81-SS	For M12
D104-SS	For M16
D105-SS	For M20
D106-SS	For M24

## Self-lock Nuts



Code	Hole Dia.
D107	For M6
D82	For M8
D83	For M10
D84	For M12
D108	For M16
	For M20
	For M24

## Hex Nuts Carbon Steel



Hex nuts are six-sided fasteners used to secure bolts in various applications. Hex locking nuts include a mechanism to prevent loosening from vibration, making them ideal for machinery, automotive, and high-vibration environments.

## Hot-dip Galvanised



Code	Hole Dia.
D79-GALV	For M8
D80-GALV	For M10
D81-GALV	For M12
D135-GALV	For M14
D104-GALV	For M16
	For M20

## Zinc Plated



Code	Hole Dia.
D103-COLDGALV	For M6
D79-COLDGALV	For M8
D80-COLDGALV	For M10
D81-COLDGALV	For M12
D135-COLDGALV	For M14
D104-COLDGALV	For M16

# Bolts, Nuts & Anchors

## Washers Stainless Steel



Code	Hole Dia.	Washer Size
D109-SS	For M6	Ø18x1.5mm
D88-SS	For M8	Ø19.5x1.2mm
D89-SS	For M10	Ø21x2.0mm
D90-SS	For M12	Ø24x2.5mm
D110-SS	For M16	Ø28x2.5mm
D132-SS	For M20	Ø37x3.0mm
D131-SS	For M24	Ø44x4.0mm

Code	Hole Dia.	Washer Size
D76-SS	For M10	40x40x3.0mm
D77-SS	For M10	50x50x3.0mm
D78-SS	For M12	50x50x3.0mm
D93-SS	For M14	50x50x3.0mm
	For M16	50x50x3.0mm
	For M20	50x50x3.0mm

## Washers Galvanised Steel



Code	Hole Dia.	Washer Size
D88-GALV	For M8	Ø21x1.5mm
D89-GALV	For M10	Ø24x1.5mm
D90-GALV	For M12	Ø28x1.5mm
	For M16	Ø34x1.5mm
	For M8	Ø50x3.0mm
	For M10	Ø50x3.0mm
	For M12	Ø50x3.0mm
	For M16	Ø50x3.0mm

Code	Hole Dia.	Washer Size
D76-GALV	For M10	40x40x3.0mm
D77-GALV	For M10	50x50x3.0mm
D78-GALV	For M12	50x50x3.0mm
D93-GALV	For M14	50x50x3.0mm
	For M16	50x50x3.0mm
	For M20	50x50x3.0mm

## Washers EPDM



Code	Hole Dia.	Washer Size
	For M8	Ø22x3.0mm
	For M10	Ø22x3.0mm
	For M12	Ø24x3.0mm
	For M16	Ø30x3.0mm
	For M8	Ø50x3.0mm
D125	For M10	Ø56x3.0mm
	For M12	Ø56x3.0mm
	For M16	Ø56x3.0mm

Code	Hole Dia.	Washer Size
	For M8	50x50x3.0mm
D126	For M10	50x50x3.0mm
D127	For M12	50x50x3.0mm
D128	For M16	50x50x3.0mm
	For M20	50x50x3.0mm

# Window & Door Screws

## CSK Head - Self Drilling Screws 304 Stainless Steel



*Square Drive*

<b>Code</b>	<b>Gauge</b>	<b>Thread Dia.</b>	<b>Length</b>
D49	7g	M3.3	17mm
D42(Black)	7g	M4	11mm
D94(Black)	7g	M4	14mm
D48	8g	M4.2	19mm
D30	10g	M4.8	25mm
D130	10g	M4.8	30mm
D31	10g	M4.8	38mm



*Int Hex Drive*

D29	12g	M5.5	19mm
D29 (Black)	12g	M5.5	19mm



*Philips Drive*

D117	10g	M4.8	25mm
D26	12g	M5.5	25mm
D96	12g	M5.5	63mm

## CSK Head - Dog Point Screws 304 Stainless Steel






*Square Drive*

<b>Code</b>	<b>Gauge</b>	<b>Thread Dia.</b>	<b>Length</b>
D37(Black)	6g	M3.5	17mm
D38(Black)	6g	M3.5	24mm
D39	6g	M3.5	25mm

# Window & Door Screws

## CSK Head - Self Tapping Screws 304 Stainless Steel



	Code	Gauge	Thread Dia.	Length
 <i>Philips Drive</i>	D58	8g	M4.2	38mm
	D57	8g	M4.2	50mm
	D59	8g	M4.2	60mm
	D26	12g	M5.5	25mm
 <i>Int Hex Drive</i>	D29 (Black)	12g	M5.5	19mm
	D3	12g	M5.5	40mm
	D2	14g	M6.3	50mm
	D1	20g	M8	50mm
	D54	20g	M8	55mm
 <i>Square Drive</i>	D49	5g	M3.3	17mm
	D4	8g	M4.2	25mm
		8g	M4.2	30mm
		8g	M4.2	40mm
		8g	M4.2	50mm
	D130	10g	M4.8	30mm

## CSK Head - Self Tapping Screws Zinc Plated Steel



 *Philips Drive*



Code	Gauge	Thread Dia.	Length
	6g	M3.5	16mm
	8g	M4.2	20mm
	8g	M4.2	25mm
	8g	M4.2	28mm
	8g	M4.2	32mm

Countersunk self-tapping screws provide a flush finish, perfect for securing aluminium window and door frames, hinges, and hardware without pre-drilling. Commonly used for precise fittings.

# Window & Door Screws

## CSK Head - Self Tapping Screws Yellow Zinc Plated Steel



Square Drive

Code	Gauge	Thread Dia.	Length
D21	6g	M3.5	16mm
D20	7g	M4	28mm
D19	7g	M4	32mm
D18	7g	M4	38mm
D17	7g	M4	50mm
D16	7g	M4	65mm
	8g	M4.2	38mm
	8g	M4.2	50mm
	8g	M4.2	65mm
	10g	M5	50mm
	10g	M5	65mm
D15 (Black)	10g	M5	80mm
D14	10g	M5	90mm

## CSK Head - Window Frame Screws Zinc Plated Steel



Torx Drive

Code	Gauge	Thread Dia.	Length
	18g	M7.5	72mm
	18g	M7.5	92mm
	18g	M7.5	102mm
	18g	M7.5	132mm
	18g	M7.5	152mm
	18g	M7.5	212mm

# Window & Door Screws

## PAN Head - Self Tapping Screws 304 Stainless Steel



*Square Drive*

Code	Gauge	Thread Dia.	Length
D35	6g	M3.5	19mm
D40	6g	M3.5	37mm
D41	6g	M3.5	50mm
	8g	M4.2	16mm
D33	8g	M4.2	19mm
D5	8g	M4.2	25mm
D46	8g	M4.2	38mm
D32	8g	M4.2	50mm
	8g	M4.2	75mm
D45	8g	M4.2	76.2mm
	10g	M4.8	25mm
	10g	M4.8	32mm
	10g	M4.8	40mm
D47	10g	M4.8	55mm



*Philips Drive*

D52	12g	M5.0	40mm
D56	12g	M5.5	25mm

## PAN Head - Self Drilling Screws 304 Stainless Steel



*Square Drive*

Code	Gauge	Thread Dia.	Length
	8g	M4.2	16mm
D34	8g	M4.2	19mm



*Philips Drive*

D22	8g	M4.2	16mm
D23	8g	M4.2	19mm
D62(Black)	8g	M4.2	19mm
D91	8g	M4.2	25mm
D92	8g	M4.2	32mm
D142	10g	M4.8	55mm

# Window & Door Screws

## PAN Head - Dog Point Screws 304 Stainless Steel



*Square Drive*

<b>Code</b>	<b>Gauge</b>	<b>Thread Dia.</b>	<b>Length</b>
D36	6g	M3.5	19mm
D39	6g	M3.5	25mm
D43	8g	M4.2	7mm
D44(Black)	8g	M4.2	7mm
D60	8g	M4.2	25mm

# Building Screws

## Bugle Head - Batten Screws 316 Stainless Steel



*Int Hex Drive*



*T17 Tip*

Code	Gauge	Thread Dia.	Length
	14g	M6.15	50mm
	14g	M6.15	75mm
	14g	M6.15	100mm
	14g	M6.15	125mm

## Bugle Head - Batten Screws Galvanised Steel



*Int Hex Drive*



*T17 Tip*

Code	Gauge	Thread Dia.	Length
	14g	M6.15	50mm
	14g	M6.15	75mm
	14g	M6.15	100mm
	14g	M6.15	125mm
	14g	M6.15	150mm

## Wing Tek Screws Galvanised Steel



*Int Hex Drive*



*Self-drill Tip*

Code	Gauge	Thread Dia.	Length
	10g	M4.83	35mm
	10g	M4.83	40mm
	10g	M4.83	45mm
	10g	M4.83	50mm
	10g	M4.83	60mm
	10g	M4.83	75mm
	14g	M6.15	55mm
	14g	M6.15	65mm

# Building Screws

## CSK Head - Chipboard Screws 304 Stainless Steel



Square Drive

Code	Gauge	Thread Dia.	Length
	8g	M4.2	20mm
	8g	M4.2	25mm
	8g	M4.2	32mm
	8g	M4.2	40mm
	8g	M4.2	45mm
	8g	M4.2	50mm
	8g	M4.2	65mm
	8g	M4.2	75mm
	10g	M4.83	40mm
	10g	M4.83	50mm
	10g	M4.83	65mm
	10g	M4.83	75mm
	10g	M4.83	90mm
	10g	M4.83	100mm

## CSK Head - Chipboard Screws Galvanised Steel



Square Drive

Code	Gauge	Thread Dia.	Length
	8g	M4.2	20mm
	8g	M4.2	25mm
	8g	M4.2	32mm
	8g	M4.2	40mm
	8g	M4.2	45mm
	8g	M4.2	50mm
	8g	M4.2	65mm
	10g	M4.83	50mm
	10g	M4.83	65mm
	10g	M4.83	75mm
	10g	M4.83	90mm
	10g	M4.83	100mm



The CSK Self-Tapper Screw is ideal for fastening into chipboard and other soft materials. Its countersunk head allows for a smooth, flat surface, while the self-tapping design means it can cut its own threads, ensuring a tight and reliable fit.

# Building Screws

## Bugle Head - Drywall Screws

Yellow Zinc Plated Steel

Coarse Thread



Philips Drive

Code	Gauge	Thread Dia.	Length
	6g	M3.5	25mm
	6g	M3.5	32mm
	6g	M3.5	45mm
	8g	M4.2	51mm

## Bugle Head - Drywall Screws

Yellow Zinc Plated Steel

Fine Thread



Philips Drive

Code	Gauge	Thread Dia.	Length
	6g	M3.5	25mm
	6g	M3.5	32mm
	6g	M3.5	45mm

## CSK Head - Blue Concrete Screws

Zinc Galvanised Steel



Square Drive

Code	Gauge	Thread Dia.	Length
	10g	M4.8	80mm

## Sentinel CSK - Self Drilling Screws

304 Stainless Steel



Int Hex Drive

Code	Gauge	Thread Dia.	Length
D29	12g	M5.5	19mm
D119	12g	M5.5	38mm

# Building Screws

## CSK Head - Decking Screws 304 Stainless Steel



*Torx Drive*



*T17 Tip*

Code	Gauge	Thread Dia.	Length
	8g	M4.2	50mm
	8g	M4.2	65mm
	10g	M4.8	60mm
	10g	M4.8	65mm
	10g	M4.8	75mm
	10g(Bronze)	M4.8	60mm
	10g(Bronze)	M4.8	75mm
	12g	M5.5	75mm
	12g	M5.5	90mm

## Raised Head - Decking Screws 304 Stainless Steel



*Torx Drive*



*T17 Tip*

Code	Gauge	Thread Dia.	Length
	8g	M4.2	50mm
	8g	M4.2	65mm
	10g	M4.8	60mm
	10g	M4.8	65mm
	10g	M4.8	75mm
	10g(Kwila)	M4.8	60mm
	10g(Bronze)	M4.8	60mm
	10g(Bronze)	M4.8	75mm
	12g	M5.5	75mm
	12g	M5.5	90mm

## 316 Stainless Steel



*Torx Drive*



*T17 Tip*

Code	Gauge	Thread Dia.	Length
	10g	M4.8	60mm
	10g	M4.8	75mm
	12g	M5.5	75mm

# Building Screws

## Jolt Head - Decking Screws 316 Stainless Steel



Torx Drive



T17 Tip

Code	Gauge	Thread Dia.	Length
	8g	M4.2	65mm
	8g	M4.2	75mm
	8g	M4.2	90mm

## Jolt Head - Decking Screws Zinc Plated Steel



Torx Drive



T17 Tip

Code	Gauge	Thread Dia.	Length
	8g	M4.2	65mm
	8g	M4.2	75mm
	8g	M4.2	90mm

## Trim Head - Decking Screws 316 Stainless Steel



Torx Drive



T17 Tip

Code	Gauge	Thread Dia.	Length
	10g	M4.83	65mm

## X-Large Head - Decking Screws 304 Stainless Steel



Torx Drive



T17 Tip

Code	Gauge	Thread Dia.	Length
	12g	M5.5	50mm
	12g	M5.5	65mm
	12g	M5.5	75mm
	12g	M5.5	90mm

# Building Screws

## Washer Head - Landscaping Screws 316 Stainless Steel



Washer  
Trolox Drive

Code	Gauge	Thread Dia.	Length
	8g	M4.2	80mm
	8g	M4.2	100mm
	8g	M4.2	120mm
	8g	M4.2	140mm
	8g	M4.2	160mm
	8g	M4.2	180mm
	8g	M4.2	200mm

## Washer Head - Landscaping Screws Galvanised Steel



Washer  
Trolox Drive

Code	Gauge	Thread Dia.	Length
	6g	M3.5	80mm
	6g	M3.5	100mm
	6g	M3.5	120mm
	6g	M3.5	140mm
	6g	M3.5	160mm
	8g	M4.2	80mm
	8g	M4.2	100mm
	8g	M4.2	120mm
	8g	M4.2	140mm
	8g	M4.2	160mm
	8g	M4.2	180mm
	8g	M4.2	200mm
	10g	M4.83	80mm
	10g	M4.83	100mm
	10g	M4.83	120mm
	10g	M4.83	140mm
	10g	M4.83	160mm
	10g	M4.83	180mm
	10g	M4.83	200mm
	10g	M4.83	220mm
	10g	M4.83	240mm
	10g	M4.83	260mm
	10g	M4.83	280mm



This screw is designed for outdoor projects like retaining walls and decking. The wide washer head ensures strong holding power, while its corrosion-resistant coating makes it ideal for tough weather conditions. Perfect for securing timber and garden structures.

# Building Screws

## Hex Washer Head - Roofing Screws

B8 Dacromet Steel



Code	Gauge	Thread Dia.	Length
	12g	M5.5	25mm
	12g	M5.5	50mm
	12g	M5.5	55mm
	12g	M5.5	65mm
	14g	M6.2	75mm
	14g	M6.2	90mm
	14g	M6.2	100mm

## Hex Washer Head - Roofing Screws

Galvanised Steel  
Powdercoated Screw Head



Code	Gauge	Thread Dia. X Length	Color
	12g	M5.5 X 65mm	Matt Black
	12g	M5.5 X 65mm	Matt Ironsand
	12g	M5.5 X 65mm	Matt Titania

## Polycarbonate Head - Roofing Screws

Galvanised Steel



Code	Gauge	Thread Dia.	Length
	12g	M5.5	50mm
	12g	M5.5	65mm

# Other Screws

## Hex Washer Head - Self Drilling Screws 316 Stainless Steel



Hex  
Washer Drive

Code	Gauge	Thread Dia.	Length
D9SS	12g	M5.5	25mm
D25SS	12g	M5.5	38mm
	12g	M5.5	65mm
	14g	M6.15	35mm
	14g	M6.15	75mm
	14g	M6.15	90mm
	14g	M6.15	125mm

## Hex Washer Head - Self Tapping Screws Galvanised Steel



Hex  
Washer Drive



T17 Tip

Code	Gauge	Thread Dia.	Length
	12g	M5.5	25mm
	12g	M5.5	35mm
	12g	M5.5	45mm
	12g	M5.5	50mm
	14g	M6.15	90mm
	14g	M6.15	100mm
	14g	M6.15	125mm

## Hex Washer Head - Self Tapping Screws with Neo Seal Galvanised Steel



Hex  
Washer Drive



T17 Tip

Code	Gauge	Thread Dia.	Length
	12g	M5.5	45mm
	12g	M5.5	50mm
	12g	M5.5	65mm
	14g	M6.15	75mm
	14g	M6.15	90mm
	14g	M6.15	100mm

# Other Screws

## Hex Washer Head - Self Drilling Screws 304 Stainless Steel



Hex  
Washer Drive



Self-drill Tip

Code	Gauge	Thread Dia.	Length
D8	10g	M4.8	50mm
D9ss	12g	M5.5	25mm
D25ss	12g	M5.5	38mm

## Hex Washer Head - Self Drilling Screws Dacromet Coated Steel



Hex  
Washer Drive



Self-drill Tip

Code	Gauge	Thread Dia.	Length
D9CS	12g	M5.5	25mm
D120	12g	M5.5	40mm
D121	12g	M5.5	55mm
D122	14g	M6.3	25mm
D123	14g	M6.3	38mm
D124	14g	M6.3	55mm

## Hex Washer Head - Self Drilling Screws with Neo Seal Galvanised Steel



Hex  
Washer Drive



Self-drill Tip

Code	Gauge	Thread Dia.	Length
	12g	M5.5	20mm
D13	12g	M5.5	30mm
	12g	M5.5	35mm
D118	12g	M5.5	40mm
D129	12g	M5.5	65mm
	14g	M6.15	75mm

# Other Screws

## Hex Washer Head - Self Drilling Screws

Dacromet Coated Steel

Powdercoated Screw Head



Hex  
Washer Drive



Self-drill Tip

Code	Gauge	Thread Dia.	Length	Head Colour
D9Black	12g	M5.5	25mm	Matt Black
D9MAW	12g	M5.5	25mm	Matt Appliance White
D9MI	12g	M5.5	25mm	Matt Ironsand
D10	12g	M5.5	30mm	Matt Black
D11	12g	M5.5	35mm	Matt Black
D25MAW	12g	M5.5	38mm	Matt Appliance White
D25MI	12g	M5.5	38mm	Matt Ironsand
D12	12g	M5.5	55mm	Matt Black
D12MAW	12g	M5.5	55mm	Matt Appliance White
D12MI	12g	M5.5	55mm	Matt Ironsand

## Hex Washer Head - Self Drilling Screws

Black Electrophoretic Steel



Hex  
Washer Drive



Self-drill Tip

Code	Gauge	Thread Dia.	Length
D24 (Black)	12g	M5.5	16mm
D25 (Black)	12g	M5.5	38mm

# Other Screws

## Truss Head - Self Drilling Screws 304 Stainless Steel



Square Drive

Code	Gauge	Thread Dia.	Length
	8g	M4.2	19mm
	8g	M4.2	25mm



Philips Drive

D22(Black)	8g	M4.2	16mm
D50	8g	M4.2	19mm
D51	8g	M4.2	25mm

## Truss Head - Self Drilling Screws Galvanised Steel



Philips Drive

Code	Gauge	Thread Dia.	Length
D7	7g	M4	20mm
D6	10g	M4.8	16mm

## Truss Head - Self Drilling Screws Dacromet Coated Steel



Philips Drive

Code	Gauge	Thread Dia.	Length
D50DACROMET	8g	M4.2	19mm
D51DACROMET	8g	M4.2	25mm
D140DACROMET	10g	M4.8	19mm
D141DACROMET	10g	M4.8	28mm







# ALUMINIUM



## Contact Us Now!

### *Auckland Rosedale Branch*

Address: 6 John Glenn Ave, Rosedale,  
Auckland 0632

Email: [info.albany@sdalu.co.nz](mailto:info.albany@sdalu.co.nz)

Phone: 09 - 218 2188  
09 - 218 2111

### *Auckland Manukau Branch*

Address: 28 Ryan Pl, Manukau City,  
Auckland 2104

Email: [info.manukau@sdalu.co.nz](mailto:info.manukau@sdalu.co.nz)

Phone: 09 - 217 8666

### *Christchurch Wigram Branch*

Address: 67 Vickerys Rd, Wigram,  
Christchurch 8042

Email: [info.chch@sdalu.co.nz](mailto:info.chch@sdalu.co.nz)

Phone: 03 - 366 6669

*Follow Us on Social Media ....*

