



SD Aluminium

GEOMETRIC SHAPE

PRODUCT CATALOGUE



*Common Profiles for Fabrication & Construction
Backed by Extensive Local Stock*

2026-2027 Edition



SD ALUMINIUM is a leading supplier of aluminium, steel, and integrated building material solutions across New Zealand.

Our product range covers aluminium extrusions, sheets, steel sections, fencing systems, louvre screens, balustrades, hardware, and selected outdoor systems.

With two Auckland branches and a Christchurch branch, we provide dependable service and nationwide supply coverage across New Zealand.

Auckland Rosedale Branch

Address: 6 John Glenn Ave, Rosedale, Auckland 0632
Email: info.albany@sdaluminium.co.nz
Phone: 09-218 2188
09-218 2111

Auckland Manukau Branch

Address: 28 Ryan Place, Manukau, Auckland 2104
Email: info.manukau@sdaluminium.co.nz
Phone: 09-217 8666

Christchurch Wigram Branch

Address: 67 Vickers Road, Wigram, Christchurch 8042
Email: info.chch@sdaluminium.co.nz
Phone: 03-366 6669





ALUMINIUM

Our Capability

From stock supply to project support, SD Aluminium delivers dependable material solutions backed by local inventory, practical support, and responsive service.



Extensive Product Range

A wide selection of aluminium, steel, hardware, and building materials to support diverse project requirements.



Large Local Inventory

Substantial local stock held across multiple branches to support efficient supply continuity.



Practical Supply Support

Responsive service tailored to meet everyday trade and project requirements.



Nationwide Delivery

Branch network and freight support covering customers throughout New Zealand.

TABLE OF CONTENTS




Aluminium Extrusions - Geometric Profiles

<i>Square Hollow Sections</i>	_____	1 - 5
<i>Rectangular Hollow Sections</i>	_____	6 - 13
<i>Circular Hollow Sections (Round Tubes)</i>	_____	14 - 35
<i>Equal Angle Sections</i>	_____	36 - 38
<i>Unequal Angle Sections</i>	_____	39 - 42
<i>U-Channel Sections</i>	_____	43 - 47
<i>Flat Bars</i>	_____	48 - 53
<i>Tee-shape Sections</i>	_____	54 - 55
<i>Zed-shape Sections</i>	_____	55
<i>Solid Round Sections</i>	_____	56 - 58
<i>Solid Square Sections</i>	_____	58
<i>Powdercoated Geometric Sections</i>	_____	59 - 63
<i>Powdercoated Louvre Blades & Slats</i>	_____	64 - 67

A background image showing a variety of aluminium extrusion profiles, including round tubes, square tubes, and flat bars, arranged in a dense, overlapping pattern.

Complete Aluminium Solutions
For Every Space, Every Need.

Square Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
SHA10T1.6	✓	10.0	1.6		0.153	40.00	36.00
SHA12T1	✓	12.0	1.0		0.125	48.00	44.00
SHA12T1.6	✓	12.0	1.6		0.190	48.00	66.56
SHA12.7T1.57	✓	12.7	1.57		0.199	50.80	69.90
SHA15T1	*	15.0	1.0		0.160	60.00	56.00
SHRA15T1R1.5	*	15.0	1.0	1.5	0.150	55.83	52.49
SHA15T1.2	*	15.0	1.2		0.189	60.00	66.24
SHA15T1.5	✓	15.0	1.5		0.231	60.00	81.14
SHA15T3	*	15.0	3.0		0.410	60.00	144.00
SHA16T1.3	✓	16.0	1.3		0.218	64.00	76.44
SHRA16T1.8R2.8	*	16.0	1.8	2.8	0.314	58.85	110.00
SHA16T3	✓	16.0	3.0		0.445	64.00	156.00
SHA16T5	*	16.0	5.0		0.627	64.00	220.00
SHA18T0.95	*	18.0	0.95		0.185	72.00	64.79
SHA18T1.2	*	18.0	1.2		0.230	72.00	80.64
SHA18T2.2	✓	18.0	2.2		0.396	72.00	139.00
SHRA18T3.15R3	*	18.0	3.15	3.0	0.534	66.85	187.40
SHRA18.7T1.3R6	*	18.7	1.3	6.0	0.224	64.50	78.54
SHRA18.8T1.35R6	*	18.8	1.35	6.0	0.233	64.90	81.89
SHA19T0.8	*	19.0	0.8		0.166	76.00	58.40
SHA19T1	*	19.0	1.0		0.205	76.00	72.00
SHA19T1.2	✓	19.0	1.2		0.244	76.00	85.44
SHRA19T1.2R2	✓	19.0	1.2	2.0	0.235	72.57	82.56
SHA19T1.6	✓	19.0	1.6		0.317	75.14	111.36
SHRA19T1.6R2	✓	19.0	1.6	2.0	0.308	72.60	108.14
SHRA19T2R2	✓	19.0	2.0	2.0	0.378	72.60	132.64
SHA20T0.55	*	20.0	0.55		0.122	80.00	42.79
SHA20T0.7	*	20.0	0.7		0.154	80.00	54.00
SHA20T1.2		20.0	1.2		0.257	80.00	90.24
SHA20T1.5	*	20.0	1.5		0.316	80.00	111.00
SHRA20T1.5R2	*	20.0	1.5	2.0	0.309	76.57	108.42
SHRA20T1.6R2	✓	20.0	1.6	2.0	0.326	76.57	114.46
SHRA20T1.8R2	*	20.0	1.8	2.0	0.364	76.57	127.70
SHRA20T1.9R1	*	20.0	1.9	1.0	0.390	78.28	136.80
SHA20T2	✓	20.0	2.0		0.410	80.00	144.00
SHA20T3	✓	20.0	3.0		0.581	79.49	204.00
SHRA21T1.8R2.8	*	21.0	1.8	2.8	0.418	79.30	146.52
SHA22T0.75	*	22.0	0.75		0.182	87.00	63.75
SHRA22T0.8R6	*	22.0	0.8	6.0	0.171	77.70	60.15
SHRA22T1.1	*	22.0	1.1		0.262	87.50	91.96

Square Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
SHRA23T2R2.5	*	23.0	2.0	2.5	0.464	87.70	162.71
SHRA23.8T10.9R1	*	23.8	10.9	1.0	0.186	68.54	65.40
SHA24.8T1.5	*	24.8	1.5		0.398	98.69	139.80
SHA24.8T1.8	*	24.8	1.8		0.472	98.68	165.60
SHRA24.8T1.8R2	*	24.8	1.8	2.0	0.463	95.80	162.30
SHRA24.8T2R2	*	24.8	2.0	2.0	0.510	95.76	179.00
SHRA24.8T2.5R2	*	24.8	2.5	2.0	0.626	95.76	219.60
SHA25T0.6	*	25.0	0.6		0.167	99.50	58.56
SHA25T0.8	*	25.0	0.8		0.207	99.49	72.67
SHA25T1	*	25.0	1.0		0.274	99.50	96.00
SHA25T1.2	✓	25.0	1.2		0.326	100.00	114.24
SHRA25T1.2R2	✓	25.0	1.2	2.0	0.317	96.57	111.36
SHA25T1.5	✓	25.0	1.5		0.402	100.00	141.00
SHRA25T1.5R2	✓	25.0	1.5	2.0	0.393	96.60	137.80
SHA25T2	✓	25.0	2.0		0.524	100.00	184.00
SHRA25T2R3	✓	25.0	2.0	3.0	0.505	94.85	177.13
SHRA25T3R3	✓	25.0	3.0	3.0	0.731	94.85	256.35
SHA25T3	✓	25.0	3.0		0.752	100.00	264.00
SHA25T5	*	25.0	5.0		1.140	100.00	400.00
SHA25.4T0.9	*	25.4	0.9		0.251	101.10	88.20
SHA28T2	*	28.0	2.0		0.593	111.50	207.92
SHRA28.5T1.8R2.5	*	28.5	1.8	2.5	0.533	109.70	187.10
SHA29.5T0.65	*	29.5	0.65		0.214	118.00	75.00
SHA29.5T1.75	*	29.5	1.75		0.554	119.14	194.25
SHA30T0.8	*	30.0	0.8		0.299	120.00	104.76
SHRA30T1.2R3	*	30.0	1.2	3.0	0.380	114.80	133.30
SHRA30T1.5R1.5	✓	30.0	1.5	1.5	0.482	117.42	169.14
SHA30T1.9	*	30.0	1.9		0.609	119.50	213.56
SHRA30T2R2	*	30.0	2.0	2.0	0.629	116.57	220.64
SHRA30T2R3	✓	30.0	2.0	3.0	0.619	114.85	217.13
SHA30T3	✓	30.0	3.0		0.923	119.50	324.00
SHA30T5	*	30.0	5.0		1.425	120.00	500.00
SHA30.5T1.2	*	30.5	1.2		0.401	122.00	140.64
SHA31.8T0.9	*	31.8	0.9		0.317	126.50	111.10
SHRA31.8T2R5	*	31.8	2.0	5.0	0.640	118.62	224.67
SHRA32T1.2R3	✓	32.0	1.2	3.0	0.407	122.85	142.90
SHRA32T1.4R3	*	32.0	1.4	3.0	0.473	122.85	165.83
SHRA32T2.3R3.5	*	32.0	2.3	3.5	0.759	121.99	266.16
SHA32T3	✓	32.0	3.0		0.992	128.00	348.00
SHRA32T3R3	✓	32.0	3.0	3.0	0.970	122.85	340.27


Square Hollow Section



"✓" Stocked Item
 "*" Pre-order Only Item
 (30-40 working days delivery)

Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
SHRA32.1T1.5R3	*	32.1	1.5	3.0	0.491	123.34	172.23
SHRA32.1T1.8R3	*	32.1	1.8	3.0	0.616	125.82	216.31
SHRA32.2T0.8	*	32.2	0.8		0.286	128.30	100.48
SHRA33T3R5	*	33.0	3.0	5.0	0.975	123.42	341.97
SHRA34T1.6R3	✓	34.0	1.6	3.0	0.574	130.85	201.32
SHA35T1	*	35.0	1.0		0.388	140.00	136.00
SHRA35T1.37R1.5	*	35.0	1.37	1.5	0.520	137.43	182.38
SHRA35T1.6R1.5	*	35.0	1.6	1.5	0.605	137.40	212.30
SHA35T1.75	*	35.0	1.75		0.663	139.14	232.75
SHRA35T2R2	*	35.0	2.0	2.0	0.743	136.57	260.64
SHA35T2	✓	35.0	2.0		0.752	140.00	264.00
SHA35T3	*	35.0	3.0		1.094	140.00	384.00
SHRA36T1.5R1	*	36.0	1.5	1.0	0.588	142.30	206.40
SHA38T0.6	*	38.0	0.6		0.256	152.00	89.80
SHA38T0.9	*	38.0	0.9		0.382	151.90	133.92
SHA38T1	*	38.0	1.0		0.422	151.50	148.00
SHA38T1.3	*	38.0	1.3		0.544	151.50	190.84
SHRA38T1.52R1.5	*	38.0	1.52	1.5	0.627	149.43	219.87
SHRA38T1.8R2	*	38.0	1.8	2.0	0.733	148.57	257.28
SHA39T0.8	*	39.0	0.8		0.348	156.00	122.24
SHA39.5T0.8	*	39.5	0.8		0.353	157.50	123.90
SHA40T0.8	*	40.0	0.8		0.358	160.00	125.44
SHA40T1.2	✓	40.0	1.2		0.531	160.00	186.24
SHA40T1.5	✓	40.0	1.5		0.658	160.00	230.92
SHA40T1.6	✓	40.0	1.6		0.700	160.00	245.76
SHRA40T2R3.5	*	40.0	2.0	3.5	0.842	154.00	295.40
SHA40T2	✓	40.0	2.0		0.866	160.00	304.00
SHRA40T2R3	✓	40.0	2.0	3.0	0.847	154.85	297.13
SHRA40T2.5R3.5	*	40.0	2.5	3.5	1.041	154.00	365.30
SHA40T3	✓	40.0	3.0		1.265	160.00	444.00
SHRA40T3R3	✓	40.0	3.0	3.0	1.243	154.85	436.27
SHA40T4	✓	40.0	4.0		1.642	160.00	576.00
SHA40T6	✓	40.0	6.0		2.326	160.00	816.00
SHRA43T2.2R1	*	43.0	2.2	1.0	1.021	170.28	358.26
SHA44.5T0.9	*	44.5	0.9		0.447	117.30	156.78
SHA45T0.6	*	45.0	0.6		0.304	180.00	106.56
SHA45T0.8	*	45.0	0.8		0.378	179.49	132.67
SHRA45T1.6R2	*	45.0	1.6	2.0	0.783	176.60	274.60
SHRA45T2R3.5	*	45.0	2.0	3.5	0.956	174.00	335.42
SHA45T2.5	✓	45.0	2.5		1.211	180.00	425.00

Square Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
SHRA48.4T2.2R1	*	48.4	2.2	1.0	1.047	190.28	367.22
SHA50T0.8	*	50.0	0.8		0.449	199.50	157.44
SHA50T1.0	*	50.0	1.0		0.559	199.50	196.00
SHA50T1.2	✓	50.0	1.2		0.667	199.50	234.20
SHA50T1.4	*	50.0	1.4		0.776	200.00	272.16
SHA50T2.0	✓	50.0	2.0		1.094	200.00	384.00
SHRA50T2.0R3	✓	50.0	2.0	3.0	1.075	194.85	377.13
SHA50T2.5	*	50.0	2.5		1.356	200.00	475.86
SHA50T3	✓	50.0	3.0		1.607	200.00	564.00
SHRA50T3R2	*	50.0	3.0	2.0	1.598	196.57	560.78
SHRA50T3R3	✓	50.0	3.0	3.0	1.585	194.85	556.28
SHRA50T3R5	*	50.0	3.0	5.0	1.556	191.42	545.97
SHA50T3.5	✓	50.0	3.5		1.855	200.00	650.86
SHA50T4	✓	50.0	4.0		2.098	200.00	736.00
SHA50T5	✓	50.0	5.0		2.565	200.00	900.00
SHRA50T5R3	✓	50.0	5.0	3.0	2.543	194.85	892.27
SHA50T6	✓	50.0	6.0		3.010	200.00	1056.00
SHRA50.7T3.1R3	*	50.7	3.1	3.0	1.660	197.65	582.51
SHA58T5	*	58.0	5.0		3.021	232.00	1060.00
SHA60T1.5	*	60.0	1.5		1.000	239.50	351.00
SHA60T2	*	60.0	2.0		1.322	240.00	464.00
SHRA60T2R3.5	*	60.0	2.0	3.5	1.298	221.43	455.42
SHA60T2.5	✓	60.0	2.5		1.639	240.00	575.00
SHRA60T2.5R3.5	*	60.0	2.5	3.5	1.611	234.00	565.34
SHRA60T2.7R3.5	*	60.0	2.7	3.5	1.735	234.00	608.90
SHA60T5	*	60.0	5.0		3.135	240.00	1100.00
SHA60T6	✓	60.0	6.0		3.694	240.00	1296.00
SHRA63.6T3.1R8.5	*	63.6	3.1	8.5	2.029	239.38	711.88
SHRA65T2.5R3	✓	65.0	2.5	3.0	1.760	254.85	617.49
SHRA70T4	*	70.0	4.0		3.010	280.00	1056.00
SHA75T1.6	✓	75.0	1.6		1.339	299.20	469.80
SHA75T3.0	✓	75.0	3.0		2.462	299.50	864.00
SHRA75T3R3	✓	75.0	3.0	3.0	2.440	294.85	856.27
SHA75T4	✓	75.0	4.0		3.238	299.50	1136.00
SHA80T1.5	*	80.0	1.5		1.342	320.00	471.00
SHA80T1.8	✓	80.0	1.8		1.605	320.00	563.04
SHRA80T2.5R3.5	*	80.0	2.5	3.5	2.181	314.00	765.34
SHA80T4	*	80.0	4.0		3.466	320.00	1216.00
SHRA80T5R10	*	80.0	5.0	10.0	4.092	302.80	1435.62
SHA80T6	✓	80.0	6.0		5.092	320.00	1776.00


Square Hollow Section



"✓" Stocked Item
 "*" Pre-order Only Item
 (30-40 working days delivery)

Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
SHRA80T6R10	*	80.0	6.0	10.0	6.092	302.83	1703.90
SHRA90T1.6R8	*	90.0	1.6	8.0	1.556	346.27	545.98
SHA90T1.8	*	90.0	1.8		1.810	360.00	635.10
SHA90T1.9	*	90.0	1.9		1.908	360.00	669.59
SHRA90T2R3	✓	90.0	2.0	3.0	1.987	354.85	697.13
SHA90T3	✓	90.0	3.0		2.975	359.14	1043.86
SHA90T6	✓	90.0	6.0		5.746	360.00	2016.00
SHA100T1	*	100.0	1.0		1.129	400.00	396.00
SHA100T1.3	*	100.0	1.3		1.463	400.00	513.27
SHA100T2	*	100.0	2.0		2.234	400.00	784.00
SHA100T3	✓	100.0	3.0		3.317	400.00	1164.00
SHRA100T3R3	✓	100.0	3.0	3.0	3.296	394.85	1156.50
SHA100T4	✓	100.0	4.0		4.378	400.00	1536.00
SHA100T5	✓	100.0	5.0		5.415	400.00	1900.00
SHRA120T3R1	✓	120.0	3.0	1.0	4.000	478.30	1403.40
SHA140T3	✓	140.0	3.0		4.685	560.00	1644.00
SHA150T3	✓	150.0	3.0		5.027	600.00	1764.00
SHA150T10	✓	150.0	10.0		15.960	600.00	5600.00
SHA200T10	✓	200.0	10.0		21.660	800.00	7600.00
SHRA210T3.5R3.5	*	210.0	3.5	3.5	8.209	833.99	2880.49

Rectangular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RHA15B10T1	*	15.0	10.0	1.0		0.131	50.00	46.00
RHA15B12T1.2	*	15.0	12.0	1.2		0.168	54.00	59.04
RHRA17.8B13.8T1.4R2	*	17.8	13.8	1.4	2.0	0.226	59.80	79.14
RHRA18B14T2R1.5	*	18.0	14.0	2.0	1.5	0.314	61.43	110.10
RHA18.1B7.2T1.5	*	18.1	7.2	1.5		0.191	50.09	66.90
RHRA18.5B13T1R1.3	*	18.5	13.0	1.0	1.3	0.165	60.86	57.87
RHA20B10T1.2	✓	20.0	10.0	1.2		0.189	59.50	66.24
RHA20B12T1.2	✓	20.0	12.0	1.2		0.202	64.00	71.00
RHRA20B14T1R1	*	20.0	14.0	1.0	1.0	0.180	66.28	63.22
RHRA20B15T1.4R1	*	20.0	15.0	1.4	1.0	0.255	69.50	89.38
RHA20B15T2	✓	20.0	15.0	2.0		0.353	70.00	124.00
RHA20B16T1.6	✓	20.0	16.0	1.6		0.299	72.00	104.96
RHA21B12.5T1	*	21.0	12.5	1.0		0.180	66.50	63.00
RHA22B10T2	*	22.0	10.0	2.0		0.319	64.00	112.00
RHA22B18T0.66	*	22.0	18.0	0.66		0.145	79.14	50.92
RHRA22.3B18.3T0.8R1	*	22.3	18.3	0.8	1.0	0.175	80.68	61.56
RHA23.8B10.9T1	*	23.8	10.9	1.0		0.186	68.54	65.4
RHA24B8T2	*	24.0	8.0	2.0		0.319	64.00	112.00
RHA25B12T3	✓	25.0	12.0	3.0		0.530	74.00	186.00
RHA25B15T0.45	*	25.0	15.0	0.45		0.100	79.70	35.20
RHA25B15T1	*	25.0	15.0	1.0		0.217	79.50	76.00
RHRA25B15T2.5R2	*	25.0	15.0	2.5	2.0	0.496	76.60	174.20
RHA25B20T1.6	✓	25.0	20.0	1.6		0.381	90.00	133.76
RHA25.1B10.1T0.8	*	25.1	10.1	0.8		0.153	70.00	53.76
RHA25.4B12.7T0.9	*	25.4	12.7	0.9		0.186	75.69	65.34
RHA26.1B16.5T0.52	*	26.1	16.5	0.52		0.123	85.20	43.22
RHA28B15T1	*	28.0	15.0	1.0		0.234	85.50	82.00
RHRA28B18T0.7R4	*	28.0	18.0	0.7	4.0	0.165	85.10	58.05
RHA29.2B10T0.65	*	29.2	10.0	0.65		0.171	77.59	59.84
RHRA29.9B19.9T1R1.5	*	29.9	19.9	1.0	1.5	0.267	98.86	93.70
RHRA30B10T1.5R1.5	*	30.0	10.0	1.5	1.5	0.311	77.40	109.20
RHA30B10T2	✓	30.0	10.0	2.0		0.405	79.00	142.00
RHA30B15T1	*	30.0	15.0	1.0		0.245	90.00	86.00
RHA30B15T1.2	*	30.0	15.0	1.2		0.291	89.50	102.20
RHRA30B15T2R2.5	*	30.0	15.0	2.0	2.5	0.453	85.70	158.90
RHRA30B15T2.2R2	*	30.0	15.0	2.2	2.0	0.500	86.60	175.40
RHA30B18T1	*	30.0	18.0	1.0		0.262	95.50	92.00
RHRA30B18T1.5R2	*	30.0	18.0	1.5	2.0	0.375	92.56	131.58
RHA30B20T0.8	✓	30.0	20.0	0.8		0.221	100.00	77.50
RHRA30B20T1R1.5	*	30.0	20.0	1.0	1.5	0.269	97.40	94.30

Rectangular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RHA30B20T1.2	*	30.0	20.0	1.2		0.325	99.50	114.20
RHRA30B20T1.5R1.5	*	30.0	20.0	1.5	1.5	0.397	97.42	139.14
RHRA30B20T1.6R1.5	*	30.0	20.0	1.6	1.5	0.422	97.40	147.90
RHA30B20T1.8	✓	30.0	20.0	1.8		0.476	100.00	167.00
RHA30.1B15.1T1.3	*	30.1	15.1	1.3		0.316	90.40	110.76
RHRA32B16T1.5R2.2	*	32.0	16.0	1.5	2.2	0.385	92.22	135.00
RHA32B25T3	✓	32.0	25.0	3.0		0.872	114.00	306.00
RHRA32B27T1.8R1	*	32.0	27.0	1.8	1.0	0.566	116.28	198.66
RHRA34.5B12T1.2R1	*	34.5	12.0	1.2	1.0	0.300	91.50	105.20
RHRA34.8B24.8T0.65R2	*	34.8	24.8	0.65	2.0	0.211	116.00	73.92
RHA35B20T0.4	*	35.0	20.0	0.4		0.123	109.49	43.28
RHA35B20T0.5	*	35.0	20.0	0.5		0.154	109.50	54.00
RHRA35B25T1.5R3	*	35.0	25.0	1.5	3.0	0.471	114.85	165.20
RHRA35B26.5T3.5R1.5	*	35.0	26.5	3.5	1.5	1.082	120.42	379.57
RHA36B23T0.5	*	36.0	23.0	0.5		0.165	117.50	58.00
RHA37.2B24.2T1.1	*	37.2	24.2	1.1		0.371	122.30	130.24
RHRA38B7T1.2R1	*	38.0	7.0	1.2	1.0	0.289	88.30	101.50
RHA38B13T2.5	*	38.0	13.0	2.5		0.654	102.50	229.64
RHRA38B16T1.6R3	✓	38.0	16.0	1.6	3.0	0.446	102.85	156.52
RHA38B25T0.5	*	38.0	25.0	0.5		0.177	125.50	62.00
RHA38B25T0.6	*	38.0	25.0	0.6		0.211	126.00	74.16
RHA38B25T0.9	*	38.0	25.0	0.9		0.314	125.50	110.20
RHA38B25T1	*	38.0	25.0	1.0		0.348	126.00	122.00
RHA38B25T1.2	*	38.0	25.0	1.2		0.415	126.00	145.44
RHRA38B25T1.5R3	✓	38.0	25.0	1.5	3.0	0.496	120.85	174.21
RHA38B25T1.5	*	38.0	25.0	1.5		0.513	125.49	180.00
RHA38B25T2	✓	38.0	25.0	2.0		0.672	125.14	235.86
RHRA38B25T2.5R3	✓	38.0	25.0	2.5	3.0	0.805	120.85	282.49
RHA38B25T3	*	38.0	25.0	3.0		0.975	126.00	342.00
RHA38B25.4T0.9	*	38.0	25.4	0.9		0.317	126.50	111.10
RHA40B20T0.75	*	40.0	20.0	0.75		0.250	120.00	87.75
RHA40B20T0.9	*	40.0	20.0	0.9		0.298	119.49	104.68
RHA40B20T1	*	40.0	20.0	1.0		0.329	119.49	115.41
RHA40B20T1.2	✓	40.0	20.0	1.2		0.394	119.50	138.20
RHRA40B20T1.6R2	✓	40.0	20.0	1.6	2.0	0.509	116.60	178.54
RHRA40B20T2R2	*	40.0	20.0	2.0	2.0	0.629	116.57	220.64
RHA40B20T2.5	*	40.0	20.0	2.5		0.784	120.00	275.00
RHA40B20T3	✓	40.0	20.0	3.0		0.923	120.00	324.00
RHA40B25T2	✓	40.0	25.0	2.0		0.695	130.00	244.00
RHRA40B25T2.5R3	✓	40.0	25.0	2.5	3.0	0.834	124.85	292.49

Rectangular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RHA40B30T0.7	*	40.0	30.0	0.7		0.274	139.49	96.04
RHRA40B30T2R1	*	40.0	30.0	2.0	1.0	0.750	138.28	263.22
RHA40.6B23.6T0.8	*	40.6	23.6	0.8		0.286	128.40	100.20
RHA42.4B35T2	*	42.4	35.0	2.0		0.832	154.00	292.00
RHA45B20T1.5	*	45.0	20.0	1.5		0.530	129.66	186.00
RHA45B25T0.6	*	45.0	25.0	0.6		0.235	140.00	82.56
RHRA45B35T1R2	*	45.0	35.0	1.0	2.0	0.437	156.57	153.43
RHA45B40T3	*	45.0	40.0	3.0		1.351	170.00	474.00
RHA48B36T2.5	*	48.0	36.0	2.5		1.003	167.50	352.00
RHRA50B10T1.2R1.5	*	50.0	10.0	1.2	1.5	0.389	117.43	136.40
RHRA50B20T0.8R3	*	50.0	20.0	0.8	3.0	0.305	135.00	107.00
RHA50B20T1.1	*	50.0	20.0	1.1		0.425	140.00	149.16
RHA50B20T2	*	50.0	20.0	2.0		0.752	140.00	264.00
RHA50B25T0.6	*	50.0	25.0	0.6		0.252	149.50	88.56
RHA50B25T0.8	*	50.0	25.0	0.8		0.314	149.49	110.17
RHA50B25T1.2	✓	50.0	25.0	1.2		0.496	150.00	174.20
RHA50B25T1.6	✓	50.0	25.0	1.6		0.654	149.00	229.60
RHA50B25T2.5	*	50.0	25.0	2.5		0.998	150.00	350.00
RHA50B25T3	✓	50.0	25.0	3.0		1.180	150.00	414.00
RHRA50B25T3R3	✓	50.0	25.0	3.0	3.0	1.158	144.85	406.27
RHA50B30T1.2	*	50.0	30.0	1.2		0.531	160.00	186.20
RHA50B30T1.5	*	50.0	30.0	1.5		0.658	160.00	231.00
RHA50B30T2	✓	50.0	30.0	2.0		0.866	160.00	304.00
RHA50B34T1.5	*	50.0	34.0	1.5		0.693	168.00	243.00
RHRA50B34T2R3.5	*	50.0	34.0	2.0	3.5	0.887	162.00	311.40
RHA50B35T3	*	50.0	35.0	3.0		1.351	170.00	474.00
RHA50B38.5T2	*	50.0	38.5	2.0		0.963	176.14	338.00
RHA50B40T2	✓	50.0	40.0	2.0		0.980	180.00	344.00
RHRA50B40T2R3	✓	50.0	40.0	2.0	3.0	0.961	174.85	337.13
RHRA50B40T3R5	*	50.0	40.0	3.0	5.0	1.385	171.42	485.97
RHA50.2B25.4T0.9	*	50.2	25.4	0.9		0.378	150.70	132.80
RHA50.8B38.1T0.9	*	50.8	38.1	0.9		0.447	177.30	156.80
RHRA51B39T1.8R1.5	*	51.0	39.0	1.8	1.5	0.881	177.43	309.11
RHA53B30T1	*	53.0	30.0	1.0		0.462	165.49	162.00
RHA54.7B11T0.7	*	54.7	11.0	0.7		0.257	131.40	90.00
RHA55B9T1.3	*	55.0	9.0	1.3		0.455	127.50	159.56
RHA55B15T0.7	*	55.0	15.0	0.7		0.324	139.49	113.72
RHA55B22T0.7	✓	55.0	22.0	0.7		0.302	153.49	105.84
RHA55B30T1	*	55.0	30.0	1.0		0.473	170.00	166.00
RHA55B40T3	*	55.0	40.0	3.0		1.522	190.00	534.00

Rectangular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RHRA55B40T4R2	*	55.0	40.0	4.0	2.0	1.984	186.70	696.00
RHRA55.5B11.2T0.8R1.5	*	55.5	11.2	0.8	1.5	0.297	130.82	104.16
RHA59B18T1.5	*	59.0	18.0	1.5		0.633	154.00	222.00
RHA60B20T1.2	*	60.0	20.0	1.2		0.531	159.50	186.20
RHRA60B25T1.3R3	*	60.0	25.0	1.3	3.0	0.596	164.85	209.00
RHRA60B25T1.5R3	*	60.0	25.0	1.5	3.0	0.701	164.90	246.00
RHRA60B25T1.5R5.5	*	60.0	25.0	1.5	5.5	0.672	160.56	235.91
RHRA60B26T2R5	*	60.0	26.0	2.0	5.0	0.896	163.42	314.27
RHRA60B30T1.5R3	✓	60.0	30.0	1.5	3.0	0.727	174.85	255.21
RHA60B30T4	*	60.0	30.0	4.0		1.870	180.00	656.00
RHA60B40T2	✓	60.0	40.0	2.0		1.094	200.00	384.00
RHRA60B40T2R3	✓	60.0	40.0	2.0	3.0	1.075	195.00	377.13
RHA60B40T2.5	*	60.0	40.0	2.5		1.354	199.50	475.00
RHRA60B40T2.9R1	*	60.0	40.0	2.9	1.0	1.555	198.28	545.50
RHA60B40T3	✓	60.0	40.0	3.0		1.607	199.20	563.90
RHRA60B40T3R6	*	60.0	40.0	3.0	6.0	1.600	196.57	561.42
RHA60B40T3.8	*	60.0	40.0	3.8		2.001	200.00	702.24
RHSA60B40T3	*	60.0	40.0	3.0		2.069	200.00	726.00
RHA60B40T4	✓	60.0	40.0	4.0		2.098	200.00	736.00
RHRA60B40T5R2	*	60.0	40.0	5.0	2.0	2.555	196.57	896.57
RHRA62.8B17.6T0.8R4	*	62.8	17.6	0.8	4.0	0.345	153.93	121.14
RHA64B25T0.9	*	64.0	25.0	0.9		0.447	178.00	156.96
RHRA65B16T1.2R2	✓	65.0	16.0	1.2	2.0	0.568	161.50	199.30
RHA65B16T1.2	*	65.0	16.0	1.2	2.0	0.529	158.57	185.76
RHA65B30T2.5	✓	65.0	30.0	2.5		1.283	189.50	450.00
RHA65B50T3	✓	65.0	50.0	3.0		1.864	229.14	653.86
RHA65B50T8	*	65.0	50.0	8.0		4.519	230.00	1585.72
RHA69.9B19.9T0.9	*	69.9	19.9	0.9		0.451	179.00	158.31
RHA70B20T1	*	70.0	20.0	1.0		0.500	179.49	175.41
RHA70B25T2	*	70.0	25.0	2.0	1.0	1.035	188.28	363.14
RHRA70B25T4R2	*	70.0	25.0	4.0	2.0	1.984	190.00	696.00
RHRA70B25.5T0.9R3.5	*	70.0	25.5	0.9	3.5	0.447	184.99	156.83
RHA70B30.2T1	*	70.0	30.2	1.0		0.450	199.89	157.76
RHA70B40T3	✓	70.0	40.0	3.0		1.778	219.14	623.86
RHA71.6B21.3T1	*	71.6	21.3	1.0		0.518	185.29	181.80
RHRA74B25T1.8R3	*	74.0	25.0	1.8	3.0	1.052	192.85	369.11
RHA75B25T2.2	✓	75.0	25.0	2.2		1.199	199.20	420.70
RHA75B40T2	✓	75.0	40.0	2.0		1.265	230.00	444.00
RHA75B40T6	✓	75.0	40.0	6.0		3.523	229.57	1236.00
RHA75B45T0.8	*	75.0	45.0	0.8		0.507	239.50	177.80

Rectangular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RHA75B45T3	✓	75.0	45.0	3.0		1.949	239.14	683.86
RHA75B50T3	✓	75.0	50.0	3.0		2.035	249.50	714.00
RHA76B25T1.2	*	76.0	25.0	1.2		0.674	201.50	236.60
RHA76B25T1.5	*	76.0	25.0	1.5		0.838	201.50	236.60
RHA76B44T0.7	*	76.0	44.0	0.7		0.473	240.00	166.00
RHA76B44T1	*	76.0	44.0	1.0		0.673	240.00	236.00
RHA76B44T1.2	*	76.0	44.0	1.2		0.804	240.00	282.20
RHA76B44T1.4	*	76.0	44.0	1.4		0.935	240.00	328.00
RHA76B44T1.5	*	76.0	44.0	1.5		1.000	240.00	351.00
RHA76B44T2.0	✓	76.0	44.0	2.0		1.322	240.00	464.00
RHA76.2B25.4T0.9	✓	76.2	25.4	0.9		0.512	202.70	179.60
RHA76.2B25.4T2.4	✓	76.2	25.4	2.4		1.324	203.20	464.64
RHA76B44.5T0.9	*	76.0	44.5	0.9		0.610	240.80	214.00
RHRA77B32T2.7R3	✓	77.0	32.0	2.7	3.0	1.573	212.85	551.80
RHRA78.6B35.4T2R3	*	78.6	35.4	2.0	3.0	1.234	222.85	433.13
RHRA79.5B19.9T0.85	*	79.5	19.9	0.85		0.473	198.00	166.10
RHRA80B16T1.1R2	*	80.0	16.0	1.1	2.0	0.580	188.57	203.62
RHA80B20T0.7	✓	80.0	20.0	0.7		0.449	199.50	157.50
RHA80B20T2	*	80.0	20.0	2.0		1.094	200.00	384.00
RHSA80B20T2.5	*	80.0	20.0	2.5		1.397	200.00	490.00
RHA80B25T1	*	80.0	25.0	1.0		0.587	209.50	206.00
RHA80B25T3	✓	80.0	25.0	3.0		1.693	210.00	594.00
RHA80B40T0.9	*	80.0	40.0	0.9		0.573	240.00	201.11
RHA80B40T1.5	*	80.0	40.0	1.5		1.000	240.00	350.90
RHA80B40T1.8	✓	80.0	40.0	1.8		1.194	240.00	419.00
RHRA80B40T2R3	✓	80.0	40.0	2.0	3.0	1.303	243.85	457.13
RHRA80B40T3.5R3	*	80.0	40.0	3.5	3.0	2.254	234.80	791.00
RHA80B40T4	*	80.0	40.0	4.0		2.554	240.00	896.00
RHA80B50T3	✓	80.0	50.0	3.0		2.120	260.00	744.00
RHRA80B50T3R3	✓	80.0	50.0	3.0	3.0	2.098	254.85	736.28
RHA80B60T6	*	80.0	60.0	6.0		4.378	280.00	1536.00
RHA90B25T0.8	*	90.0	25.0	0.8		0.517	229.50	181.40
RHA90B25T4	*	90.0	25.0	4.0		2.440	229.50	856.00
RHA90B50T2	✓	90.0	50.0	2.0		1.550	279.14	543.86
RHA90B50T6	✓	90.0	50.0	6.0		4.378	280.00	1536.00
RHA90B60T3	*	90.0	60.0	3.0		2.384	300.00	836.50
RHA90B60T5	*	90.0	60.0	5.0		4.051	300.00	1421.46
RHA90B76T8	*	90.0	76.0	8.0		6.825	325.13	2394.77
RHA92B28T3	*	92.0	28.0	3.0		2.200	240.00	772.00
RHA100B15T1.2	*	100.0	15.0	1.2		0.770	229.50	270.20

Rectangular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RHA100B15T1.3	*	100.0	15.0	1.3		0.833	230.00	292.24
RHRA100B16T1.4R3	✓	100.0	16.0	1.4	3.0	0.888	226.85	311.43
RHA100B16T1.6	✓	100.0	16.0	1.6		1.029	232.00	360.96
RHA100B18T2.3	*	100.0	18.0	2.3		1.388	236.00	486.91
RHA100B19.7T1.4	✓	100.0	19.7	1.4		0.933	238.50	372.20
RHSA100B19.7T1.4	*	100.0	19.7	1.4		0.949	238.50	333.10
RHA100B20T0.8	*	100.0	20.0	0.8		0.540	240.00	189.44
RHA100B20T1.2	*	100.0	20.0	1.2		0.804	239.49	282.24
RHA100B25T1.5	*	100.0	25.0	1.5		1.043	250.00	366.00
RHA100B25T2.5	✓	100.0	25.0	2.5		1.710	249.20	600.00
RHA100B30T1.5	*	100.0	30.0	1.5		1.086	260.00	381.00
RHA100B40T2	✓	100.0	40.0	2.0		1.550	280.00	544.00
RHA100B44T1.4	✓	100.0	44.0	1.4		1.127	288.00	395.40
RHA100B44T2	*	100.0	44.0	2.0		1.596	288.00	560.10
RHA100B44T3	*	100.0	44.0	3.0		2.360	288.00	828.00
RHA100B45T0.8	*	100.0	45.0	0.8		0.613	289.49	215.17
RHA100B45T3	*	100.0	45.0	3.0		2.377	290.00	834.00
RHA100B45T4	*	100.0	45.0	4.0		3.124	290.00	1096.00
RHA100B50T1.5	✓	100.0	50.0	1.5		1.257	300.00	441.00
RHRA100B50T1.6R3	*	100.0	50.0	1.6	3.0	1.322	294.85	463.72
RHA100B50T2.5	*	100.0	50.0	2.5		2.066	300.00	725.00
RHA100B50T3	✓	100.0	50.0	3.0		2.462	300.00	864.00
RHRA100B50T3R3	✓	100.0	50.0	3.0	3.0	2.440	294.85	856.28
RHRA100B50T4R12	*	100.0	50.0	4.0	12.0	3.042	279.40	1067.33
RHRA100B50T5R3	*	100.0	50.0	5.0	3.0	3.969	294.85	1392.49
RHA100B50T6	✓	100.0	50.0	6.0		4.719	299.20	1655.90
RHRA100B55T2.5R1.5	*	100.0	55.0	2.5	1.5	2.135	307.00	749.00
RHA100B60T2	*	100.0	60.0	2.0		1.778	320.00	624.00
RHRA100B60T5R1	✓	100.0	60.0	5.0	1.0	4.273	318.28	1499.22
RHA100B80T1.8	*	100.0	80.0	1.8		1.810	360.00	635.00
RHA100B80T2	✓	100.0	80.0	2.0		2.006	360.00	704.00
RHRA101.6B25.4T0.9	*	101.6	25.4	0.9		0.642	253.50	225.40
RHA101.6B44.5T0.9	*	101.6	44.5	0.9		0.659	291.60	231.12
RHA101.6B50.8T3.2	*	101.6	50.8	3.2		2.663	304.80	934.40
RHRA102B75T2.5R7.5	*	102.0	75.0	2.5	7.5	2.375	341.12	833.18
RHA120B25T4	✓	120.0	25.0	4.0		3.124	290.00	1096.00
RHA120B30T3	*	120.0	30.0	3.0		2.462	300.00	864.00
RHA120B60T2	*	120.0	60.0	2.0		2.006	360.00	704.00
RHA120B60T2.9	✓	120.0	60.0	2.9		2.880	360.00	1010.40
RHA120B60T5	✓	120.0	60.0	5.0		4.845	360.00	1700.00

Rectangular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RHA120B60T6	✓	120.0	60.0	6.0		5.746	360.00	2016.00
RHRA120B66T3.9R2	*	120.0	66.0	3.9	2.0	3.962	369.00	1390.00
RHA120B80T6	*	120.0	80.0	6.0		6.430	400.00	2256.0
RHA125B30T2.5	✓	125.0	30.0	2.5		2.138	310.00	750.00
RHA125B40T3	✓	125.0	40.0	3.0		2.719	329.20	954.00
RHA125B50T3	✓	125.0	50.0	3.0		2.890	349.14	1013.86
RHRA125B50T6R3	✓	125.0	50.0	6.0	3.0	5.553	344.85	1948.27
RHA125B65T5	✓	125.0	65.0	5.0		5.130	380.00	1800.00
RHA128B58T8	*	128.0	58.0	8.0		9.276	372.00	3254.90
RHRA130B76T8R4	*	130.0	76.0	8.0	4.0	8.649	405.13	3034.77
RHA140B45T3	*	140.0	45.0	3.0		3.041	364.85	1067.13
RHA150B30T2.5	✓	150.0	30.0	2.5		2.494	360.00	875.00
RHA150B40T1.35	*	150.0	40.0	1.35		1.468	379.49	515.04
RHA150B50T2.5	*	150.0	50.0	2.5		2.779	400.00	975.00
RHA150B50T3	✓	150.0	50.0	3.0		3.317	400.00	1164.00
RHRA150B50T5R3	*	150.0	50.0	5.0	3.0	5.394	394.85	1892.49
RHA150B50T6	✓	150.0	50.0	6.0		6.429	399.49	2255.92
RHRA150B50T6R3	✓	150.0	50.0	6.0	3.0	6.408	394.85	2248.27
RHA150B75T5	✓	150.0	75.0	5.0		6.128	450.00	2150.00
RHA150B76T2.5	✓	150.0	76.0	2.5		3.149	452.00	1105.00
RHA150B100T2.5	✓	150.0	100.0	2.5		3.445	500.00	1208.92
RHA150B100T4	*	150.0	100.0	4.0		5.518	500.00	1936.00
RHA150B100T5	✓	150.0	100.0	5.0		6.840	499.49	2399.92
RHRA154.9B79.7T6R14.6	*	154.9	79.7	6.0	14.6	7.358	444.24	2581.72
RHA160B60T4	✓	160.0	60.0	4.0		4.834	440.00	1696.00
RHA160B60T5	*	160.0	60.0	5.0		5.985	440.00	2100.00
RHRA160B148.5T6R10	*	160.0	148.5	6.0	10.0	9.935	599.83	3485.90
RHRA160B150T6R10	*	160.0	150.0	6.0	10.0	9.986	602.83	3503.90
RHRA169B86.2T6R15.1	*	169.0	86.2	6.0	15.1	8.026	484.57	2816.07
RHA171B93T10	*	171.0	93.0	10.0		13.959	527.14	4897.79
RHA173B73T5	*	173.0	73.0	5.0		6.726	492.00	2360.00
RHRA174B86.6T7.5R5	*	174.0	86.6	7.5	5.0	10.450	512.62	3666.69
RHA180B80T3	✓	180.0	80.0	3.0		4.344	520.00	1524.10
RHA200B30T2.8	✓	200.0	30.0	2.8		3.519	460.00	1234.75
RHA200B40T3	✓	200.0	40.0	3.0		4.001	480.00	1404.00
RHA200B50T2	*	200.0	50.0	2.0		2.804	499.14	983.79
RHA200B50T3	✓	200.0	50.0	3.0		4.172	500.00	1464.00
RHA200B60T2	*	200.0	60.0	2.0		2.918	520.00	1024.00
RHA200B75T3	✓	200.0	75.0	3.0		4.600	549.50	1614.00
RHA200B100T3	✓	200.0	100.0	3.0		5.027	600.00	1764.00

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD6.5T1	*	6.5	1.0	0.049	20.42	17.28
RTD8T1.2	*	8.0	1.2	0.073	25.13	25.65
RTD8T1.5	*	8.0	1.5	0.087	25.13	30.63
RTD8.7T2.37	*	8.7	2.37	0.134	27.33	47.13
RTD8.9T1.8	*	8.9	1.8	0.114	27.95	40.15
RTD8.9T1.55	*	8.9	1.55	0.102	27.95	35.79
RTD9T1.4	*	9.0	1.4	0.095	28.27	33.43
RTD9T2	✓	9.0	2.0	0.125	28.26	43.98
RTD9.5T0.9	*	9.5	0.9	0.069	29.85	24.32
RTD9.5T1.4	✓	9.5	1.4	0.103	29.92	36.18
RTD10T1	*	10.0	1.0	0.081	31.40	28.27
RTD10T1.2	✓	10.0	1.2	0.095	31.40	33.18
RTD10T1.5	*	10.0	1.5	0.114	31.42	40.01
RTD10T2	*	10.0	2.0	0.143	31.42	50.27
RTD10.6T1.6	*	10.6	1.6	0.129	33.28	45.21
RTD11T0.7	*	11.0	0.7	0.065	34.60	22.65
RTD11T2	*	11.0	2.0	0.161	34.56	56.55
RTD11T3	*	11.0	3.0	0.215	34.56	75.40
RTD11.8T0.95	*	11.8	0.95	0.092	37.07	32.38
RTD12T0.8	*	12.0	0.8	0.080	37.70	28.13
RTD12T0.9	*	12.0	0.9	0.089	37.70	31.37
RTD12T1	*	12.0	1.0	0.098	37.70	34.56
RTD12T1.2	*	12.0	1.2	0.116	37.70	40.69
RTD12T1.6	✓	12.0	1.6	0.149	37.70	52.28
RTD12T2	*	12.0	2.0	0.179	37.70	62.83
RTD12T2.6	*	12.0	2.6	0.219	37.70	76.78
RTD12T3.9	*	12.0	3.9	0.283	37.70	99.24
RTD12.4T0.8	*	12.4	0.8	0.083	38.96	29.15
RTD12.5T2	*	12.5	2.0	0.188	39.27	65.97
RTD12.7T1.4	✓	12.7	1.4	0.142	39.88	49.68
RTD12.7T1.72	*	12.7	1.72	0.169	39.90	59.33
RTD12.7T3.57	*	12.7	3.57	0.292	27.20	102.46
RTD13T1	*	13.0	1.0	0.107	40.84	37.70
RTD13T1.1	*	13.0	1.1	0.117	40.84	41.12
RTD13T1.2	*	13.0	1.2	0.127	40.84	44.49
RTD13T1.4	*	13.0	1.4	0.145	40.84	51.02
RTD13T2	*	13.0	2.0	0.197	40.84	69.12
RTD13T4.7	*	13.0	4.7	0.349	40.84	112.55
RTD13.5T1.25	*	13.5	1.25	0.137	42.41	48.11
RTD13.7T2	*	13.7	2.0	0.210	43.02	73.48

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD13.8T0.5	*	13.8	0.5	0.060	43.35	20.89
RTD14T0.5	*	14.0	0.5	0.060	43.98	21.21
RTD14T0.65	*	14.0	0.65	0.078	43.96	27.25
RTD14T0.7	*	14.0	0.7	0.083	43.96	29.23
RTD14T0.8	*	14.0	0.8	0.095	43.96	33.16
RTD14T0.9	*	14.0	0.9	0.106	43.96	37.02
RTD14T1.2	*	14.0	1.2	0.138	43.96	48.26
RTD14T1.5	*	14.0	1.5	0.168	43.96	58.88
RTD14T2	✓	14.0	2.0	0.215	44.00	75.40
RTD14T3.6	*	14.0	3.6	0.335	44.00	117.62
RTD14.5T3.85	*	14.5	3.85	0.367	45.55	128.81
RTD14.8T1.2	*	14.8	1.2	0.146	46.50	51.27
RTD15T0.5	*	15.0	0.5	0.065	47.12	22.78
RTD15T0.65	*	15.0	0.65	0.084	47.12	29.30
RTD15T0.8	*	15.0	0.8	0.102	47.12	35.67
RTD15T1	*	15.0	1.0	0.125	47.12	43.98
RTD15T1.1	*	15.0	1.1	0.137	47.12	48.04
RTD15T1.2	*	15.0	1.2	0.148	47.12	52.00
RTD15T2	*	15.0	2.0	0.233	47.12	81.68
RTD15T1.4	✓	15.0	1.4	0.170	47.12	59.79
RTD15T3.5	*	15.0	3.5	0.360	47.12	126.45
RTD15T4.1	*	15.0	4.1	0.400	47.12	140.40
RTD16T0.6	*	16.0	0.6	0.083	50.27	29.01
RTD16T0.7	*	16.0	0.7	0.096	50.27	33.65
RTD16T0.8	*	16.0	0.8	0.109	50.27	38.18
RTD16T1	*	16.0	1.0	0.134	50.27	47.10
RTD16T1.1	*	16.0	1.1	0.147	50.27	51.47
RTD16T1.2	*	16.0	1.2	0.159	50.27	55.77
RTD16T1.3	✓	16.0	1.3	0.171	50.27	60.00
RTD16T1.6	✓	16.0	1.6	0.206	50.27	72.38
RTD16T2	*	16.0	2.0	0.251	50.27	88.00
RTD16T3	*	16.0	3.0	0.349	50.27	122.52
RTD16T4	*	16.0	4.0	0.430	50.27	150.80
RTD16T4.6	*	16.0	4.6	0.470	50.27	164.75
RTD17T0.7	*	17.0	0.7	0.102	53.41	35.79
RTD17T1	*	17.0	1.0	0.143	53.41	50.27
RTD17T2	*	17.0	2.0	0.269	53.41	94.25
RTD17T3	✓	17.0	3.0	0.376	53.41	132.00
RTD17T4	*	17.0	4.0	0.466	53.41	163.36
RTD17T4.5	*	17.0	4.5	0.504	53.41	176.72

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD17T5.1	*	17.0	5.1	0.543	53.41	190.66
RTD17T5.6	*	17.0	5.6	0.572	53.41	200.56
RTD17T5.9	*	17.0	5.9	0.586	53.41	205.74
RTD17.5T2	*	17.5	2.0	0.278	54.99	97.39
RTD18T1	*	18.0	1.0	0.152	56.55	53.41
RTD18T1.2	*	18.0	1.2	0.180	56.52	63.34
RTD18T1.5	*	18.0	1.5	0.222	56.52	77.75
RTD18T2	*	18.0	2.0	0.287	56.55	100.53
RTD18T2.5	*	18.0	2.5	0.347	56.55	121.74
RTD18T3	✓	18.0	3.0	0.403	56.55	141.37
RTD18T4	*	18.0	4.0	0.501	56.55	176.00
RTD18T5.5	*	18.0	5.5	0.616	56.55	215.98
RTD18T5.6	*	18.0	5.6	0.622	56.55	218.15
RTD18T6.1	*	18.0	6.1	0.650	56.55	228.05
RTD18.5T6.65	*	18.5	6.7	0.706	58.12	247.57
RTD18.6T0.8	*	18.6	0.8	0.127	58.43	44.80
RTD19T0.6	*	19.0	0.6	0.099	59.69	34.68
RTD19T0.7	*	19.0	0.7	0.115	59.69	40.22
RTD19T0.8	*	19.0	0.8	0.130	59.69	45.74
RTD19T0.9	*	19.0	0.9	0.146	59.69	51.15
RTD19T1	*	19.0	1.0	0.161	59.69	56.52
RTD19T1.1	*	19.0	1.1	0.176	59.69	61.83
RTD19T1.2	✓	19.0	1.2	0.191	59.69	67.07
RTD19T1.4	✓	19.0	1.4	0.221	59.69	77.37
RTD19T1.5	*	19.0	1.5	0.235	59.69	82.43
RTD19T1.6	✓	19.0	1.6	0.249	59.69	87.42
RTD19T1.85	*	19.0	1.85	0.284	59.69	99.62
RTD19T2	✓	19.0	2.0	0.304	59.69	106.76
RTD19T3	✓	19.0	3.0	0.430	59.69	150.80
RTD19T4	*	19.0	4.0	0.537	59.69	188.50
RTD19T6	*	19.0	6.0	0.698	59.69	245.04
RTD19T6.1	*	19.0	6.1	0.705	59.69	247.21
RTD19T6.6	*	19.0	6.6	0.733	59.69	257.11
RTD19.2T1.5	*	19.2	1.5	0.238	60.29	83.37
RTD19.3T1.4	*	19.3	1.4	0.224	60.60	78.69
RTD19.8T0.8	*	19.8	0.8	0.136	62.20	47.75
RTD20T0.7	*	20.0	0.7	0.121	62.83	42.42
RTD20T1	*	20.0	1.0	0.170	62.83	59.66
RTD20T1.2	✓	20.0	1.2	0.202	62.83	70.84
RTD20T1.3	*	20.0	1.3	0.218	62.83	76.37

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD20T1.5	*	20.0	1.5	0.248	62.83	87.18
RTD20T1.6	✓	20.0	1.6	0.264	62.83	92.49
RTD20T2	*	20.0	2.0	0.322	62.83	113.10
RTD20T3	✓	20.0	3.0	0.457	62.83	160.22
RTD20T4	*	20.0	4.0	0.573	62.83	201.06
RTD20T5	*	20.0	5.0	0.672	62.83	235.62
RTD20T6.5	*	20.0	6.5	0.786	62.83	275.68
RTD20T6.6	*	20.0	6.6	0.792	62.83	277.84
RTD20T6.85	*	20.0	6.85	0.807	62.83	282.99
RTD20T7.1	*	20.0	7.1	0.820	62.83	287.74
RTD20.2T5.8	*	20.2	5.8	0.748	63.43	262.39
RTD20.5T1	*	20.5	1.0	0.175	64.40	61.26
RTD20.5T2	*	20.5	2.0	0.331	64.40	116.24
RTD21T0.8	*	21.0	0.8	0.145	65.97	50.74
RTD21T1	*	21.0	1.0	0.179	65.97	62.83
RTD21T2	*	21.0	2.0	0.340	65.97	119.40
RTD21T2.3	*	21.0	2.3	0.385	65.97	135.05
RTD21T2.5	*	21.0	2.5	0.414	65.97	145.30
RTD21T3	*	21.0	3.0	0.483	65.97	169.65
RTD21T4	✓	21.0	4.0	0.609	65.97	213.63
RTD21T5	*	21.0	5.0	0.716	65.97	251.33
RTD21T7.1	*	21.0	7.1	0.884	65.97	310.00
RTD21T7.6	*	21.0	7.6	0.912	65.97	319.94
RTD21.5T2	*	21.5	2.0	0.349	67.54	122.52
RTD21.6T0.8	*	21.6	0.8	0.149	67.86	52.34
RTD21.7T0.65	*	21.7	0.65	0.123	68.17	43.00
RTD21.9T3	*	21.9	3.0	0.508	68.77	178.04
RTD21.8T0.8	*	21.8	0.8	0.150	68.45	52.75
RTD21.8T1	*	21.8	1.0	0.186	68.45	65.34
RTD22T0.6	*	22.0	0.6	0.189	69.11	66.34
RTD22T0.7	*	22.0	0.7	0.133	69.11	46.82
RTD22T0.75	*	22.0	0.75	0.143	69.11	50.70
RTD22T0.8	*	22.0	0.8	0.152	69.11	53.30
RTD22T0.9	*	22.0	0.9	0.170	69.11	59.63
RTD22T1	✓	22.0	1.0	0.188	69.11	65.94
RTD22T1.1	*	22.0	1.1	0.206	69.11	72.23
RTD22T1.2	*	22.0	1.2	0.223	69.11	78.37
RTD22T1.4	*	22.0	1.4	0.258	69.11	90.56
RTD22T1.8	*	22.0	1.8	0.326	69.11	114.17
RTD22T2	*	22.0	2.0	0.358	69.11	125.60

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD22T2.15	*	22.0	2.15	0.382	69.11	134.01
RTD22T2.6	*	22.0	2.6	0.452	69.11	158.38
RTD22T3	✓	22.0	3.0	0.510	69.11	179.10
RTD22T4	*	22.0	4.0	0.645	69.11	226.20
RTD22T5	*	22.0	5.0	0.761	69.11	267.00
RTD22T5.9	*	22.0	5.9	0.850	69.11	298.42
RTD22T6.9	*	22.0	6.9	0.933	69.11	327.32
RTD22T8.1	*	22.0	8.1	1.008	69.11	353.71
RTD22.2T1.1	*	22.2	1.1	0.208	69.71	72.88
RTD22.5T1	*	22.5	1.0	0.193	70.70	67.54
RTD22.5T2	*	22.5	2.0	0.367	70.69	128.81
RTD22.6T0.55	*	22.6	0.55	0.109	71.00	38.10
RTD22.6T1.3	*	22.6	1.3	0.248	71.00	86.99
RTD22.8T1.3	*	22.8	1.3	0.250	71.59	87.76
RTD23T1	*	23.0	1.0	0.197	72.26	69.11
RTD23T2	*	23.0	2.0	0.376	72.26	132.00
RTD23T3	✓	23.0	3.0	0.537	72.26	188.50
RTD23T4	*	23.0	4.0	0.680	72.26	238.76
RTD23T5	*	23.0	5.0	0.806	72.26	282.74
RTD23T7	*	23.0	7.0	1.003	72.26	351.86
RTD23T8	*	23.0	8.0	1.074	72.26	376.99
RTD23T8.6	*	23.0	8.6	1.109	72.26	389.06
RTD23.5T2	*	23.5	2.0	0.385	73.83	135.09
RTD23.6T1.15	*	23.6	1.15	0.231	74.14	81.11
RTD23.9T1	*	23.9	1.0	0.205	75.05	71.91
RTD24T1	*	24.0	1.0	0.206	75.40	72.26
RTD24T1.5	*	24.0	1.5	0.302	75.40	106.03
RTD24T2	✓	24.0	2.0	0.394	75.40	138.23
RTD24T2.5	*	24.0	2.5	0.481	75.40	168.86
RTD24T3	*	24.0	3.0	0.564	75.40	197.92
RTD24T4	*	24.0	4.0	0.716	75.40	251.33
RTD24T5	*	24.0	5.0	0.851	75.40	298.45
RTD24T6	*	24.0	6.0	0.967	75.40	339.30
RTD24T7	*	24.0	7.0	1.065	75.40	373.85
RTD24T8.55	*	24.0	8.55	1.183	75.40	415.00
RTD24T9.1	*	24.0	9.1	1.214	75.40	426.00
RTD24.5T1.25	*	24.5	1.25	0.260	77.00	91.30
RTD24.5T2	*	24.5	2.0	0.403	76.97	141.37
RTD24.8T1.7	*	24.8	1.7	0.352	77.90	123.40
RTD24.8T1.9	*	24.8	1.9	0.390	77.87	136.62

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD24.8T1.1	*	24.8	1.1	0.234	78.19	82.21
RTD24.9T1.2	*	24.9	1.2	0.255	78.19	89.30
RTD25T0.7	*	25.0	0.7	0.152	78.54	53.44
RTD25T0.8	*	25.0	0.8	0.173	78.54	60.79
RTD25T0.9	*	25.0	0.9	0.194	78.54	68.11
RTD25T1	*	25.0	1.0	0.215	78.54	75.36
RTD25T1.1	*	25.0	1.1	0.235	78.54	82.55
RTD25T1.2	✓	25.0	1.2	0.256	78.54	89.68
RTD25T1.4	*	25.0	1.4	0.296	78.54	103.75
RTD25T1.5	✓	25.0	1.5	0.316	78.54	110.69
RTD25T1.8	*	25.0	1.8	0.374	78.54	131.13
RTD25T1.9	✓	25.0	1.9	0.393	78.54	137.82
RTD25T2	*	25.0	2.0	0.412	78.54	144.51
RTD25T2.5	*	25.0	2.5	0.504	78.54	176.63
RTD25T3	✓	25.0	3.0	0.591	78.54	207.24
RTD25T3.5	*	25.0	3.5	0.674	78.54	236.41
RTD25T4	*	25.0	4.0	0.752	78.54	263.90
RTD25T5	*	25.0	5.0	0.895	78.54	314.00
RTD25T5.5	*	25.0	5.5	0.960	78.54	336.94
RTD25T6	*	25.0	6.0	1.020	78.54	357.96
RTD25T7.3	*	25.0	7.3	1.157	78.54	405.72
RTD25T8.25	*	25.0	8.25	1.237	78.54	433.91
RTD25T9.1	*	25.0	9.1	1.295	78.54	454.33
RTD25T9.6	*	25.0	9.6	1.324	78.54	464.45
RTD25.2T7.3	*	25.2	7.3	1.170	79.17	410.51
RTD25.4T1.2	✓	25.4	1.2	0.260	79.80	91.19
RTD25.4T2.8	*	25.4	2.8	0.567	79.80	198.70
RTD25.5T1	*	25.5	1.0	0.219	80.11	77.00
RTD25.5T1.2	*	25.5	1.2	0.261	80.11	91.61
RTD25.5T2	*	25.5	2.0	0.421	80.11	147.66
RTD25.5T3	*	25.5	3.0	0.604	80.11	212.06
RTD25.6T1.4	*	25.6	1.4	0.303	80.38	106.38
RTD25.9T1.2	*	25.9	1.2	0.265	81.33	93.12
RTD25.9T1.3	*	25.9	1.3	0.286	81.33	100.42
RTD26T1	*	26.0	1.0	0.224	81.68	78.54
RTD26T2	*	26.0	2.0	0.430	81.68	150.80
RTD26T2.5	*	26.0	2.5	0.526	81.68	184.57
RTD26T3	✓	26.0	3.0	0.618	81.68	216.66
RTD26T3.5	*	26.0	3.5	0.705	81.68	247.40
RTD26T4	*	26.0	4.0	0.788	81.68	276.46

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD26T5	*	26.0	5.0	0.940	81.68	329.87
RTD26T7	*	26.0	7.0	1.191	81.68	417.83
RTD26T8	*	26.0	8.0	1.289	81.68	452.39
RTD26T8.7	*	26.0	8.7	1.348	81.68	472.60
RTD26T10.1	*	26.0	10.1	1.438	81.68	504.51
RTD26.2T1.7	*	26.2	1.7	0.373	82.27	130.78
RTD26.3T2	*	26.3	2.0	0.435	82.58	152.60
RTD26.5T2	*	26.5	2.0	0.439	83.25	153.94
RTD27T0.7	*	27.0	0.7	0.165	84.82	57.84
RTD27T1	*	27.0	1.0	0.233	84.82	81.68
RTD27T1.2	*	27.0	1.2	0.277	84.78	97.21
RTD27T2	*	27.0	2.0	0.448	84.82	157.10
RTD27T2.2	*	27.0	2.2	0.489	84.78	171.41
RTD27T3	✓	27.0	3.0	0.645	84.82	226.20
RTD27T4	*	27.0	4.0	0.824	84.78	288.88
RTD27T5	*	27.0	5.0	0.985	84.82	345.58
RTD27T10.6	*	27.0	10.6	1.556	84.80	546.14
RTD27.2T4.5	*	27.2	4.5	0.915	85.41	320.75
RTD27.5T1	*	27.5	1.0	0.237	86.40	83.25
RTD27.5T1.1	*	27.5	1.1	0.260	86.40	91.23
RTD27.5T2	*	27.5	2.0	0.457	86.40	160.22
RTD27.6T1.3	*	27.6	1.3	0.306	86.70	107.41
RTD27.8T1	*	27.8	1.0	0.240	87.30	84.20
RTD27.9T0.55	*	27.9	0.55	0.135	87.61	47.23
RTD28T0.8	*	28.0	0.8	0.195	87.97	68.33
RTD28T1	*	28.0	1.0	0.242	87.97	84.78
RTD28T1.1	*	28.0	1.1	0.265	87.97	92.91
RTD28T1.5	*	28.0	1.5	0.356	87.97	124.82
RTD28T1.8	*	28.0	1.8	0.422	87.97	148.08
RTD28T2	*	28.0	2.0	0.466	87.97	163.36
RTD28T2.2	*	28.0	2.2	0.508	87.97	178.32
RTD28T3	*	28.0	3.0	0.672	87.97	235.62
RTD28T3.2	*	28.0	3.2	0.711	87.97	249.19
RTD28T3.5	*	28.0	3.5	0.768	87.97	269.39
RTD28T4	✓	28.0	4.0	0.860	87.97	301.44
RTD28T5	*	28.0	5.0	1.030	87.97	361.28
RTD28T6.5	*	28.0	6.5	1.251	87.97	439.04
RTD28T6.9	*	28.0	6.9	1.304	87.97	457.39
RTD28T11.1	*	28.0	11.1	1.680	87.97	589.33
RTD28.3T1	*	28.3	1.0	0.244	88.86	85.72

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD28.5T2	*	28.5	2.0	0.475	89.54	166.50
RTD28.5T2.2	*	28.5	2.2	0.518	89.49	181.68
RTD28.5T10	*	28.5	10.0	1.656	89.49	581.20
RTD28.6T0.8	*	28.6	0.8	0.199	89.80	69.90
RTD28.7T2.5	✓	28.7	2.5	0.586	90.12	205.67
RTD29T0.75	*	29.0	0.75	0.190	91.11	66.56
RTD29T1.1	*	29.0	1.1	0.275	91.06	96.37
RTD29T2	*	29.0	2.0	0.483	91.11	169.65
RTD29T3	*	29.0	3.0	0.698	91.11	245.10
RTD29T4	*	29.0	4.0	0.895	91.11	314.20
RTD29T5	*	29.0	5.0	1.074	91.11	377.00
RTD29T5.75	*	29.0	5.75	1.197	91.11	419.99
RTD29T7.5	*	29.0	7.5	1.444	91.11	506.58
RTD29T11.6	*	29.0	11.6	1.807	91.11	634.10
RTD29.8T1.9	*	29.8	1.9	0.475	93.57	166.45
RTD29.9T1.2	*	29.9	1.2	0.308	93.93	108.20
RTD30T1	*	30.0	1.0	0.260	94.25	91.06
RTD30T1.1	*	30.0	1.1	0.285	94.25	99.87
RTD30T1.25	*	30.0	1.25	0.322	94.25	112.90
RTD30T1.5	✓	30.0	1.5	0.383	94.25	134.34
RTD30T2	*	30.0	2.0	0.501	94.25	175.93
RTD30T2.5	*	30.0	2.5	0.616	94.25	215.98
RTD30T3	✓	30.0	3.0	0.725	94.25	254.34
RTD30T4	*	30.0	4.0	0.931	94.25	326.73
RTD30T5	*	30.0	5.0	1.119	94.25	392.70
RTD30T12.1	*	30.0	12.1	1.939	94.25	680.44
RTD30.5T2.5	*	30.5	2.5	0.627	95.82	219.91
RTD31T2	*	31.0	2.0	0.519	97.40	182.21
RTD31T3	*	31.0	3.0	0.752	97.40	263.90
RTD31T3.25	*	31.0	3.25	0.807	97.34	283.19
RTD31T4	*	31.0	4.0	0.967	97.40	339.29
RTD31T5	✓	31.0	5.0	1.164	97.40	408.40
RTD31T10.2	*	31.0	10.2	1.900	97.40	666.52
RTD31T12.6	*	31.0	12.6	2.076	97.40	728.35
RTD31.5T2	*	31.5	2.0	0.528	98.91	185.26
RTD31.5T3	*	31.5	3.0	0.766	98.91	268.47
RTD31.6T1.8	*	31.6	1.8	0.480	99.22	168.43
RTD31.7T2	*	31.7	2.0	0.532	99.60	186.61
RTD31.8T3.15	*	31.8	3.15	0.808	99.90	283.52
RTD32T0.8	*	32.0	0.8	0.223	100.53	78.37

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD32T1	*	32.0	1.0	0.278	100.53	97.39
RTD32T1.2	*	32.0	1.2	0.331	100.53	116.05
RTD32T1.4	*	32.0	1.4	0.384	100.53	134.52
RTD32T1.5	*	32.0	1.5	0.410	100.53	143.66
RTD32T1.6	✓	32.0	1.6	0.436	100.53	152.73
RTD32T2	*	32.0	2.0	0.537	100.53	188.40
RTD32T2.5	*	32.0	2.5	0.660	100.53	231.58
RTD32T3	✓	32.0	3.0	0.779	100.53	273.18
RTD32T3.2	*	32.0	3.2	0.825	100.53	289.38
RTD32T4	*	32.0	4.0	1.003	100.53	351.86
RTD32T5	*	32.0	5.0	1.209	100.53	423.90
RTD32T7	*	32.0	7.0	1.567	100.53	549.50
RTD32T8	*	32.0	8.0	1.719	100.53	603.19
RTD32T13.1	*	32.0	13.1	2.217	100.53	777.83
RTD32.6T1.2	*	32.6	1.2	0.337	102.36	118.32
RTD33T2	*	33.0	2.0	0.555	103.67	194.78
RTD33T3	*	33.0	3.0	0.806	103.67	282.74
RTD33T4	*	33.0	4.0	1.039	103.67	364.42
RTD33T5	*	33.0	5.0	1.253	103.67	439.80
RTD33T13.6	*	33.0	13.6	2.362	103.67	828.88
RTD33.6T0.7	*	33.6	0.7	0.206	105.56	72.35
RTD33.8T4.8	*	33.8	4.8	1.246	106.13	437.09
RTD34T1	*	34.0	1.0	0.295	106.76	103.62
RTD34T1.2	*	34.0	1.2	0.352	106.76	123.65
RTD34T1.8	*	34.0	1.8	0.519	106.76	181.99
RTD34T2	*	34.0	2.0	0.573	106.76	200.96
RTD34T2.5	*	34.0	2.5	0.705	106.80	247.40
RTD34T3	*	34.0	3.0	0.833	106.76	292.02
RTD34T4	*	34.0	4.0	1.074	106.76	376.80
RTD34T5	✓	34.0	5.0	1.298	106.81	455.53
RTD34T8.5	*	34.0	8.5	1.941	106.81	680.94
RTD34.6T1.35	*	34.6	1.35	0.402	108.70	141.02
RTD35T0.55	*	35.0	0.55	0.170	109.96	59.53
RTD35T0.75	*	35.0	0.75	0.230	109.96	80.66
RTD35T1.1	*	35.0	1.1	0.334	109.96	117.09
RTD35T1.5	*	35.0	1.5	0.450	109.96	157.79
RTD35T1.8	*	35.0	1.8	0.535	109.96	187.65
RTD35T2	*	35.0	2.0	0.591	109.96	207.24
RTD35T3	*	35.0	3.0	0.860	109.96	301.59
RTD35T4	*	35.0	4.0	1.110	109.96	389.56

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD35T5	*	35.0	5.0	1.343	109.96	471.24
RTD35T6.5	*	35.0	6.5	1.659	109.96	581.67
RTD35T10	*	35.0	10.0	2.238	109.96	785.40
RTD35T12.3	*	35.0	12.3	2.500	109.96	876.72
RTD35.2T0.8	*	35.2	0.8	0.246	110.53	86.41
RTD35.4T1.4	*	35.4	1.4	0.426	111.16	149.46
RTD35.5T0.8	*	35.5	0.8	0.249	111.53	87.17
RTD35.5T0.9	*	35.5	0.9	0.279	111.53	97.78
RTD35.5T1.2	*	35.5	1.2	0.369	111.53	129.24
RTD35.5T3.75	*	35.5	3.75	1.066	111.53	374.05
RTD35.5T9.25	*	35.5	9.25	2.174	111.53	762.82
RTD35.7T3.85	*	35.7	3.85	1.069	112.53	375.05
RTD35.8T2	*	35.8	2.0	0.605	112.41	212.26
RTD36T0.8	*	36.0	0.8	0.252	113.04	88.42
RTD36T1.2	*	36.0	1.2	0.374	113.04	131.13
RTD36T1.25	*	36.0	1.25	0.389	113.10	136.46
RTD36T2	✓	36.0	2.0	0.609	113.10	213.63
RTD36T4	*	36.0	4.0	1.146	113.10	402.12
RTD36T5	*	36.0	5.0	1.388	113.10	487.00
RTD36.5T8.75	*	36.5	8.75	2.174	114.67	762.82
RTD36.7T1.1	*	36.7	1.1	0.351	115.24	122.96
RTD37T2	*	37.0	2.0	0.627	116.24	219.91
RTD37T13.4	*	37.0	13.4	2.831	116.18	992.99
RTD37T5	*	37.0	5.0	1.433	116.24	502.66
RTD37T8.5	*	37.0	8.5	2.169	116.24	761.05
RTD38T1	*	38.0	1.0	0.331	119.38	116.18
RTD38T1.1	*	38.0	1.1	0.363	119.38	127.45
RTD38T1.4	✓	38.0	1.4	0.459	119.38	160.89
RTD38T1.8	*	38.0	1.8	0.583	119.38	204.60
RTD38T2.5	*	38.0	2.5	0.795	119.38	278.68
RTD38T2.9	*	38.0	2.9	0.911	119.38	319.62
RTD38T3	✓	38.0	3.0	0.940	119.38	329.70
RTD38T3.5	*	38.0	3.5	1.081	119.38	379.16
RTD38T4	*	38.0	4.0	1.218	119.38	427.26
RTD38T5	*	38.0	5.0	1.477	119.38	518.36
RTD38T8	*	38.0	8.0	2.149	119.38	753.98
RTD38T9	*	38.0	9.0	2.337	119.38	819.96
RTD38T13	*	38.0	13.0	2.910	119.38	1021.02
RTD38.1T3	*	38.1	3.0	0.943	119.63	330.64
RTD38.4T1.1	*	38.4	1.1	0.367	120.58	128.83

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD39T1.05	*	39.0	1.05	0.357	122.46	125.12
RTD39T4	*	39.0	4.0	1.253	122.46	439.60
RTD39.12T1.36	*	39.12	1.36	0.460	122.90	161.50
RTD40T0.9	*	40.0	0.9	0.315	125.66	110.55
RTD40T1.05	*	40.0	1.05	0.366	125.60	128.42
RTD40T1.25	*	40.0	1.25	0.434	125.70	152.17
RTD40T1.5	✓	40.0	1.5	0.517	125.60	181.34
RTD40T2	*	40.0	2.0	0.680	125.66	238.76
RTD40T3	✓	40.0	3.0	0.994	125.66	348.72
RTD40T4	✓	40.0	4.0	1.289	125.66	452.16
RTD40T5	*	40.0	5.0	1.567	125.66	549.78
RTD40T10	*	40.0	10.0	2.686	125.66	942.48
RTD40.5T0.8	*	40.5	0.8	0.284	127.80	99.73
RTD40.7T0.75	*	40.7	0.75	0.268	127.80	94.08
RTD41T0.8	*	41.0	0.8	0.288	128.81	100.98
RTD41T0.9	*	41.0	0.9	0.323	128.81	113.32
RTD41T1.2	*	41.0	1.2	0.428	128.81	149.97
RTD41T4	*	41.0	4.0	1.325	128.81	464.96
RTD41T1.5	*	41.0	1.5	0.530	128.74	186.14
RTD41T5	*	41.0	5.0	1.612	128.74	565.20
RTD41.8T0.8	*	41.8	0.8	0.294	131.25	102.99
RTD41.8T2.8	*	41.8	2.8	0.978	131.25	342.89
RTD42T1.1	*	42.0	1.1	0.403	131.88	141.27
RTD42T1.2	*	42.0	1.2	0.438	131.88	153.73
RTD42T1.4	*	42.0	1.4	0.509	131.88	178.48
RTD42T9	*	42.0	9.0	2.659	131.88	932.58
RTD42.5T4	*	42.5	4.0	1.379	133.52	483.81
RTD42.5T6	*	42.5	6.0	1.961	133.52	688.01
RTD43T1.5	*	43.0	1.5	0.557	135.02	195.47
RTD43T2	*	43.0	2.0	0.734	135.02	257.48
RTD43T2.5	*	43.0	2.5	0.907	135.02	317.93
RTD43T3	*	43.0	3.0	1.074	135.02	376.80
RTD43.3T2.8	*	43.3	2.8	1.015	135.96	356.08
RTD43.5T0.6	*	43.5	0.6	0.230	136.66	80.86
RTD44T1.25	*	44.0	1.25	0.478	138.20	167.88
RTD44T3.2	*	44.0	3.2	1.169	138.16	409.96
RTD44.5T10.35	*	44.5	10.35	3.165	139.80	1110.40
RTD45T1	*	45.0	1.0	0.394	141.37	138.16
RTD45T1.15	*	45.0	1.15	0.452	141.37	158.34
RTD45T1.35	*	45.0	1.35	0.528	141.37	185.03

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD45T1.6	*	45.0	1.6	0.622	141.37	218.04
RTD45T2	*	45.0	2.0	0.770	141.37	270.77
RTD45T3	✓	45.0	3.0	1.128	141.37	395.64
RTD45T4	*	45.0	4.0	1.468	141.37	515.22
RTD45T5	*	45.0	5.0	1.791	141.37	628.32
RTD45T6	*	45.0	6.0	2.095	141.37	735.13
RTD45T8.5	*	45.0	8.5	2.778	141.37	974.68
RTD46T3	*	46.0	3.0	1.155	144.51	405.27
RTD46.4T2	*	46.4	2.0	0.795	145.77	278.97
RTD47T5	*	47.0	5.0	1.879	147.58	659.40
RTD48T1.25	*	48.0	1.25	0.523	150.80	183.59
RTD48T1.5	✓	48.0	1.5	0.624	150.72	219.02
★ RTD48.26T3.68	✓	48.26	3.68	1.469	151.61	515.39
★ RTD48.4T2.6	✓	48.4	2.6	1.066	152.05	374.10
★ RTD48.4T4.47	✓	48.4	4.47	1.758	152.05	616.91
RTD49T10.5	*	49.0	10.5	3.619	153.94	1269.99
RTD49.5T0.8	*	49.5	0.8	0.349	155.43	122.33
RTD49.5T1.4	*	49.5	1.4	0.603	155.43	211.45
RTD49.5T1.5	*	49.5	1.5	0.644	155.43	226.08
RTD49.7T3	*	49.7	3.0	1.254	156.06	439.91
RTD49.8T1.9	✓	49.8	1.9	0.814	156.37	285.77
RTD50T1	*	50.0	1.0	0.439	157.08	153.86
RTD50T1.2	*	50.0	1.2	0.524	157.08	183.88
RTD50T1.4	*	50.0	1.4	0.609	157.08	213.65
RTD50T1.5	✓	50.0	1.5	0.651	157.08	228.44
★ RTD50T2	✓	50.0	2.0	0.860	157.08	301.59
RTD50T2.5	*	50.0	2.5	1.063	157.08	373.06
RTD50T2.7	*	50.0	2.7	1.143	157.08	401.01
RTD50T2.8	*	50.0	2.8	1.183	157.08	414.98
★ RTD50T3	✓	50.0	3.0	1.262	157.08	442.74
RTD50T3.5	*	50.0	3.5	1.456	157.08	511.29
RTD50T3.8	*	50.0	3.8	1.571	157.08	551.26
RTD50T4	✓	50.0	4.0	1.647	157.08	577.76
RTD50T5	✓	50.0	5.0	2.015	157.08	706.50
RTD50T5.5	*	50.0	5.5	2.190	157.08	768.52
★ RTD50T6	✓	50.0	6.0	2.364	157.08	829.38
RTD50T7.5	*	50.0	7.5	2.854	157.08	1001.38
RTD50T8	*	50.0	8.0	3.008	157.08	1055.58
RTD50T9.7	*	50.0	9.7	3.498	157.08	1227.46
RTD50T10	*	50.0	10.0	3.581	157.08	1256.64

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD50T12.5	*	50.0	12.5	4.197	157.08	1472.62
RTD50T15	*	50.0	15.0	4.701	157.08	1649.34
RTD50.8T1.5	*	50.8	1.5	0.662	159.59	232.32
RTD50.8T3.0	*	50.8	3.0	1.284	159.59	450.50
RTD51.5T2.5	*	51.5	2.5	1.097	161.79	384.85
RTD51.5T12.2	*	51.5	12.2	4.293	161.79	1506.30
RTD52T1.25	*	52.0	1.25	0.568	163.40	199.29
RTD53.8T0.6	*	53.8	0.6	0.286	169.00	100.28
RTD54T0.7	*	54.0	0.7	0.334	169.56	117.15
RTD54.5T3.2	*	54.5	3.2	1.469	171.13	515.46
RTD55T5	*	55.0	5.0	2.238	172.79	785.40
RTD55T7.5	*	55.0	7.5	3.190	172.79	1119.19
RTD55T10	*	55.0	10.0	4.029	172.79	1413.72
RTD55T12.5	*	55.0	12.5	4.757	172.79	1668.97
RTD55T15	*	55.0	15.0	5.372	172.79	1884.96
RTD56T1.25	*	56.0	1.25	0.613	175.90	215.00
RTD56T15.5	*	56.0	15.5	5.621	175.93	1972.14
RTD56.5T3	*	56.5	3.0	1.437	177.50	1972.14
RTD57T4	✓	57.0	4.0	1.897	178.98	665.68
RTD59.7T3	*	59.7	3.0	1.522	187.46	534.11
RTD60T1.25	*	60.0	1.25	0.658	188.50	230.71
RTD60T1.5	*	60.0	1.5	0.785	188.50	275.54
RTD60T2	✓	60.0	2.0	1.039	188.50	364.43
RTD60T3	✓	60.0	3.0	1.531	188.50	537.21
RTD60T5	✓	60.0	5.0	2.461	188.50	863.50
RTD60T6	*	60.0	6.0	2.901	188.50	1017.88
RTD60T7	*	60.0	7.0	3.322	188.50	1165.53
RTD60T9	*	60.0	9.0	4.110	188.50	1442.00
RTD60T10	*	60.0	10.0	4.477	188.50	1570.80
RTD60T15	*	60.0	15.0	6.044	188.50	2120.58
RTD60T20	*	60.0	20.0	6.047	188.50	2121.58
RTD60.9T8	*	60.9	8.0	3.789	190.32	1329.52
RTD63T1.8	*	63.0	1.8	0.986	197.82	346.10
RTD63T6.5	✓	63.0	6.5	3.288	197.92	1153.75
★ RTD63.5T3	✓	63.5	3.0	1.625	199.49	570.20
★ RTD63.5T6.35	✓	63.5	6.35	3.249	199.49	1140.09
★ RTD63.5T9	✓	63.5	9.0	4.392	199.49	1540.95
RTD64T1.25	*	64.0	1.25	0.702	201.06	246.42
★ RTD65T3	✓	65.0	3.0	1.665	204.20	584.34
RTD65T5	*	65.0	5.0	2.686	204.20	942.48

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
★ RTD65T6	✓	65.0	6.0	3.170	204.20	1112.12
RTD65T8	*	65.0	8.0	4.083	204.20	1432.57
RTD65T10	*	65.0	10.0	4.924	204.20	1727.88
RTD65T15	*	65.0	15.0	6.715	204.20	2356.19
RTD65T20	*	65.0	20.0	8.058	204.20	2827.43
RTD66T13	*	66.0	13.0	6.169	207.35	2164.56
RTD67.4T0.7	*	67.4	0.7	0.418	211.74	146.68
RTD68T1.25	*	68.0	1.25	0.747	213.60	262.13
RTD70T2	*	70.0	2.0	1.217	219.91	427.04
RTD70T4	✓	70.0	4.0	2.363	219.91	828.96
RTD70T5	*	70.0	5.0	2.910	219.91	1021.02
RTD70T8	*	70.0	8.0	4.441	219.91	1558.23
RTD70T10	*	70.0	10.0	5.372	219.91	1884.96
RTD70T12.5	*	70.0	12.5	6.435	219.91	2258.02
RTD70T15	*	70.0	15.0	7.387	219.91	2591.81
RTD70T17.5	*	70.0	17.5	8.226	219.91	2886.34
RTD70T20	*	70.0	20.0	8.954	219.91	3141.59
RTD70T22.5	*	70.0	22.5	9.569	219.91	3357.58
RTD70T25	*	70.0	25.0	10.073	219.91	3534.29
RTD72T0.8	*	72.0	0.8	0.510	226.08	178.85
RTD72T1.25	*	72.0	1.25	0.792	226.20	277.83
RTD75T1.8	✓	75.0	1.8	1.180	235.62	413.90
RTD75T3	✓	75.0	3.0	1.933	235.62	678.24
RTD75T5	*	75.0	5.0	3.134	235.62	1099.56
RTD75T10	*	75.0	10.0	5.820	235.62	2042.04
RTD75T15	*	75.0	15.0	8.058	235.62	2827.43
RTD75T17.5	*	75.0	17.5	9.009	235.62	3161.23
RTD75T20	*	75.0	20.0	9.849	235.62	3455.75
RTD75T22.5	*	75.0	22.5	10.576	235.62	3711.01
RTD75T25	*	75.0	25.0	11.192	235.62	3926.99
RTD75T27.5	*	75.0	27.5	11.696	235.62	4103.71
RTD76T0.61	*	76.0	0.61	0.412	238.76	144.48
RTD76T0.72	*	76.0	0.72	0.485	238.76	170.28
RTD76T0.77	*	76.0	0.77	0.519	238.76	181.98
RTD76T0.8	*	76.0	0.8	0.538	238.76	188.90
RTD76T0.9	*	76.0	0.9	0.605	238.76	212.23
RTD76T1	*	76.0	1.0	0.671	238.76	235.50
RTD76T1.2	*	76.0	1.2	0.803	238.76	281.85
RTD76T1.4	*	76.0	1.4	0.935	238.76	327.94
RTD76T4	✓	76.0	4.0	2.579	238.76	904.32

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD76T5	*	76.0	5.0	3.179	238.76	1115.27
RTD76T8.5	*	76.0	8.5	5.137	238.76	1802.49
RTD76.2T1.3	*	76.2	1.3	0.872	239.39	305.90
★ RTD76.2T2.03	✓	76.2	2.03	1.348	239.39	473.01
★ RTD76.2T6.35	✓	76.2	6.35	3.971	239.39	1393.45
RTD80T3	✓	80.0	3.0	2.068	251.33	725.71
RTD80T5	*	80.0	5.0	3.358	251.33	1178.10
RTD80T10	✓	80.0	10.0	6.267	251.33	2199.11
RTD80T10.25	*	80.0	10.25	6.401	251.33	2246.04
RTD80T12.5	*	80.0	12.5	7.555	251.33	2650.72
RTD80T15	*	80.0	15.0	8.730	251.33	3063.05
RTD80T20	*	80.0	20.0	10.744	251.33	3769.91
RTD80T22.5	*	80.0	22.5	11.584	251.33	4064.44
RTD80T25	*	80.0	25.0	12.311	251.33	4319.69
RTD80T27.5	*	80.0	27.5	12.927	251.33	4535.67
RTD80T30	*	80.0	30.0	13.430	251.33	4712.39
RTD80.4T1.3	*	80.4	1.3	0.921	252.60	323.05
RTD80.6T0.8	*	80.6	0.8	0.572	253.21	200.56
RTD81T8	*	81.0	8.0	5.229	254.47	1834.69
RTD84.8T1.3	*	84.8	1.3	0.972	266.40	341.02
RTD85T5	*	85.0	5.0	3.581	267.04	1256.64
RTD85T7.5	*	85.0	7.5	5.204	267.04	1826.05
RTD85T10	*	85.0	10.0	6.715	267.04	2356.19
RTD85T12.5	*	85.0	12.5	8.114	267.04	2847.07
RTD85T12.75	*	85.0	12.75	8.248	267.04	2894.00
RTD85T15	*	85.0	15.0	9.401	267.04	3298.67
RTD85T17.5	*	85.0	17.5	10.576	267.04	3711.01
RTD85T22.5	*	85.0	22.5	12.591	267.04	4417.87
RTD85T25	*	85.0	25.0	13.430	267.04	4712.39
RTD85T27.5	*	85.0	27.5	14.158	267.04	4967.64
RTD85T30	*	85.0	30.0	14.773	267.04	5183.63
RTD85T32.5	*	85.0	32.5	15.277	267.04	5360.34
RTD88.9T5.3	*	88.9	5.3	3.967	279.46	1391.98
RTD89T4	✓	89.0	4.0	3.043	279.46	1067.60
RTD89T5	*	89.0	5.0	3.760	279.46	1319.47
RTD89.6T1.5	*	89.6	1.5	1.183	281.50	415.16
RTD90T2	*	90.0	2.0	1.575	282.74	552.64
RTD90T5	*	90.0	5.0	3.805	282.74	1335.18
RTD90T10	*	90.0	10.0	7.163	282.74	2513.17
RTD90T12.5	*	90.0	12.5	8.674	282.74	3043.42

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD90T15	*	90.0	15.0	10.073	282.74	3534.29
RTD90T15.25	*	90.0	15.25	10.206	282.74	3581.22
RTD90T17.5	*	90.0	17.5	11.360	282.74	3985.90
RTD90T20	*	90.0	20.0	12.535	282.74	4398.23
RTD90T25	*	90.0	25.0	14.550	282.74	5105.09
RTD90T27.5	*	90.0	27.5	15.389	282.74	5399.61
RTD90T30	*	90.0	30.0	16.116	282.74	5654.87
RTD90T32.5	*	90.0	32.5	16.732	282.74	5870.85
RTD90T35	*	90.0	35.0	17.236	282.74	6047.57
RTD91T8.5	*	90.0	8.5	6.279	282.74	2203.04
RTD94T1.5	*	94.0	1.5	1.242	295.31	435.90
RTD95T0.8	*	95.0	0.8	0.674	298.45	236.63
RTD95T5	*	95.0	5.0	4.029	298.45	1413.72
RTD95T10	*	95.0	10.0	7.611	298.45	2670.35
RTD95T12.5	*	95.0	12.5	9.233	298.45	3239.77
RTD95T15	*	95.0	15.0	10.744	298.45	3769.91
RTD95T17.5	*	95.0	17.5	12.143	298.45	4260.47
RTD95T17.75	*	95.0	17.75	12.277	298.45	4307.71
RTD95T20	*	95.0	20.0	13.430	298.45	4712.39
RTD95T22.5	*	95.0	22.5	14.605	298.45	5124.72
RTD95T27.5	*	95.0	27.5	16.620	298.45	5831.58
RTD95T30	*	95.0	30.0	17.459	298.45	6126.11
RTD95T32.5	*	95.0	32.5	18.187	298.45	6381.36
RTD95T35	*	95.0	35.0	18.802	298.45	6597.35
RTD95T37.5	*	95.0	37.5	19.306	298.45	6774.06
RTD96T8	*	96.0	8.0	6.303	301.59	2211.68
RTD97T1	*	97.0	1.0	0.860	304.74	301.59
RTD97T1.1	*	97.0	1.1	0.944	304.58	331.24
RTD100T4	✓	100.0	4.0	3.438	314.16	1205.76
RTD100T5	*	100.0	5.0	4.253	314.16	1491.50
RTD100T6	✓	100.0	6.0	5.050	314.16	1771.86
RTD100T8	*	100.0	8.0	6.590	314.16	2312.21
RTD100T10	✓	100.0	10.0	8.058	314.16	2827.43
RTD100T11	*	100.0	11.0	8.766	314.16	3075.62
RTD100T12.5	*	100.0	12.5	9.793	314.16	3436.12
RTD100T15	*	100.0	15.0	11.416	314.16	4005.53
RTD100T17.5	*	100.0	17.5	12.927	314.16	4535.67
RTD100T20	*	100.0	20.0	14.326	314.16	5026.55
RTD100T20.25	*	100.0	20.25	14.459	314.16	5073.48
RTD100T22.5	*	100.0	22.5	15.613	314.16	5478.15

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD100T25	*	100.0	25.0	16.788	314.16	5890.49
RTD100T30	*	100.0	30.0	18.802	314.16	6597.35
RTD100T32.5	*	100.0	32.5	19.642	314.16	6891.87
RTD100T35	*	100.0	35.0	20.369	314.16	7147.12
RTD100T37.5	*	100.0	37.5	20.985	314.16	7363.11
RTD100T40	*	100.0	40.0	21.488	314.16	7539.82
RTD101T8	*	101.0	8.0	6.661	317.30	2337.35
RTD102T0.9	*	102.0	0.9	0.815	320.28	285.71
RTD102T1	*	102.0	1.0	0.904	320.28	317.30
RTD102T2	*	102.0	2.0	1.791	320.28	628.30
RTD102T3	*	102.0	3.0	2.659	320.28	933.05
RTD105T7.5	*	105.0	7.5	6.547	329.87	2297.29
RTD105T10	*	105.0	10.0	8.506	329.87	2984.51
RTD105T10.5	*	105.0	10.5	8.884	329.87	3117.25
RTD105T12.5	*	105.0	12.5	10.353	329.87	3632.47
RTD105T13.5	*	105.0	13.5	11.060	329.87	3880.65
RTD105T15	*	105.0	15.0	12.087	329.87	4241.15
RTD105T17.5	*	105.0	17.5	13.710	329.87	4810.56
RTD105T20	*	105.0	20.0	15.221	329.87	5340.71
RTD105T22.5	*	105.0	22.5	16.620	329.87	5831.58
RTD105T22.75	*	105.0	22.75	16.754	329.87	5878.51
RTD105T25	*	105.0	25.0	17.907	329.87	5878.51
RTD105T27.5	*	105.0	27.5	19.082	329.87	6695.52
RTD105T32.5	*	105.0	32.5	21.097	329.87	7402.38
RTD105T35	*	105.0	35.0	21.936	329.87	7696.90
RTD105T37.5	*	105.0	37.5	22.664	329.87	7952.16
RTD105T40	*	105.0	40.0	23.279	329.87	8168.14
RTD105T42.5	*	105.0	42.5	23.783	329.87	8344.86
RTD108T5	*	108.0	5.0	4.611	339.12	1617.10
RTD110T5	*	110.0	5.0	4.701	345.58	1649.34
RTD110T8	*	110.0	8.0	7.306	345.58	2563.54
RTD110T10	✓	110.0	10.0	8.954	345.58	3141.59
RTD110T12.5	*	110.0	12.5	10.912	345.58	3828.82
RTD110T13	*	110.0	13.0	11.290	345.58	3961.55
RTD110T15	*	110.0	15.0	12.759	345.58	4476.77
RTD110T16	*	110.0	16.0	13.466	345.58	4724.96
RTD110T17.5	*	110.0	17.5	14.494	345.58	5085.45
RTD110T20	*	110.0	20.0	16.116	345.58	5654.87
RTD110T22.5	*	110.0	22.5	17.627	345.58	6185.01
RTD110T25	*	110.0	25.0	19.026	345.58	6675.88

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD110T25.25	*	110.0	25.25	19.160	345.58	6722.81
RTD110T25.25	*	110.0	25.25	19.160	345.58	6722.81
RTD110T27.5	*	110.0	27.5	20.313	345.58	7127.49
RTD110T30	*	110.0	30.0	21.488	345.58	7539.82
RTD110T35	*	110.0	35.0	23.503	345.58	8246.68
RTD110T37.5	*	110.0	37.5	24.342	345.58	8541.24
RTD110T40	*	110.0	40.0	25.070	345.58	8796.46
RTD110T42.5	*	110.0	42.5	25.685	345.58	9012.44
RTD110T45	*	110.0	45.0	26.189	345.58	9189.16
RTD112T6	*	112.0	6.0	5.694	351.86	1998.05
RTD114.3T2.8	*	114.3	2.8	2.795	359.10	980.81
RTD115T10	*	115.0	10.0	9.401	361.28	3298.67
RTD115T15	*	115.0	15.0	13.430	361.28	4712.39
RTD115T15.5	*	115.0	15.5	13.809	361.28	4845.12
RTD115T17.5	*	115.0	17.5	15.277	361.28	5360.34
RTD115T18.5	*	115.0	18.5	15.984	361.28	5608.53
RTD115T20	*	115.0	20.0	17.012	361.28	5969.03
RTD115T22.5	*	115.0	22.5	18.635	361.28	6538.44
RTD115T25	*	115.0	25.0	20.145	361.28	7068.58
RTD115T27.5	*	115.0	27.5	21.544	361.28	7559.46
RTD115T27.75	*	115.0	27.75	21.678	361.28	7606.39
RTD115T30	*	115.0	30.0	22.832	361.28	8011.06
RTD115T32.5	*	115.0	32.5	24.007	361.28	8423.40
RTD115T37.5	*	115.0	37.5	26.021	361.28	9130.25
RTD115T40	*	115.0	40.0	26.861	361.28	9424.78
RTD115T42.5	*	115.0	42.5	27.588	361.28	9680.03
RTD115T45	*	115.0	45.0	28.204	361.28	9896.02
RTD115T47.5	*	115.0	47.5	28.707	361.28	10072.73
RTD115.8T1.9	*	115.8	1.9	1.938	363.80	679.87
RTD116.5T20.75	*	116.5	20.75	17.789	366.00	6241.76
RTD116T8	*	116.0	8.0	7.736	364.43	2714.34
RTD117.9T1.2	*	117.9	1.2	1.254	370.40	439.95
RTD120T3	*	120.0	3.0	3.143	376.99	1102.70
RTD120T4	✓	120.0	4.0	4.152	376.99	1456.96
RTD120T5	*	120.0	5.0	5.148	376.99	1806.42
RTD120T10	✓	120.0	10.0	9.849	376.99	3455.75
RTD120T12.5	*	120.0	12.5	12.031	376.99	4221.52
RTD120T15	*	120.0	15.0	14.102	376.99	4948.00
RTD120T17.5	*	120.0	17.5	16.060	376.99	5635.23
RTD120T18	*	120.0	18.0	16.439	376.99	5767.96

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD120T20	*	120.0	20.0	17.907	376.99	6283.19
RTD120T21	*	120.0	21.0	18.614	376.99	6531.37
RTD120T22.5	*	120.0	22.5	19.642	376.99	6891.87
RTD120T25	*	120.0	25.0	21.265	376.99	7461.28
RTD120T27.5	*	120.0	27.5	22.776	376.99	7991.43
RTD120T30	*	120.0	30.0	24.175	376.99	8482.30
RTD120T30.25	*	120.0	30.25	24.308	376.99	8529.23
RTD120T32.5	*	120.0	32.5	25.462	376.99	8933.90
RTD120T35	*	120.0	35.0	26.637	376.99	9346.23
RTD120T40	*	120.0	40.0	28.651	376.99	10053.10
RTD120T42.5	*	120.0	42.5	29.491	376.99	10347.62
RTD120T45	*	120.0	45.0	30.218	376.99	10602.88
RTD120T47.5	*	120.0	47.5	30.834	376.99	10818.86
RTD120T50	*	120.0	50.0	31.337	376.99	10995.57
RTD121T8	*	121.0	8.0	8.094	380.13	2840.00
RTD125T3	✓	125.0	3.0	3.277	392.70	1149.82
RTD125T4	*	125.0	4.0	4.334	392.70	1520.53
RTD125T5	*	125.0	5.0	5.372	393.70	1884.96
RTD125T10	*	125.0	10.0	10.297	394.70	3612.83
RTD125T12.5	*	125.0	12.5	12.591	392.70	4417.86
RTD125T15	*	125.0	15.0	14.773	392.70	5183.63
RTD125T20	*	125.0	20.0	18.802	392.70	6597.35
RTD125T20.5	*	125.0	20.5	19.181	392.70	6730.07
RTD125T22.5	*	125.0	22.5	20.649	392.70	7245.30
RTD125T23.5	*	125.0	23.5	21.356	392.70	7493.48
RTD125T25	*	125.0	25.0	22.384	392.70	7853.98
RTD125T27.5	*	125.0	27.5	24.007	392.70	8423.40
RTD125T30	*	125.0	30.0	25.518	392.70	8953.54
RTD125T32.5	*	125.0	32.5	26.917	392.70	9444.41
RTD125T32.75	*	125.0	32.75	27.050	392.70	9491.34
RTD125T35	*	125.0	35.0	28.204	392.70	9896.02
RTD125T37.5	*	125.0	37.5	29.379	392.70	10308.35
RTD127T2	✓	127.0	2.0	2.237	398.98	785.00
RTD127T8.5	*	127.0	8.5	9.018	398.98	3164.37
RTD127T13.5	*	127.0	13.5	13.719	398.98	4813.71
RTD127T16	*	127.0	16.0	15.901	398.98	5579.47
RTD127T21	*	127.0	21.0	19.931	398.98	6993.19
RTD127T21.5	*	127.0	21.5	20.309	398.98	7125.92
RTD127T23.5	*	127.0	23.5	21.777	398.98	7641.14
RTD127T24.5	*	127.0	24.5	22.485	398.98	7889.33

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD127T26	*	127.0	26.0	23.512	398.98	8249.82
RTD127T28.5	*	127.0	28.5	25.135	398.98	8819.24
RTD127T31	*	127.0	31.0	26.646	398.98	9349.38
RTD127T33.5	*	127.0	33.5	28.045	398.98	9840.25
RTD127T33.75	*	127.0	33.75	28.178	398.98	9887.18
RTD127T36	*	127.0	36.0	29.332	398.98	10291.56
RTD130T5	*	130.0	5.0	5.596	408.41	1963.50
RTD130T8	*	130.0	8.0	8.739	408.41	3066.19
RTD130T10	✓	130.0	10.0	10.744	408.41	3769.91
RTD130T15	*	130.0	15.0	15.445	408.41	5419.25
RTD130T17.5	*	130.0	17.5	17.627	408.41	6185.01
RTD130T22.5	*	130.0	22.5	21.656	408.41	7598.73
RTD130T23	*	130.0	23.0	22.035	408.41	7731.46
RTD130T25	*	130.0	25.0	23.503	408.41	8246.68
RTD130T26	*	130.0	26.0	24.210	408.41	8494.87
RTD130T27.5	*	130.0	27.5	25.238	408.41	8855.36
RTD130T30	*	130.0	30.0	26.861	408.41	9424.78
RTD130T32.5	*	130.0	32.5	28.372	408.41	9954.92
RTD130T35	*	130.0	35.0	29.771	408.41	10445.80
RTD130T35.25	*	130.0	35.25	29.904	408.41	10492.72
RTD133T2.3	*	133.0	2.3	2.692	417.62	944.39
RTD133T4	*	133.0	4.0	4.620	417.62	1621.06
RTD133T5	✓	133.0	5.0	5.727	417.62	2009.60
RTD134T1.4	*	134.0	1.4	1.661	420.76	582.91
RTD134T2.4	*	134.0	2.4	2.826	420.76	991.74
RTD135T25	*	135.0	25.0	24.622	424.12	8639.38
RTD137T5	*	137.0	5.0	5.909	430.40	2073.45
RTD140T10	*	140.0	10.0	11.640	439.82	4084.07
RTD140T13	*	140.0	13.0	14.782	439.82	5186.77
RTD140T15	*	140.0	15.0	16.788	439.82	5890.49
RTD140T20	*	140.0	20.0	21.488	439.82	7539.82
RTD140T22.5	*	140.0	22.5	23.671	439.82	8305.59
RTD140T27.5	*	140.0	27.5	27.700	439.82	9717.30
RTD140T28	*	140.0	28.0	28.078	439.82	9852.04
RTD140T30	*	140.0	30.0	29.547	439.82	10367.26
RTD141T2	*	141.0	2.0	2.489	443.00	873.36
RTD145T15	*	145.0	15.0	17.459	455.53	6126.11
RTD146T3	*	146.0	3.0	3.841	458.67	1347.74
RTD150T2	✓	150.0	2.0	2.649	471.24	929.44
RTD150T5	✓	150.0	5.0	6.488	471.24	2276.50

Circular Hollow Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	O.D (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
RTD150T10	✓	150.0	10.0	12.535	471.24	4398.23
RTD150T15	*	150.0	15.0	18.131	471.24	6361.73
RTD150T20	*	150.0	20.0	23.279	471.24	8168.14
RTD150T25	*	150.0	25.0	27.980	471.24	9817.48
RTD159T6	✓	159.0	6.0	8.219	499.26	2882.52
RTD160T10	✓	160.0	10.0	13.430	502.65	4712.39
RTD160T15	*	160.0	15.0	19.474	502.65	6832.96
RTD160T20	*	160.0	20.0	25.070	502.65	8796.46
RTD162.5T38.5	*	162.5	38.5	42.744	510.51	14997.96
RTD170T10	*	170.0	10.0	14.326	534.07	5026.55
RTD170T15	*	170.0	15.0	20.817	534.07	7304.20
RTD170T20	*	170.0	20.0	26.861	534.07	9424.78
RTD170.4T1.7	*	170.4	1.7	2.568	535.33	900.98
RTD180T10	✓	180.0	10.0	15.221	565.49	5340.71
RTD180T12.5	*	180.0	12.5	18.746	565.49	6577.71
RTD180T15	*	180.0	15.0	22.160	565.49	7775.44
RTD180T20	*	180.0	20.0	28.651	565.49	10053.10
RTD182T15	*	182.0	15.0	22.429	571.77	7869.69
RTD185T7.5	*	185.0	7.5	11.919	581.20	4182.25
RTD185T12.5	*	185.0	12.5	19.306	581.20	6774.06
RTD185T15	*	185.0	15.0	22.832	581.20	8011.06
RTD185T17.5	*	185.0	17.5	26.245	581.20	9208.79
RTD186T8	*	186.0	8.0	12.750	581.20	4473.63
RTD189.5T15.6	*	189.5	15.6	24.290	595.33	8522.64
RTD190T10	*	190.0	10.0	16.116	596.90	5654.87
RTD190T15	*	190.0	15.0	23.503	596.90	8246.68
RTD190T17.5	*	190.0	17.5	27.028	596.90	9483.68
RTD200T6	*	200.0	6.0	10.422	628.32	3656.81
RTD200T10	*	200.0	10.0	17.012	628.32	5969.03
RTD217T20	*	217.0	20.0	35.277	681.73	12377.88
RTD220T10	✓	220.0	10.0	18.802	691.15	6597.34
RTD220T15	*	220.0	15.0	27.532	691.15	9660.40
RTD224T11	*	224.0	11.0	20.978	703.72	7360.75
RTD230T10	*	230.0	10.0	19.698	722.57	6911.50
RTD230T15	*	230.0	15.0	28.875	722.57	10131.64
RTD240T10	*	240.0	10.0	20.593	753.98	7225.66
RTD250T10	*	250.0	10.0	21.488	785.40	7539.82
RTD270T10	*	270.0	10.0	23.279	848.23	8186.14
RTD280T8	*	280.0	8.0	19.483	879.64	6836.11
RTD290T22.5	*	290.0	22.5	53.889	911.06	18908.46

Equal Angle Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
EAA9T0.6	*	9.0	0.6	0.030	36.00	10.40
EAA10T1.6	✓	10.0	1.6	0.084	40.00	29.44
EAA11T1.2	*	11.0	1.2	0.073	44.00	25.64
EAA12T1.2	*	12.0	1.2	0.078	48.00	27.36
EAA12T1.6	✓	12.0	1.6	0.102	47.00	35.70
EAA12T3	✓	12.0	3.0	0.179	47.00	62.92
EAA12.5T0.6	*	12.5	0.6	0.042	50.00	14.60
EASA15T1.2	✓	15.0	1.2	0.097	60.00	34.12
EAA16 T1.5	✓	16.0	1.5	0.130	63.00	45.60
EAA16T3	✓	16.0	3.0	0.248	63.00	86.92
EAA19T0.65	*	19.0	0.65	0.069	76.00	24.20
EASA19T1.5	✓	19.0	1.5	0.155	76.00	54.30
EAA19T1.9	✓	19.0	1.9	0.195	76.00	68.50
EAA20T0.8	*	20.0	0.8	0.089	80.00	31.22
EAA20T1.5	*	20.0	1.5	0.163	80.00	57.27
EAA20T1.6	✓	20.0	1.6	0.175	80.00	61.44
EASA20T3	*	20.0	3.0	0.322	77.00	113.14
EAA20T3	✓	20.0	3.0	0.316	79.00	110.92
EAA22T1.1	✓	22.0	1.1	0.135	88.00	47.20
EASA25T1.4	*	25.0	1.4	0.194	100.00	68.04
EASA25T1.5	✓	25.0	1.5	0.206	100.00	72.30
EAA25T2.5	✓	25.0	2.5	0.337	79.50	76.00
GM-25X25X3YXJL	*	25.0	3.0	0.394	96.00	138.25
EAA25T3	✓	25.0	3.0	0.400	99.00	140.52
EAA25T6	✓	25.0	6.0	0.752	100.00	264.00
EASA29.5T3	*	29.5	3.0	0.473	118.00	166.00
EASA29.95T6	*	29.95	6.0	0.859	112.00	301.30
EAA30T1	*	30.0	1.0	0.168	120.00	58.90
EAA30T1.5	✓	30.0	1.5	0.250	119.23	87.67
EAA30T2.0	*	30.0	2.0	0.331	120.00	116.00
EAA30T2.0	*	30.0	2.0	0.331	120.00	116.00
EAA30T2.5	*	30.0	2.5	0.409	120.00	143.35
EAA30T3	✓	30.0	3.0	0.487	120.00	171.00
GM-LZY-42	✓	30.0	3.0	0.487	120.00	171.00
GM-30x30x3YXJL	✓	30.0	3.0	0.483	120.00	171.00
EAA30T4	✓	30.0	4.0	0.638	120.00	223.70
EAA30T4.5	*	30.0	4.5	0.712	119.00	249.67
EAA30T5.5	*	30.0	5.5	0.854	119.00	299.67
GM-GFX-169	*	30.0	5.5	0.845	117.00	296.32
EAA32T1.5	✓	32.0	1.5	0.267	127.23	93.67


Equal Angle Section



"✓" Stocked Item
 "*" Pre-order Only Item
 (30-40 working days delivery)

Product Code	Ex Stock	A (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
EAA32T3	✓	32.0	3.0	0.522	128.00	183.00
EAA35T1.5	✓	35.0	1.5	0.293	140.00	102.75
EAA35T2	*	35.0	2.0	0.388	140.00	136.00
EAA37.8T1.8	*	37.8	1.8	0.378	151.00	132.80
EASA38T1.5	✓	38.0	1.5	0.317	152.00	111.30
EAA38T3	*	38.0	3.0	0.624	152.00	218.92
EAA40T1.6	✓	40.0	1.6	0.357	159.00	125.36
EAA40T2	*	40.0	2.0	0.445	160.00	156.00
EAA40T3	✓	40.0	3.0	0.658	160.00	231.00
EAA40T4	✓	40.0	4.0	0.866	160.00	304.00
EAA40T6	✓	40.0	6.0	1.265	160.00	444.00
GM-40x40x6JL-R12	*	40.0	6.0	1.199	151.76	420.75
EASA40T7	*	40.0	7.0	1.448	159.00	508.23
EASA49T6	*	49.0	6.0	1.478	184.00	518.44
EAA50T1.6	✓	50.0	1.6	0.449	200.00	157.44
EAA50T2	✓	50.0	2.0	0.559	200.00	196.00
EAA50T3	✓	50.0	3.0	0.829	200.00	291.00
EAA50T4	✓	50.0	4.0	1.094	200.00	384.00
EAA50T4.7	*	50.0	4.7	1.276	200.00	447.80
EAA50T6	✓	50.0	6.0	1.607	199.00	563.92
EAA50T7	*	50.0	7.0	1.855	199.00	650.92
EASA55T5	*	55.0	5.0	1.511	217.00	530.27
EASA60T1.5	✓	60.0	1.5	0.507	240.00	177.75
EASA60T2	✓	60.0	2.0	0.673	240.00	236.00
EAA60T3	✓	60.0	3.0	1.000	240.00	351.00
EASA60T5	*	60.0	5.0	1.592	240.00	558.54
GM0106	*	60.0	6.0	1.989	236.57	697.73
EAA60T6	✓	60.0	6.0	1.949	240.00	684.00
EAA64T15	*	64.0	15.0	4.844	253.00	1699.80
EAA65T6	✓	65.0	6.0	2.120	260.00	744.00
EAA75T3	✓	75.0	3.0	1.257	300.00	441.00
EAA75T6	✓	75.0	6.0	2.462	300.00	864.00
EAA75T12	*	75.0	12.0	4.720	300.00	1656.00
EAA76.2T3.2	✓	76.2	3.2	1.361	305.00	477.44
EAA76.2T6.35	✓	76.2	6.35	2.643	305.00	927.42
EAA80T4	✓	80.0	4.0	1.778	320.00	624.00
EAA80T6	✓	80.0	6.0	2.633	320.00	924.00
EASA80T6	*	80.0	6.0	2.621	317.00	919.50
EASA80T8	*	80.0	8.0	3.507	313.91	1230.48
EAA80T10	✓	80.0	10.0	4.275	320.00	1500.00

Unequal Angle Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
UAA10B5T1	*	10.0	5.0	1.0	0.040	29.23	13.92
UAA15B10T1	*	15.0	10.0	1.0	0.068	50.00	24.00
UAA18B10T1	✓	18.0	10.0	1.0	0.077	56.00	27.00
UAA19B8T1.5	*	19.0	8.0	1.5	0.105	52.98	36.82
UAA20B10T0.8	*	20.0	10.0	0.8	0.067	60.00	23.36
UAA20B11T1.5	*	20.0	11.0	1.5	0.126	62.00	44.25
UAA20B12T1.6	✓	20.0	12.0	1.6	0.138	62.70	48.50
UAA20B12T3	✓	20.0	12.0	3.0	0.248	63.23	86.92
UAA20B14T2	*	20.0	14.0	2.0	0.182	68.00	64.00
UAA20.3B7.1T1.1	*	20.3	7.1	1.1	0.082	54.16	28.83
UASA21B20T2	*	21.0	20.0	2.0	0.220	81.14	77.20
UAA21.2B13.7T1.2	*	21.2	13.7	1.2	0.115	69.40	40.30
UAA21.6B7.8T1.6	*	21.6	7.8	1.6	0.125	57.17	43.93
UAA24B16T1.5	*	24.0	16.0	1.5	0.165	80.00	57.75
UAA25B12T1.6	✓	25.0	12.0	1.6	0.161	74.00	56.64
UAA25B12T3	✓	25.0	12.0	3.0	0.291	74.00	102.00
UAA25B12.4T2	*	25.0	12.4	2.0	0.201	73.50	70.60
UAA25B12.5T2.9	*	25.0	12.5	2.9	0.285	73.50	99.96
UAA25B20T1.6	✓	25.0	20.0	1.6	0.198	88.70	69.30
UAA25B20T2	*	25.0	20.0	2.0	0.245	90.00	86.00
UAA25B20T3	✓	25.0	20.0	3.0	0.359	90.00	126.00
UASA29.2B17.3T2.8	*	29.2	17.3	2.8	0.307	92.20	107.80
UASA30B8.5T1.5	*	30.0	8.5	1.5	0.148	77.00	51.95
UAA30B17T2	*	30.0	17.0	2.0	0.257	94.00	90.00
UAA30B20T2	*	30.0	20.0	2.0	0.274	100.00	96.00
UAA30B20T2.5	✓	30.0	20.0	2.5	0.338	99.00	118.67
UAA30B25T2	✓	30.0	25.0	2.0	0.302	110.00	106.00
UAA30B25T4	*	30.0	25.0	4.0	0.581	109.23	203.92
UASA30B26T6	*	30.0	26.0	6.0	0.857	112.00	300.80
UAA32B20T1.5	✓	32.0	20.0	1.5	0.216	103.23	75.67
UAA32B25T3	✓	32.0	25.0	3.0	0.462	114.00	162.00
UASA33.5B25T3	✓	33.5	25.0	3.0	0.472	117.00	165.60
UAA38.2B25.4T1.3	*	38.2	25.4	1.3	0.231	126.43	80.91
UAA38.5B26.5T4	*	38.5	26.5	4.0	0.695	130.00	244.00
UAA38.5B26.5T8	*	38.5	26.5	8.0	1.300	130.00	456.00
UAA40B12T1.6	✓	40.0	12.0	1.6	0.230	104.00	80.64
UAA40B12T3	✓	40.0	12.0	3.0	0.419	104.00	147.00
UAA40B17T2	*	40.0	17.0	2.0	0.314	114.00	110.00
UAA40B20T2	✓	40.0	20.0	2.0	0.331	120.00	116.00
UAA40B20T3	✓	40.0	20.0	3.0	0.487	119.23	170.92

Unequal Angle Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
UASA40B20T8	*	40.0	20.0	8.0	1.186	118.28	416.22
UAA40B25T1.5	✓	40.0	25.0	1.5	0.271	130.00	95.25
UAA40B25T3	✓	40.0	25.0	3.0	0.530	130.00	186.00
UASA40B25T2	*	40.0	25.0	2.0	0.358	130.00	125.60
UASA40B39T8	*	40.0	39.0	8.0	1.619	156.28	568.22
UASA41B26T6	*	41.0	26.0	6.0	1.045	134.00	366.80
UASA42B22T2	*	42.0	22.0	2.0	0.351	125.85	123.00
UASA43B35T10	*	43.0	35.0	10.0	1.939	154.28	680.22
UAA44B30T3	*	44.0	30.0	3.0	0.627	148.00	219.90
UAA45B10T1	*	45.0	10.0	1.0	0.154	110.00	54.00
UAA45B35T3	*	45.0	35.0	3.0	0.658	160.00	231.00
UAA50B12T3	✓	50.0	12.0	3.0	0.504	124.00	177.00
UAA50B20T1.6	✓	50.0	20.0	1.6	0.312	140.00	109.44
UAA50B20T3	✓	50.0	20.0	3.0	0.573	140.00	201.00
UAA50B25T1.5	✓	50.0	25.0	1.5	0.314	148.70	110.00
UAA50B25T3	✓	50.0	25.0	3.0	0.615	148.70	215.80
UAA50B30T1.5	✓	50.0	30.0	1.5	0.335	159.23	117.67
UAA50B30T4	✓	50.0	30.0	4.0	0.866	160.00	304.00
UAA50B40T3	*	50.0	40.0	3.0	0.744	180.00	261.00
UAA50B40T5	✓	50.0	40.0	5.0	1.211	180.00	425.00
UAA52B20T2	*	52.0	20.0	2.0	0.399	144.00	140.00
UAA52B30T2	*	52.0	30.0	2.0	0.456	164.00	160.00
UAA52B40T22	*	52.0	40.0	22.0	4.389	184.00	1540.00
UAA55B40T4	✓	55.0	40.0	4.0	1.037	190.00	363.93
UAA60B25T3	✓	60.0	25.0	3.0	0.701	168.70	245.80
UAA60B25T4	*	60.0	25.0	4.0	0.923	169.23	323.93
UAA60B30T2	✓	60.0	30.0	2.0	0.502	180.00	176.00
UASA60B40T10	*	60.0	40.0	10.0	2.567	196.57	900.86
UASA60B45T8	*	60.0	45.0	8.0	2.212	208.22	776.22
UAA60B50T4.7	*	60.0	50.0	4.7	1.410	220.00	494.80
UAA62B32T3	*	62.0	32.0	2.0	0.524	188.00	184.00
UAA63B25T3	*	63.0	25.0	3.0	0.726	176.33	254.84
UASA63B48T8	*	63.0	48.0	8.0	2.349	220.28	824.22
UASA64B25T10	*	64.0	25.0	10.0	2.394	172.96	840.00
GM0010	*	64.0	25.0	10.0	2.468	172.96	865.88
UASA65B25T10	*	65.0	25.0	10.0	2.417	174.71	847.99
UASA65B43T8	*	65.0	43.0	8.0	2.281	214.28	800.22
UASA68B35.5T3	*	68.0	35.5	3.0	0.869	203.05	304.86
UAA70B20T1.6	✓	70.0	20.0	1.6	0.403	180.00	141.44
UAA70B25T1.5	✓	70.0	25.0	1.5	0.400	190.00	140.25

Unequal Angle Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
UASA70B35T3	*	70.0	35.0	3.0	0.881	205.92	309.17
UAS70B35T3	✓	70.0	35.0	3.0	0.872	210.00	306.00
UAA70B40T1.6	✓	70.0	40.0	1.6	0.494	219.23	173.36
UAA70B40T5	✓	70.0	40.0	5.0	1.494	220.00	524.10
UAA70B50T4.7	✓	70.0	50.0	4.7	1.544	240.00	541.80
UAA75B25T1.5	✓	75.0	25.0	1.5	0.421	200.00	147.75
UAA75B25T3	✓	75.0	25.0	3.0	0.829	198.70	290.80
UAA75B30T4.5	✓	75.0	30.0	4.5	1.289	210.00	452.25
UAA75B50T1.6	✓	75.0	50.0	1.6	0.562	249.23	197.36
UAA75B50T3	✓	75.0	50.0	3.0	1.043	250.00	366.00
UAA75B50T6	✓	75.0	50.0	6.0	2.035	250.00	714.00
UAA80B20T3	✓	80.0	20.0	3.0	0.829	200.00	291.00
UAA80B40T6	✓	80.0	40.0	6.0	1.949	240.00	684.00
UASA80B40T10	*	80.0	40.0	10.0	3.137	236.57	1100.86
UASA80B50T2	*	80.0	50.0	2.0	0.730	257.94	255.97
UAA80B50T4.7	*	80.0	50.0	4.7	1.678	260.00	588.80
UASA80B50T10	*	80.0	50.0	10.0	3.421	259.36	1200.48
UAA90B40T1.6	✓	90.0	40.0	1.6	0.586	260.00	205.44
UAA90B80T10.4	*	90.0	80.0	10.4	4.730	339.23	1659.80
UASA92B66T15	*	92.0	66.0	15.0	6.113	314.28	2145.00
UASA98B35T12	*	98.0	35.0	12.0	4.002	262.35	1404.34
UAA100B25T1.8	✓	100.0	25.0	1.8	0.632	250.00	221.76
UAA100B25T3	✓	100.0	25.0	3.0	1.043	248.70	365.80
UAA100B50T1.5	✓	100.0	50.0	1.5	0.635	300.00	222.75
UAA100B50T4	✓	100.0	50.0	4.0	1.664	300.00	584.00
UAA100B50T5	*	100.0	50.0	5.0	2.066	299.30	725.00
UAA100B50T6	✓	100.0	50.0	6.0	2.462	299.23	863.92
UAA100B50T8	*	100.0	50.0	8.0	3.237	300.00	1135.92
UAA100B50T10	*	100.0	50.0	10.0	3.990	300.00	1400.00
UAA100B65T6	*	100.0	65.0	6.0	2.718	328.70	953.80
UAA100B75T3	✓	100.0	75.0	3.0	1.471	350.00	516.00
UAA100B75T8	✓	100.0	75.0	8.0	3.808	350.00	1336.00
UAA110B25T10	*	110.0	25.0	10.0	3.563	270.00	1250.00
UASA110B70T12	*	110.0	70.0	12.0	4.628	360.00	1624.00
UAA120B70T1.6	✓	120.0	70.0	1.6	0.859	380.00	301.44
UAA125B50T3	✓	125.0	50.0	3.0	1.471	350.00	516.00
UAA125B50T8	✓	125.0	50.0	8.0	3.808	350.00	1336.00
UAA125B75T8	✓	125.0	75.0	8.0	4.378	400.00	1536.00
UAA130B30T1.8	*	130.0	30.0	1.8	0.811	319.23	284.68
UAA150B50T2.5	✓	150.0	50.0	2.5	1.407	400.00	493.75


Unequal Angle Section



"✓" Stocked Item
 "*" Pre-order Only Item
 (30-40 working days delivery)

Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
UAA150B75T6	✓	150.0	75.0	6.0	3.745	450.00	1314.00
UAA150B75T10	✓	150.0	75.0	10.0	6.127	449.23	2149.92
UAA150B100T3	✓	150.0	100.0	3.0	2.112	500.00	741.00
UAA150B100T8	✓	150.0	100.0	8.0	5.518	500.00	1936.00
UAA150B120T10	✓	150.0	120.0	10.0	7.410	540.00	2600.00
UAA160B40T1.8	✓	160.0	40.0	1.8	1.017	400.00	356.75
UASA160B78T10	*	160.0	78.0	10.0	7.754	464.41	2720.83
UAA175B75T7	*	175.0	75.0	7.0	4.848	499.23	1700.92
UASA195B80T10	*	195.0	80.0	10.0	8.843	537.77	3102.67
UAA200B75T8	✓	200.0	75.0	8.0	6.088	550.00	2136.00
UAA200B100T10	✓	200.0	100.0	10.0	8.265	599.23	2899.92
UASA203B50.8T10.2	*	203.0	50.8	10.2	7.178	499.62	2518.66
UASA210B80T10	*	210.0	80.0	10.0	7.980	575.71	2800.00
UAA250B80T9.5	*	250.0	80.0	9.5	9.045	653.77	3173.66

U-Channel Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
CLA4.3B8T0.6	✓	4.3	8.0	0.6	0.032	38.37	11.38
CLA5B9T1	*	5.0	9.0	1.0	0.059	43.14	20.79
CLSA5.4B11T1.5	*	5.4	11.0	1.5	0.103	50.20	36.13
CLA7.2B9.9T1.3	*	7.2	9.9	1.3	0.087	51.72	30.40
CLA8B9.3T0.65	✓	8.0	9.3	0.65	0.047	50.83	16.35
CLA8.7B9T0.6	*	8.7	9.0	0.6	0.043	51.20	15.22
CLSA8.84B5T2	*	8.84	5.0	2.0	0.070	32.48	24.53
CLA10B10T1.5	✓	10.0	10.0	1.5	0.115	56.00	40.42
CLA10B15T1.4	*	10.0	15.0	1.4	0.148	77.20	52.08
CLA10B15T1.6	✓	10.0	15.0	1.6	0.168	76.8	58.88
CLA10.3B15T1.5	✓	10.3	15.0	1.5	0.159	77.60	55.95
CLA12B4T2	*	12.0	4.0	2.0	0.091	36.00	32.00
CLA12B10T1.4	*	12.0	10.0	1.4	0.117	61.20	40.88
CLA12B12T1.5	✓	12.0	12.0	1.5	0.141	68.00	49.42
CLA13B20T1.25	*	13.0	20.0	1.25	0.180	103.50	63.13
CLSA15B15T4	*	15.0	15.0	4.0	0.396	78.57	138.93
CLA15.6B20T1.5	*	15.6	20.0	1.5	0.225	108.20	78.90
CLA16B16T1.6	✓	16.0	16.0	1.6	0.204	91.10	71.50
CLA16B30T1.5	*	16.0	30.0	1.5	0.312	149.00	109.50
CLSA16B60T4.0	*	16.0	60.0	4.0	1.479	253.88	518.87
CLA17B25T2	*	17.0	25.0	2.0	0.359	128.97	125.92
CLA18B12T0.5	*	18.0	12.0	0.5	0.053	82.20	18.45
CLSA19B3T1	*	19.0	3.0	1.0	0.063	46.25	22.27
CLA19B13T0.5	*	19.0	13.0	0.5	0.063	89.00	22.00
CLA19B29T3	*	19.0	29.0	3.0	0.607	148.00	213.00
CLA19.6B19.6T1.3	✓	19.6	19.6	1.3	0.207	113.40	72.70
CLA20B10T1.5	*	20.0	10.0	1.5	0.158	77.00	55.50
CLA20B20T1.6	✓	20.0	20.0	1.6	0.259	116.80	90.88
CLA20B20T3	✓	20.0	20.0	3.0	0.461	112.30	161.80
CLSA20B25T2.6	✓	20.0	25.0	2.6	0.497	133.00	174.30
CLA21B21T1.5	*	21.0	21.0	1.5	0.257	123.00	90.00
CLSA22B60T3	*	22.0	60.0	3.0	1.251	271.20	438.80
CLSA22B110T4.5	*	22.0	110.0	4.5	3.241	456.73	1137.06
CLA22B22T3	✓	22.0	22.0	3.0	0.513	434.13	179.92
CLSA22.5B35T3.5	✓	22.5	35.0	3.5	0.860	174.00	301.80
CLA23B20T2	*	23.0	20.0	2.0	0.107	40.84	37.70
CLA23B15T1	✓	23.0	15.0	1.0	0.145	102.80	51.00
CLA24B7.5T2.4	*	24.0	7.5	2.4	0.234	72.20	82.00
CLSA24B12T1	*	24.0	12.0	1.0	0.130	92.73	45.72
CLSA24.9B7.9T3	*	24.9	7.9	3.0	0.291	74.37	102.06

U-Channel Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
CLA25B20T1	*	25.0	20.0	1.0	0.179	127.00	62.92
CLA25B25T1.5	✓	25.0	25.0	1.5	0.308	147.00	108.00
CLA25B25T1.9	✓	25.0	25.0	1.9	0.385	147.00	135.20
CLA25B25T3	✓	25.0	25.0	3.0	0.590	143.00	207.00
CLA25B40T3	✓	25.0	40.0	3.0	0.846	204.00	297.00
CLA25B50T2	✓	25.0	50.0	2.0	0.690	246.00	242.00
CLA25B50T3	✓	25.0	50.0	3.0	1.017	243.00	357.00
CLA25.5B12.8T1	*	25.5	12.8	1.0	0.140	99.17	49.02
CLSA26B15.5T0.7	*	26.0	15.5	0.7	0.112	111.40	39.34
CLSA28.8B35T3.5	✓	28.8	35.0	3.5	0.932	187.00	327.00
CLSA29B23T3	*	29.0	23.0	3.0	0.577	141.17	202.46
CLSA29.4B40T3	*	29.4	40.0	3.0	0.917	210.8	321.80
CLA30B10T2	*	30.0	10.0	2.0	0.262	96.00	92.00
CLA30B17T1.2	*	30.0	17.0	1.2	0.239	124.60	84.00
CLA30B20T1	*	30.0	20.0	1.0	0.194	137.00	67.92
CLA30B25T3	✓	30.0	25.0	3.0	0.633	154.00	222.00
CLA32B25T3	✓	32.0	25.0	3.0	0.450	158.00	158.00
CLSA32B40T4	*	32.0	40.0	3.0	0.943	216.64	331.00
CLSA34.4B50T3.5	*	34.4	50.0	3.5	1.271	216.64	445.92
CLA35B7.5T2.4	*	35.0	7.5	2.4	0.309	94.20	108.40
CLSA35B9.5T3.3	*	35.0	9.5	3.3	0.512	100.00	179.70
CLSA35B11T4	*	35.0	11.0	4.0	0.539	102.57	189.13
CLA35B13T2	*	35.0	13.0	2.0	0.325	118.00	114.00
CLSA35B15T4	*	35.0	15.0	4.0	0.726	117.43	254.79
CLA35B50T3	✓	35.0	50.0	3.0	1.103	264.00	387.00
CLA35.5B17T3	*	35.5	17.0	3.0	0.543	131.87	190.42
CLA36B36T2.5	✓	36.0	36.0	2.5	0.733	209.30	257.30
CLSA36.2B11.9T2	*	36.2	11.9	2.0	0.319	115.20	111.92
CLSA37B40T3	*	37.0	40.0	3.0	0.993	226.00	384.40
CLA38.2B12.8T1	*	38.2	12.8	1.0	0.177	124.20	62.00
CLA40B11.5T2	*	40.0	11.5	2.0	0.335	120.71	117.68
CLA40B15T1	*	40.0	15.0	1.0	0.194	138.00	68.00
CLA40B15T3	✓	40.0	15.0	3.0	0.547	132.28	191.79
CLSA40B19T4	*	40.0	19.0	4.0	0.787	144.14	276.03
CLA40B20T1.6	*	40.0	20.0	1.6	0.350	155.77	122.80
CLA40B20T3	*	40.0	20.0	3.0	0.633	154.00	222.00
CLA40B25T3	✓	40.0	25.0	3.0	0.718	172.30	251.80
CLSA40.2B40T3	*	40.2	40.0	3.0	1.025	232.40	359.60
CLSA41B45T3	*	41.0	45.0	3.0	1.035	252.65	363.00
CLA44B50T4	✓	44.0	50.0	4.0	1.550	278.30	543.80


U-Channel Section



"✓" Stocked Item
 "*" Pre-order Only Item
 (30-40 working days delivery)

Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
CLSA44B50T6	*	44.0	50.0	6.0	2.230	270.94	782.57
CLA45B8T1.2	*	45.0	8.0	1.2	0.200	118.60	70.20
CLA45B25T3	✓	45.0	25.0	3.0	0.761	184.00	267.00
CLA45.5B27T5	*	45.5	27.0	5.0	1.275	188.00	447.42
CLA46B20T2	*	46.0	20.0	2.0	0.467	168.00	164.00
CLA46B27T5	*	46.0	27.0	5.0	1.282	189.00	449.92
CLA46.5B27T4.5	*	46.5	27.0	4.5	1.173	191.00	411.67
CLSA46.6B22.5T3	*	46.6	22.5	3.0	0.729	177.00	255.71
CLA47B40T3	*	47.0	40.0	3.0	1.039	246.28	364.72
CLA48B19T1	*	48.0	18.8	1.0	0.247	168.28	86.79
CLA48B75T8	*	48.0	75.0	8.0	4.150	380.00	1456.00
CLA48.5B18.8T1	*	48.5	18.8	1.0	0.239	168.92	83.89
CLA48.5B24.5T1.7	*	48.5	24.5	1.7	0.400	188.94	140.20
CLA49.5B38T3	*	49.5	38.0	3.0	1.021	243.97	358.42
CLSA50B9T3	*	50.0	9.0	3.0	0.529	128.37	185.53
CLA50B10T3	*	50.0	10.0	3.0	0.547	133.00	191.90
CLA50B15T3	✓	50.0	15.0	3.0	0.633	154.00	222.00
CLSA50B25T3	✓	50.0	25.0	3.0	0.793	191.50	278.30
CLA50B25T3	✓	50.0	25.0	3.0	0.803	193.00	281.90
CLA50B30T2	*	50.0	30.0	2.0	0.604	216.00	212.00
CLA50B30T4	*	50.0	30.0	4.0	1.163	212.00	408.00
CLSA50B30T4	*	50.0	30.0	4.0	1.177	206.00	412.95
CLSA50B35T4	✓	50.0	35.0	4.0	1.256	228.21	440.66
CLA50B35T4	*	50.0	35.0	4.0	1.277	232.00	448.00
CLSA50B36T6	*	50.0	36.0	6.0	1.730	228.57	606.87
CLSA50B50T3	*	50.0	50.0	3.0	1.219	292.40	427.80
CLA50B50T3	✓	50.0	50.0	3.0	1.231	292.96	431.92
CLSA50.2B64T4	*	50.2	64.0	4.0	1.915	343.25	672.00
CLA50.6B20T1	*	50.6	20.0	1.0	0.252	177.92	88.39
CLA51B13T1	*	51.0	13.0	1.0	0.213	151.00	74.80
CLA51.1B20T1	*	51.1	20.0	1.0	0.253	178.95	88.91
CLA51.4B110T4	*	51.4	110.0	4.0	3.004	534.00	1054.00
CLSA51.8B25T0.9	*	51.8	25.0	0.9	0.258	201.20	90.50
CLA52.4B25T1.2	*	52.4	25.0	1.2	0.342	202.40	120.00
CLA52.4B30T1.2	*	52.4	30.0	1.2	0.376	221.40	132.00
CLSA55B30T3	*	55.0	30.0	3.0	0.929	221.40	326.00
CLA56B27T4.5	*	56.0	27.0	4.5	1.295	210.00	454.42
CLA56B27T5	*	56.0	27.0	5.0	1.425	209.00	499.92
CLA57B15T3	✓	57.0	15.0	3.0	0.693	168.00	243.00
CLA58B20T2	*	58.0	20.0	2.0	0.536	192.00	188.00

U-Channel Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
CLSA58B65T3.5	✓	58.0	65.0	3.5	1.873	367.42	657.10
CLSA69B59T4	*	59.0	69.0	4.0	2.128	383.90	746.70
CLA60B40T3.5	*	60.0	40.0	3.5	1.351	263.56	473.87
CLA60B45T5	✓	60.0	45.0	5.0	1.995	290.00	700.00
CLA60B70T4	*	60.0	70.0	4.0	2.189	392.00	768.00
CLA60B110T4	*	60.0	110.0	4.0	3.101	559.00	1088.00
CLSA61B150T5	✓	61.0	150.0	5.0	4.480	705.50	1571.98
CLA65B25T4	✓	65.0	25.0	4.0	1.220	222.00	428.00
CLSA65B12T1	*	65.0	12.0	1.0	0.243	172.05	85.21
CLSA65B40T10	*	65.0	40.0	10.0	3.809	259.13	1336.57
CLA68B19T1	*	68.0	19.0	1.0	0.296	209.00	103.92
CLA70B12T1	*	70.0	12.0	1.0	0.262	184.97	91.92
CLA70B20T1	*	70.0	20.0	1.0	0.308	217.00	107.92
CLA75B25T3	✓	75.0	25.0	3.0	1.017	242.30	356.80
CLA75B40T3	✓	75.0	40.0	3.0	1.273	302.30	446.80
CLA76.5B12.8T1.1	*	76.5	12.8	1.1	0.312	200.50	109.6
CLA80B36T5	*	80.0	36.0	5.0	2.028	291.51	711.60
CLSA80B39.8T3.9	*	80.0	39.8	3.9	1.701	305.39	596.96
CLA80B30T2	*	80.0	30.0	2.0	0.778	276.00	272.97
CLSA80B35T5	*	80.0	35.0	5.0	1.903	276.61	667.73
CLA80B40T3	✓	80.0	40.0	3.0	1.317	314.00	462.00
CLA80B40T5	✓	80.0	40.0	5.0	2.137	308.97	749.92
CLSA81.5B100T5	*	81.5	100.0	5.0	3.873	550.00	1358.89
CLSA88B90T2	*	88.0	90.0	2.0	1.479	522.70	519.10
CLSA90B75T13	*	90.0	75.0	13.0	6.888	450.57	2416.87
CLA100B25T3	✓	100.0	25.0	3.0	1.231	292.30	431.80
CLA100B50T5	✓	100.0	50.0	5.0	2.707	388.97	949.92
CLSA100B50T6	*	100.0	50.0	6.0	3.238	381.56	1136.05
CLSA100B60T5.5	*	100.0	60.0	5.5	3.429	426.00	1203.00
CLSA100B85T1.7	*	100.0	85.0	1.7	1.158	478.96	406.31
CLA100B100T5	*	100.0	100.0	5.0	4.133	589.00	1450.00
CLA101.6B12.8T1.1	*	101.6	12.8	1.1	0.391	251.00	137.20
CLSA104B45T8	*	104.0	45.0	8.0	4.269	372.00	1498.00
CLA108B48T2.6	*	108.0	48.0	2.6	1.473	401.80	516.80
CLA110B15T3	*	110.0	15.0	3.0	1.148	272.28	402.79
CLA110B45T10	*	110.0	45.0	10.0	5.132	377.43	1800.65
CLA113B50T5	*	113.0	50.0	5.0	2.923	411.70	1025.73
CLA115B25T2.5	*	115.0	25.0	2.5	1.140	325.00	400.00
CLA116B40.5T5	*	116.0	40.5	5.0	2.555	382.51	896.50
CLSA120B85T1.7	*	120.0	85.0	1.7	1.255	518.95	440.31


U-Channel Section



"✓" Stocked Item
 "*" Pre-order Only Item
 (30-40 working days delivery)

Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
CLSA125B55T10	*	125.0	55.0	10.0	9.120	430.00	3200.00
CLSA127B69.85T4.83	*	127.0	69.85	4.83	4.879	514.56	1711.77
CLSA138B26T8	*	138.0	26.0	8.0	3.969	361.43	1392.64
CLSA138B79T8	*	138.0	79.0	8.0	6.351	570.69	2228.47
CLSA140B30T10	*	140.0	30.0	10.0	4.763	354.25	1671.24
CLSA150B65T6.5	*	150.0	65.0	6.5	5.068	537.64	1778.30
CLA150B75T5	✓	150.0	75.0	5.0	4.132	588.30	1449.80
CLSA152.4B82.6T5.33	*	152.4	82.6	5.33	6.299	617.80	2210.19
CLSA153B64T19	*	153.0	64.0	19.0	13.146	518.85	4612.71
CLA153B74T19	*	153.0	74.0	19.0	14.229	558.85	4992.71
CLSA170B100T6	*	170.0	100.0	6.0	6.048	719.42	2122.25
CLA180B52T15	*	180.0	52.0	15.0	10.859	538.00	3810.00
CLA180B120T15	*	180.0	120.0	15.0	16.673	810.00	5850.00
CLSA180B120T15	*	180.0	120.0	15.0	15.421	811.71	5410.73
CLSA200B70T10	*	200.0	70.0	10.0	9.242	651.42	3242.92
CLSA203.2B95.3T6.35	*	203.2	95.3	6.35	9.049	767.07	3175.14
CLSA254B88.9T6.35	*	254.0	88.9	6.35	9.592	843.30	3365.51
CLSA260B120T19.5	*	260.0	120.0	19.5	25.929	953.05	9097.87
CLSA280B53T11	*	280.0	53.0	11.0	10.258	744.85	3599.45
CLSA280B53T21	*	280.0	53.0	21.0	18.067	742.85	6339.45
CLSA300B70T7	*	300.0	70.0	7.0	11.012	866.00	3864.00
CLSA300B100T7	*	300.0	100.0	7.0	9.696	986.00	3402.00

Flat Bar




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
FBRA6.9T4.9R2.5	*	6.9	4.9	2.5	0.082	19.40	28.70
FBA7.5T2	*	7.5	2.0		0.043	19.00	15.00
FBA8T4	*	8.0	4.0		0.091	24.00	32.00
FBA10T2	*	10.0	2.0		0.057	24.00	20.00
FBA10T3	✓	10.0	3.0		0.086	26.00	30.00
FBA10T6	✓	10.0	6.0		0.171	32.00	60.00
FBA11.4T4.4	*	11.4	4.4		0.143	31.60	50.16
FBA12T3	✓	12.0	3.0		0.103	30.00	36.00
FBA12T6	✓	12.0	6.0		0.205	36.00	72.00
FBA13T6	*	13.0	6.0		0.222	38.00	78.00
FBA15T1.6	✓	15.0	1.6		0.068	33.20	24.00
FBA15T2	✓	15.0	2.0		0.085	33.50	29.90
FBRA15T2.7R1	*	15.0	2.7	1.0	0.113	33.70	39.64
FBA15T4	*	15.0	4.0		0.170	37.14	59.79
FBA16T3	✓	16.0	3.0		0.136	37.20	47.80
FBRA16T4R4.7	*	16.0	4.0	4.7	0.180	38.18	62.76
FBA18T1.8	*	18.0	1.8		0.092	39.60	32.40
FBRA18T1.8R0.9	*	18.0	1.8	0.9	0.090	38.06	31.71
FBA18.7T5.8	*	18.7	5.8		0.309	48.49	108.38
FBA19T1.2	*	19.0	1.2		0.062	42.00	21.89
FBA19T2	✓	19.0	2.0		0.108	42.00	38.00
FBA19T3	*	19.0	3.0		0.162	44.00	57.00
FBRA19T5R1	*	19.0	5.0	1.0	0.268	46.28	94.14
FBA19T6	✓	19.0	6.0		0.325	50.00	114.00
FBA20T1.5	✓	20.0	1.5		0.086	42.50	30.00
FBA20T2	*	20.0	2.0		0.114	44.00	40.00
FBA20T2.5	*	20.0	2.5		0.143	45.00	50.00
FBA20T2.8	✓	20.0	2.8		0.160	45.60	56.00
FBA20T3	*	20.0	3.0		0.171	46.00	60.00
FBA20T5	*	20.0	5.0		0.285	50.00	100.00
FBA20T6	✓	20.0	6.0		0.342	52.00	120.00
FBA20T10	*	20.0	10.0		0.570	60.00	200.00
FBA23T4	*	23.0	4.0		0.262	54.00	92.00
FBA23T10	*	23.0	10.0		0.656	66.00	230.00
FBSRA24.7T6R2	*	24.7	6.0	2.0	0.418	59.74	146.66
FBA25T1.5	✓	25.0	1.5		0.107	53.00	37.50
FBA25T2	*	25.0	2.0		0.143	54.00	50.00
FBA25T2.5	✓	25.0	2.5		0.178	55.00	62.50
FBA25T3	✓	25.0	3.0		0.214	55.50	74.92
FBSA25T4	*	25.0	4.0		0.285	58.40	99.90

Flat Bar




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
FBA25T5	✓	25.0	5.0		0.356	60.00	125.00
FBA25T10	✓	25.0	10.0		0.713	70.00	250.00
FBA25T12	✓	25.0	12.0		0.855	73.49	299.92
FBA25T20	✓	25.0	20.0		1.425	90.00	500.00
FBA28T1.5	*	28.0	1.5		0.119	58.50	41.90
FBA28T3	*	28.0	3.0		0.239	62.00	84.00
FBA28T5.8	*	28.0	5.8		0.462	66.74	162.20
FBA28T8	*	28.0	8.0		0.638	71.14	223.80
FBA28T14	*	28.0	14.0		1.117	83.14	391.80
FBA28.3T2	*	28.3	2.0		0.161	60.60	56.60
FBA29.5T3.9	*	29.5	3.9		0.328	66.80	115.05
FBA30T1.2	*	30.0	1.2		0.092	61.26	32.74
FBRA30T2R1	*	30.0	2.0	1.0	0.169	62.28	59.14
FBA30T2	*	30.0	2.0		0.171	64.00	60.00
FBA30T2.5	*	30.0	2.5		0.214	65.00	75.00
FBA30T3	✓	30.0	3.0		0.257	66.00	90.00
FBRA30T3R1	*	30.0	3.0	1.0	0.254	64.28	89.14
FBRA30T4R2	*	30.0	4.0	2.0	0.332	64.57	116.57
FBA30T4.8	✓	30.0	4.8		0.410	69.60	144.00
FBSA30T5	*	30.0	5.0		0.428	70.00	150.00
FBA30T8	✓	30.0	8.0		0.684	76.00	240.00
FBA30T13	*	30.0	13.0	2.5	1.096	81.70	384.64
FBA32T3	✓	32.0	3.0		0.274	70.00	96.00
FBA32T6	✓	32.0	6.0		0.547	76.00	192.00
FBA32T10	✓	32.0	10.0		0.912	84.00	320.00
FBSRA32T22R3	*	32.0	22.0	3.0	1.995	105.00	700.03
FBRA34.5T3.8R1	*	34.5	3.8	1.0	0.374	76.60	131.10
FBA35T5	✓	35.0	5.0		0.499	80.00	175.00
FBRA35T5R1	*	35.0	5.0	1.0	0.496	78.28	174.14
FBA35T20	*	35.0	20.0		2.000	110.00	700.00
FBRA37.6T5.5R2.7	*	37.6	5.5	2.7	0.571	82.00	200.30
FBA38T10	*	38.0	10.0		1.083	207.27	234.74
FBA38T13	*	38.0	13.0		1.408	102.00	494.00
FBRA38.1T3R1.5	*	38.1	3.0	1.5	0.326	82.20	114.30
FBRA38.1T6.3R3.1	✓	38.1	6.3	3.1	0.684	88.80	240.03
FBA40T0.9	*	40.0	0.9		0.103	81.80	36.00
FBA40T1.5	*	40.0	1.5		0.171	82.50	59.92
FBA40T2	*	40.0	2.0		0.228	84.00	80.00
FBA40T2.9	✓	40.0	2.9		0.331	85.80	116.00
FBRA40T5R2.5	*	40.0	5.0	2.5	0.555	85.70	194.60

Flat Bar




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
FBA40T5	✓	40.0	5.0		0.570	90.00	200.00
FBA40T6	✓	40.0	6.0		0.684	92.00	240.00
FBA40T8.2	*	40.0	8.2		0.935	96.40	328.00
FBA40T10	✓	40.0	10.0		1.140	100.00	400.00
FBA40T12	*	40.0	12.0		1.368	104.00	480.00
FBA40T15	✓	40.0	15.0		1.710	110.00	600.00
FBSRA43T30R3	*	43.0	30.0	3.0	3.625	138.97	1272.00
FBA45T10	✓	45.0	10.0		1.282	110.00	449.92
FBA45T42	*	45.0	42.0		5.387	174.00	1890.00
FBA45.2T3.2	*	45.2	3.2		0.412	96.80	144.64
FBA46T2	*	46.0	2.0		0.262	96.00	92.00
FBA47.5T1.3	✓	47.5	1.3		0.176	97.60	61.75
FBA47.6T1.5	*	47.6	1.5		0.203	97.70	71.32
FBRA49T5R2.5	*	49.0	5.0	2.5	0.695	108.00	245.00
FBRA50T2	*	50.0	2.0		0.285	104.00	100.00
FBRA50T3R1.5	*	50.0	3.0	1.5	0.422	106.00	150.00
FBA50T3	✓	50.0	3.0		0.428	106.00	150.00
FBA50T3.5	*	50.0	3.5		0.500	107.00	175.00
FBA50T4	*	50.0	4.0		0.570	108.00	200.00
FBA50T5	✓	50.0	5.0		0.713	110.00	250.00
FBA50T6LB	✓	50.0	6.0		0.855	112.00	300.00
FBRA50T6R3	*	50.0	6.0	3.0	0.833	106.90	292.30
FBA50T8	✓	50.0	8.0		1.140	116.00	400.00
FBA50T10	✓	50.0	10.0		1.425	120.00	500.00
FBA50T12	✓	50.0	12.0		1.710	124.00	600.00
FBA50T20	✓	50.0	20.0		2.850	140.00	1000.00
FBA50T25	✓	50.0	25.0		3.563	150.00	1250.00
FBA55T1.7	*	55.0	1.7		0.266	113.40	93.50
FBA55T5	*	55.0	5.0		0.784	120.00	275.00
FBSA55T8	*	55.0	8.0		1.254	125.50	439.92
FBA56.5T27	*	56.5	27.0		4.344	164.77	1524.05
FBA57.6T2.8	*	57.6	2.8		0.460	120.80	161.28
FBA58T4	*	58.0	4.0		0.661	124.00	232.00
FBA60T0.9	*	60.0	0.9		0.154	121.80	54.00
FBA60T3	✓	60.0	3.0		0.512	125.20	179.80
FBSA60T4	*	60.0	4.0		0.684	128.00	240.00
FBA60T5	✓	60.0	5.0		0.855	130.00	300.00
FBA60T6	✓	60.0	6.0		1.026	132.00	360.00
FBA60T10	✓	60.0	10.0		1.710	140.00	600.00
FBA60T12	✓	60.0	12.0		2.052	144.00	720.00

Flat Bar




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
FBA60T20	*	60.0	20.0		3.420	159.49	1199.92
FBRA65T5R2.5	*	65.0	5.0	2.5	0.911	135.70	319.60
FBA65T5	✓	65.0	5.0		0.926	140.00	325.00
FBA65T8	*	65.0	8.0		1.482	146.00	520.00
FBA70T2	*	70.0	2.0		0.399	144.00	140.00
FBA70T4	*	70.0	4.0		0.798	147.50	279.92
FBA70T5	*	70.0	5.0		0.997	149.50	349.92
FBA70T10	✓	70.0	10.0		1.995	160.00	700.00
FBA70T15	*	70.0	15.0		2.993	170.00	1050.00
FBA75T2	✓	75.0	2.0		0.428	154.00	150.00
FBA75T4	✓	75.0	4.0		0.855	158.00	300.00
FBA75T6	✓	75.0	6.0		1.283	162.00	450.00
FBA75T10	✓	75.0	10.0		2.138	170.00	750.00
FBA75T12	✓	75.0	12.0		2.565	174.00	900.00
FBA75T20	✓	75.0	20.0		4.275	190.00	1500.00
FBRA76T8R4	*	76.0	8.0	4.0	1.694	161.13	594.27
FBA77T6	*	77.0	6.0		1.317	165.50	462.00
FBA80T3	✓	80.0	3.0		0.684	166.00	240.00
FBA80T6	✓	80.0	6.0		1.368	172.00	480.00
FBA80T10	✓	80.0	10.0		2.280	180.00	800.00
FBA80T12	✓	80.0	12.0		2.736	184.00	960.00
FBA84T4	*	84.0	4.0		0.958	176.00	336.00
FBA84T5	*	84.0	5.0		1.197	177.48	419.92
FBA84T6	*	84.0	6.0		1.436	180.00	504.00
FBA88T5	*	88.0	5.0		1.254	185.50	440.00
FBA90T3	✓	90.0	3.0		0.769	185.50	269.92
FBRA90T5R2.5	✓	90.0	5.0	2.5	1.267	185.70	444.60
FBRA90T6R3	✓	90.0	6.0	3.0	1.517	186.90	532.30
FBRA90T12.8R1	*	90.0	12.8	1.0	3.281	203.88	1151.14
FBA90T15	*	90.0	15.0		3.848	210.00	1350.00
FBA95T3.5	*	95.0	3.5		0.947	197.00	332.40
FBA95T15	*	95.0	15.0		4.061	219.49	1424.92
FBA96T6	*	96.0	6.0		1.950	204.00	576.00
FBA100T1.5	✓	100.0	1.5		0.430	203.00	150.00
FBA100T3	✓	100.0	3.0		0.855	206.00	300.00
FBA100T3	*	100.0	4.0		1.140	208.00	400.00
FBA100T6	✓	100.0	6.0		1.709	211.20	599.80
FBA100T8	*	100.0	8.0		2.280	216.00	800.00
FBA100T10	✓	100.0	10.0		2.850	220.00	1000.00
FBRA100T10R5	*	100.0	10.0	5.0	2.789	211.42	978.54

Flat Bar




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
FBA100T12	✓	100.0	12.0		3.420	224.00	1200.00
FBA100T30	*	100.0	30.0		8.550	259.49	2999.92
FBRA102T12.8R6.4	*	102.0	12.8	6.4	3.621	218.61	1270.44
FBA106T6	*	106.0	6.0		1.813	224.00	636.00
FBA110T2	*	110.0	2.0		0.627	224.00	220.00
FBA110T3	*	110.0	3.0		0.940	225.50	329.92
FBA110T8	✓	110.0	8.0		2.508	236.00	880.00
FBA114T12	*	114.0	12.0		3.898	251.14	1367.79
FBA114T18	*	114.0	18.0		5.848	263.14	2051.79
FBA116T6	*	116.0	6.0		1.984	224.00	696.00
FBA117T3.7	*	117.0	3.7		1.234	241.40	432.90
FBRA119T5R2.5	*	119.0	5.0	2.5	1.682	243.70	590.00
FBA120T6	✓	120.0	6.0		2.052	252.00	720.00
FBRA120T6R3	✓	120.0	6.0	3.0	2.030	246.90	712.30
FBA120T8	*	120.0	8.0		2.736	256.00	960.00
FBA120T12	✓	120.0	12.0		4.104	264.00	1440.00
FBA123T3.5	*	123.0	3.5		1.227	253.00	430.50
FBA123T4.8	*	123.0	4.8		1.683	255.60	590.40
FBA125T3	*	125.0	3.0		1.069	256.00	375.00
FBA125T6	*	125.0	6.0		2.138	262.00	750.00
FBA125T10	✓	125.0	10.0		3.563	270.00	1250.00
FBA125T12	✓	125.0	12.0		4.275	274.00	1500.00
FBA126T6	✓	126.0	6.0		2.155	264.00	756.00
FBA133.5T6	*	133.5	6.0		2.283	279.00	801.00
FBA136T4	*	136.0	4.0		1.550	280.00	544.00
FBA136T6	*	136.0	6.0		2.326	284.00	816.00
FBA138T5.8	✓	138.0	5.8		2.281	287.60	800.40
FBRA140T5.9R2.9	*	140.0	5.9	2.9	2.333	286.70	818.50
FBA140T10	*	140.0	10.0		3.990	300.00	1400.00
FBA142T3.6	*	142.0	3.6		1.457	291.20	511.20
FBSA142T27	*	142.0	27.0		10.926	337.39	3833.70
FBA143T25	*	143.0	25.0		10.189	336.00	3575.00
FBA145T6	✓	145.0	6.0		2.480	302.00	870.00
FBA150T1.5	✓	150.0	1.5		0.641	303.00	225.00
FBA150T3	✓	150.0	3.0		1.283	306.00	450.00
FBA150T5	✓	150.0	5.0		2.138	310.00	750.00
FBA150T8	*	150.0	8.0		3.420	316.00	1200.00
FBA150T10	✓	150.0	10.0		4.275	319.50	1500.00
FBA150T13.5	✓	150.0	13.5		5.771	327.00	2025.00
FBA151T3.2	*	151.0	3.2		1.377	308.40	483.20


Flat Bar



"✓" Stocked Item
 "*" Pre-order Only Item
 (30-40 working days delivery)

Product Code	Ex Stock	A (mm)	T (mm)	R (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
FBA151T4.8	*	151.0	4.8		2.066	311.60	724.80
FBA151T5.8	*	151.0	5.8		2.496	313.60	875.80
FBA151T3.7	*	151.0	3.7		1.592	309.40	558.70
FBRA160T5.9R2.9	*	160.0	5.9	2.9	2.670	427.00	937.00
FBRA160T6	✓	160.0	6.0		2.670	332.00	960.00
FBA160T10	✓	160.0	10.0		4.560	340.00	1600.00
FBA160T25	*	160.0	25.0		11.400	370.00	4000.00
FBA162T27	*	162.0	27.0		12.466	378.00	4374.00
FBA200T5	✓	200.0	5.0		2.850	410.00	1000.00
FBA200T10	✓	200.0	10.0		5.700	420.00	2000.00
FBA200T11	✓	200.0	11.0		6.270	422.00	2200.00
FBRA209T5.9R2.9	*	209.0	5.9	2.9	3.493	424.70	1225.60
FBA220T5	✓	220.0	5.0		3.135	450.00	1100.00
FBA222T2.4	*	222.0	2.4		1.518	448.80	532.80
FBA270T6	*	270.0	6.0		4.617	552.00	1620.00
FBA270T9	✓	270.0	9.0		6.926	558.00	2430.00
FBA270T14	*	270.0	14.0		10.773	568.00	3780.00
FBA286T12	*	286.0	12.0		9.781	596.00	3432.00
FBA300T4	*	300.0	4.0		3.420	608.00	1200.00
FBA300T10	✓	300.0	10.0		8.550	619.50	2999.92

Tee Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
TBA15B15T1.5	*	15.0	15.0	1.5	0.122	60.00	42.75
TBA15B35T1.1	*	15.0	35.0	1.1	0.153	98.97	53.71
TBA15B80T3	*	15.0	80.0	3.0	0.787	190.00	276.00
TBA19B19T3.2	✓	19.0	19.0	3.2	0.316	76.71	110.89
TBA20B10T1.5	✓	20.0	10.0	1.5	0.122	59.00	42.68
TBSA20B11.5T4	✓	20.0	11.5	4.0	0.292	62.00	102.42
TBA20B20T1.5	✓	20.0	20.0	1.5	0.165	80.00	57.75
TBSA22.8B42.7T1	*	22.8	42.7	1.0	0.189	129.37	66.35
TBA25B25T1.6	✓	25.0	25.0	1.6	0.221	100.00	77.44
TBA25B25T3	✓	25.0	25.0	3.0	0.401	98.30	140.80
TBSA30B40T4	*	30.0	40.0	4.0	0.763	137.44	267.86
TBSA35.8B68T2.8	*	35.8	68.0	2.8	1.139	231.00	399.50
TBSA35.8B78T2.8	*	35.8	78.0	2.8	1.269	253.80	445.30
TBSA35.8B88T2.8	*	35.8	88.0	2.8	1.400	277.00	491.20
TBSA35.8B98T2.8	*	35.8	98.0	2.8	1.530	300.00	537.00
TBSA37B53.7T3.7	*	37.0	53.7	3.7	0.908	184.00	318.76
TBA40B20T1.5	✓	40.0	20.0	1.5	0.250	118.30	87.60
TBA40B40T1.6	✓	40.0	40.0	1.6	0.358	160.00	125.44
TBA40B40T3	✓	40.0	40.0	3.0	0.658	158.30	230.80
TBA40B40T6	✓	40.0	40.0	6.0	1.265	158.30	443.80
TBA40B50T6	✓	40.0	50.0	6.0	1.436	178.30	503.80
TBSA41B32T1.5	✓	41.0	32.0	1.5	0.353	143.00	123.90
TBA43B35T3	*	43.0	35.0	3.0	0.640	154.71	224.68
TBA45B25T2.5	*	45.0	25.0	2.5	0.481	139.23	168.63
TBA50B25T1.6	✓	50.0	25.0	1.6	0.335	150.00	117.44
TBA50B50T3	✓	50.0	50.0	3.0	0.829	199.00	290.92
TBA50B50T5	*	50.0	50.0	5.0	1.354	200.00	475.00
TBA50B50T6	✓	50.0	50.0	6.0	1.607	198.30	563.80
TBA50B100T6	✓	50.0	100.0	6.0	2.462	298.30	863.80
TBSA51B62T16.7	*	51.0	62.0	16.7	4.207	225.15	1476.17
TBA55B55T3	*	55.0	55.0	3.0	0.915	220.00	321.00
TBSA60B30T4.5	*	60.0	30.0	4.5	1.351	179.00	473.92
TBSA60B30T5.5	*	60.0	30.0	5.5	1.499	179.00	525.92
GM-GFX-170	*	60.0	30.0	5.5	1.484	174.85	520.85
TBSA60B60T6	✓	60.0	60.0	6.0	1.949	240.00	684.00
TBA60B70T2	*	60.0	70.0	2.0	0.729	259.00	255.92
TBA60B120T6	*	60.0	120.0	6.0	2.975	360.00	1044.00
TBA63.5B63.5T6.35	✓	63.5	63.5	6.35	2.183	252.30	766.00
TBA65B123T2.2	*	65.0	123.0	2.2	1.125	373.08	394.86
TBA75B75T6	✓	75.0	75.0	6.0	2.462	298.30	863.80

Tee Section




"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)


Product Code	Ex Stock	A (mm)	B (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
TBSA101B60T4	*	101.0	60.0	4.0	1.809	318.57	634.87
TBA103B33T3	*	103.0	33.0	3.0	1.137	272.00	399.00
TBA120B84T4	*	120.0	84.0	4.0	2.280	406.97	800.00
TBA150B100T8	✓	150.0	100.0	8.0	5.518	500.00	1936.00

Zed Section



Product Code	Ex Stock	A (mm)	B (mm)	C (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
ZEA3.6B13.2C3.6T1.6	*	3.6	13.2	3.6	1.6	0.078	37.60	27.52
ZEA18B12C5T2	*	18.0	12.0	5.0	2.0	0.177	66.00	62.00
ZEA15B15C20T2	*	15.0	15.0	20.0	2.0	0.262	96.00	92.00
ZEA28B7C19T1	*	28.0	7.0	19.0	1.0	0.148	105.00	52.00
ZEA18.5B18.5C17T1.4	✓	18.5	18.5	17.0	1.4	0.204	105.20	71.68
ZEA21B20C8T4	*	21.0	20.0	8.0	4.0	0.467	89.00	163.92
ZEA20B20C25T1.6	✓	20.0	20.0	25.0	1.6	0.282	126.80	98.88
ZEA30B30C20T1.5	✓	30.0	30.0	20.0	1.5	0.329	155.63	115.36
ZEA30B30C40T1.5	✓	30.0	30.0	40.0	1.5	0.414	195.63	145.36
ZESA38B30C14T3	*	38.0	30.0	14.0	3.0	0.650	154.05	227.92
ZESA43B25C15T3	*	43.0	25.0	15.0	3.0	0.658	156.05	230.92
ZEA22B46.8C16.8T3.8	*	22.0	46.8	16.8	3.8	0.845	164.00	296.40
ZEA15B118C26T3	*	15.0	118.0	26.0	3.0	1.308	312.00	459.00

Solid Round Section




Grade & Temper: 6061-T6

"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	Diameter (mm)	Length (m)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
SRD4.4L3	*	4.4	3.0	0.043	13.82	15.21
SRD5L3	*	5.0	3.0	0.056	15.71	19.60
SRD5.3L3	*	5.3	3.0	0.063	16.65	22.06
SRD6L3	*	6.0	3.0	0.081	18.90	28.30
SRD6.3L3	✓	6.3	3.0	0.089	19.79	31.17
SRD6.8L3	*	6.8	3.0	0.104	21.36	36.32
SRD7L3	✓	7.0	3.0	0.110	21.99	38.48
SRD8L3	✓	8.0	3.0	0.143	25.13	50.27
SRD9L3	*	9.0	3.0	0.181	28.27	63.62
SRD9.53L3	✓	9.53	3.0	0.203	30.00	71.40
SRD9.7L3	*	9.7	3.0	0.211	30.50	73.90
SRD10L3	*	10.0	3.0	0.224	31.42	78.54
SRD10.5L3	*	10.5	3.0	0.247	32.99	86.59
SRD11L3	✓	11.0	3.0	0.271	34.56	95.03
SRD11.8L3	*	11.8	3.0	0.312	37.10	109.36
SRD12L3	*	12.0	3.0	0.322	37.70	113.10
SRD12.7L3	✓	12.7	3.0	0.361	40.00	126.70
SRD13L3	*	13.0	3.0	0.378	40.84	132.73
SRD14L3	*	14.0	3.0	0.439	44.00	154.00
SRD15L3	✓	15.0	3.0	0.504	47.12	176.71
SRD15.6L3	*	15.6	3.0	0.545	49.00	191.14
SRD16L3	✓	16.0	3.0	0.573	50.27	201.06
SRD17L3	*	17.0	3.0	0.647	53.40	226.98
SRD18L3	✓	18.0	3.0	0.725	56.55	254.47
SRD19L3	✓	19.0	3.0	0.808	59.70	283.53
SRD20L3	✓	20.0	3.0	0.895	62.80	314.20
SRD21L3	*	21.0	3.0	0.987	66.00	346.36
SRD22L3	✓	22.0	3.0	1.083	69.12	380.13
SRD23L3	*	23.0	3.0	1.184	72.26	415.48
SRD24L3	✓	24.0	3.0	1.289	75.40	452.40
SRD25L3	*	25.0	3.0	1.399	78.54	490.87
SRD25.4L3	✓	25.4	3.0	1.444	79.80	506.70
SRD26L3	*	26.0	3.0	1.513	81.70	530.93
SRD26.2L3	*	26.2	3.0	1.537	82.31	539.13
SRD26.5L3	✓	26.5	3.0	1.572	83.25	551.55
SRD27L3	✓	27.0	3.0	1.632	84.80	572.60
SRD28L3	*	28.0	3.0	1.755	88.00	615.75
SRD29L3	✓	29.0	3.0	1.882	91.11	660.52
SRD30L3	*	30.0	3.0	2.015	94.25	706.86
SRD32L3	✓	32.0	3.0	2.292	100.53	804.25

Solid Round Section




Grade & Temper: 6061-T6

"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	Diameter (mm)	Length (m)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
SRD33L3	*	33.0	3.0	2.438	103.67	907.92
SRD34L3	*	34.0	3.0	2.588	106.81	855.30
SRD35L3	*	35.0	3.0	2.742	109.96	962.11
SRD36L3	*	36.0	3.0	2.901	113.10	1017.88
SRD37.5L3	*	37.5	3.0	3.148	117.81	1104.47
SRD38.1L3	✓	38.1	3.0	3.249	119.70	1140.10
SRD39.5L3	*	39.5	3.0	3.492	124.10	1225.42
SRD40L3	✓	40.0	3.0	3.581	125.66	1256.64
SRD41.28L3	✓	41.28	3.0	3.814	129.70	1338.40
SRD42L3	*	42.0	3.0	3.949	131.95	1385.44
SRD42.8L3	*	42.8	3.0	4.100	134.46	1438.72
SRD44.5L3	✓	44.5	3.0	4.423	139.70	1551.80
SRD45L3	*	45.0	3.0	4.533	141.37	1590.43
SRD47.4L3	*	47.4	3.0	5.029	148.91	1764.60
SRD47.7L3	*	47.7	3.0	5.093	149.90	1787.00
SRD50L3	*	50.0	3.0	5.596	157.08	1963.50
SRD50.8L3	✓	50.8	3.0	5.777	159.60	2026.90
SRD54L3	✓	54.0	3.0	6.527	169.70	2290.20
SRD55L3	*	55.0	3.0	6.771	172.79	2375.83
SRD56.9L3	*	56.9	3.0	7.247	178.76	2542.81
SRD59.9L3	*	59.9	3.0	8.031	188.18	2818.02
SRD60.32L3	✓	60.32	3.0	8.144	189.50	2857.70
SRD64L3	✓	64.0	3.0	9.168	201.10	3217.00
SRD65L3	*	65.0	3.0	9.457	204.20	3318.31
SRD69.5L3	✓	69.5	3.0	10.812	177.12	3793.67
SRD70L3	*	70.0	3.0	10.968	219.91	3848.45
SRD75L4	✓	75.0	4.0	12.591	235.62	4417.86
SRD80L3	*	80.0	3.0	14.326	251.33	5026.55
SRD85L3	*	85.0	3.0	16.172	267.04	5674.50
SRD90L2	✓	90.0	2.0	18.131	279.29	6361.73
SRD90L4	✓	90.0	4.0	18.131	279.29	6361.73
SRD95L3	*	95.0	3.0	20.201	298.45	7088.22
SRD100L4	✓	100.0	4.0	22.384	314.16	7853.98
SRD105L2	✓	105.0	2.0	24.678	329.87	8659.01
SRD110L2	✓	110.0	2.0	27.084	345.58	9503.32
SRD115L3	✓	115.0	3.0	29.603	361.28	10386.89
SRD120L3	*	120.0	3.0	32.233	376.99	11309.73
SRD125L2	✓	125.0	2.0	34.975	392.70	12271.85
SRD127L3	✓	127.0	3.0	36.100	408.41	13273.23
SRD130L2	✓	130.0	2.0	37.829	408.41	13273.23

Solid Round Section




Grade & Temper: 6061-T6

"✓" Stocked Item

"*" Pre-order Only Item
(30-40 working days delivery)

Product Code	Ex Stock	Diameter (mm)	Length (m)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
SRD135L3	*	135.0	3.0	40.795	424.12	14313.88
SRD140L2	✓	140.0	2.0	43.872	439.82	15393.80
SRD150L3	✓	150.0	3.0	43.872	439.82	15393.80
SRD165L3	✓	165.0	3.0	60.940	518.36	21382.47
SRD200L3	✓	200.0	3.0	89.535	628.32	31415.93
SRD250L3.7	✓	250.0	3.7	139.899	785.40	49087.39
SRD280L3	✓	280.0	3.0	175.489	879.65	61575.22

Solid Square Section



Grade & Temper: 6061-T6

Product Code	Ex Stock	A (mm)	Length (m)	Mass (Kg/m)	Perimeter (mm)	Area (mm ²)
SQBA5L3	*	5.0	3.0	0.071	20.00	25.00
SQBA6.3L3	✓	6.3	3.0	0.113	25.20	39.69
SQBA8L3	*	8.0	3.0	0.175	29.00	61.40
SQBA10L3	✓	10.0	3.0	0.284	39.10	99.80
SQBA12L3	✓	12.0	3.0	0.410	47.10	143.80
SQBA16L3	✓	16.0	3.0	0.729	63.10	255.80
SQBA19L3	✓	19.0	3.0	1.034	75.30	362.70
SQBA20L3	✓	20.0	3.0	1.139	79.10	399.80
SQBA25L3	✓	25.0	3.0	1.781	99.10	624.80
SQBA31.8L3	✓	31.8	3.0	2.881	126.30	1011.00
SQBA33L3	✓	33.0	3.0	3.104	132.00	1089.00
SQBA38.1L3	✓	38.1	3.0	4.136	151.40	1451.40
SQBA40L3	✓	40.0	3.0	4.560	160.00	1600.00
SQBA42L3	*	42.0	3.0	5.027	168.00	1764.00
SQBA44.5L3	✓	44.5	3.0	5.643	177.10	1980.00
SQBA51L3	✓	51.0	3.0	7.413	201.00	2601.00
SQBA60L3	✓	60.0	3.0	10.260	240.00	3600.00
SQBA70L3	✓	70.0	3.0	13.965	280.00	4900.00
SQBA80L3	✓	80.0	3.0	18.240	320.00	6400.00
SQBA90L3	✓	90.0	3.0	23.085	360.00	8100.00
SQBA100L3	✓	100.0	3.0	28.500	400.00	10000.00
SQBA100L3.5	✓	100.0	3.5	28.500	400.00	10000.00

The logo features the letters 'SD' in a bold, black, sans-serif font. A blue swoosh underline is positioned beneath the 'S' and 'D'. Below the 'SD' is the word 'ALUMINIUM' in a black, all-caps, sans-serif font. The background of the entire page is a high-angle, close-up photograph of various aluminum extrusions, including square, rectangular, and round profiles, arranged in a grid-like pattern.

SD ALUMINIUM

Contact Us Now!

Auckland Rosedale Branch

Address: 6 John Glenn Ave, Rosedale,
Auckland 0632

Email: info.albany@sdalu.co.nz

Phone: 09 - 218 2188
09 - 218 2111

Auckland Manukau Branch

Address: 28 Ryan Pl, Manukau City,
Auckland 2104

Email: info.manukau@sdalu.co.nz

Phone: 09 - 217 8666

Christchurch Wigram Branch

Address: 67 Vickerys Rd, Wigram,
Christchurch 8042

Email: info.chch@sdalu.co.nz

Phone: 03 - 366 6669

Follow Us on Social Media

